



TIRE REPAIR PRODUCTS

TIRE REPAIR PRODUCTS

Keep Your Wheel Running



NINGBO YILUDA AUTO PRODUCTS CO.,LTD

宁波易璐达汽配有限公司

NINGBO HANKER IMP & EXP CO.,LTD

宁波汉嘉进出口有限公司

Factory Add: Xiaobai Village, Dongwu Town, Yinzhou District, Ningbo 315100

Office Add: Room 1504, Haoru Building, 468#, Taikang Road, Ningbo 315100

Tel: +86-574-83030786 Fax: +86-574-83030787

E-mail: sales@bellright.com

Http://www.bellright.com www.tyredocor.net www.yiluda4x4.com

2017
CATALOGUE



ABOUT YILUDA

Our company is a professional manufacturer and supplier , our main products includes full line of Emergency Tire Repair Tools, Tire Repair Materials and Tire Accessories.

Our production technology includes plastic and rubber injection , CNS production, casting and die casting, hardware tooling and so on.

Our team has over 17years experience of doing tire repair business, Since 1999,we focus on the international tire repair market and 90% of our products has been Export to oversea market. Our major customers are from North America, European and Australia , meanwhile , our products has widely accepted by those top-Class market and have good reputation.

Our mission is to establish long-term and stable business relationship with all customers , and always provide best service and high-class products to them . Any feedback and support from customers will be highly appreciate.



TIRE REPAIR TOOLS

轮胎修补工具

- Tire Repair Kits
- Tire Repair Tools
- Tire Repair Needles
- Valve Tools
- Wheel Weight Tools

- Patches Repair Tools
- Tire Equipment Accessories
- Tread Depth Gauges
- Lug Nut Wrench

TIRE REPAIR TOOLS

TIRE REPAIR MATERIAL

轮胎修补材料

- Tire Repair Patches
- String Tyre Inserts
- Tire Repair Chemicals
- Combination Units

TIRE REPAIR MATERIALS

TIRE PRESSURE PRODUCTS

轮胎胎压工具系列

- Tire Gauges
- Tire Inflator
- Air Chuck
- Air Compressors

- Air Hose
- Quick Coupler
- Air Blow Gun

TIRE PRESSURE PRODUCTS

TIRE VALVE AND ACCESSORIES

气门嘴和配件

- Tire Valve Stem
- Valve Sleeve
- Valve Stem Extensions
- Valve Stem Core
- Valve Stem Cap

TIRE VALVE AND ACCESSORIES

WHEEL BALANCE WEIGHTS

平衡块系列

- Special Wheel Weight
- Clip-on Wheel Weight
- Adhesive Wheel Weight

WHEEL BALANCE WEIGHTS

WHEEL NUTS & BOLTS

螺丝螺母系列

- Wheel Adaptors
- Wheel Spacer
- HUB Center Ring
- Wheel Nuts/Bolts

WHEEL NUT/BOLT AND SPACER

WORK SHOP EQUIPMENT

维修店设备系列

- Mount/Dismount Tool
- Bead Seater Tank
- Regrover/Brander
- Tire Spreader
- Tire Dolly/Carrier
- Labor Saving Wrench

- Vulcanizing Machine
- Air Tools/Accessories
- Wheel Chocks
- Car Ramp
- Jacks/Jack Stand
- Tire Equipments

WORK SHOP EQUIPMENTS

SEEK THE ROAD OF THE WORLD



TIRE REPAIR TOOLS 轮胎修补工具

- Tire Repair Kits
- Tire Repair Tools
- Tire Repair Needles
- Valve Tools
- Wheel Weight Tools
- Patches Repair Tools
- Tire Equipment Accessories
- Tread Depth Gauges
- Lug Nut Wrench



TIRE REPAIR TOOLS

How To Use Bellright Tire Repair Kit



1
Remove Object That Caused Puncture. Take care, as residual air will escape under pressure



3
Insert the reamer into the puncture hole and push in whilst rotating the handle to clean our the hole. Re-inflate tire to help with insertion of string



5
Firmly push the insertion tool and string into the tire, A small amount of the string should still be visible (5-10mm only)



2
Apply lubricant to the spiral shaft of the reamer tool. This will help to probe the hole and temporarily separate the steel belts



4
Thread the repair string through the eye of the insertion tool until equal parts are either side of the tool.



6
Cut-off remain string flush with the tire treads.

TEK-042

46PCS EMERGENCY TIRE REPAIR KIT

46件套应急补胎工具组套

1PC Zinc-Alloy T-handle Insert Tool
1PC Zinc-Alloy T-handle Spiral Probe Tool
20PCS 4"(100mm)Self-vulcanization Plugs
1PC Double Head Tire Pressure Gauge 10-120psi
4PCS Standard Valve Cores
4PCS Brass Hex Valve Caps
4PCS Plastic Valve Caps
1PC 4-Way Valve Stem Tool
1PC Tire Pressure Gauge (10-120psi)
1PC Plastic Storage Box
1PC Long Nose Pliers
2PCS L-type Hex Tools
1PC Knife
1PC Lube
1PC Blow Mould Case



Case option colour



TEK-052

40PCS EMERGENCY TIRE REPAIR KIT

40件套应急补胎工具组套

1PC Zinc-Alloy T-handle Tire Seal Insertion Tool
1PC Zinc-Alloy T-handle Spiral Probe Tool
1PC Spare Insertion Needle
20PCS 4"(200mm)Self-vulcanization Plugs
4PCS Standard Plastic Valve Caps
4PCS Standard Valve Cores
1PC 4 ways Valve Stem Tool
1PC Tire Pressure Gauge (10-120psi)
1PC Plastic Storage Box
1PC Long Nose Pliers
2PCS L-type Hex Tools
1PC Lube
1PC Knife
1PC Blow Mould Case



Case option colour



TEK-001

EMERGENCY TIRE REPAIR KIT

应急补胎工具组套

1PC Zinc-Alloy T-handle Tire Seal Insertion Tool
1PC Zinc-Alloy T-handle Spiral Probe Tool
20PCS 8"(200mm)Self-vulcanization Plugs
2PCS L-type Hex Tools
1PC Lube
1PC Knife
1PC Blow Mould Case



Case option colour



Follow parts optional for recombine new kit




A




B



C



D



E



F



G



H



I



J

TUBELESS TIRE REPAIR KITS 补胎工具套装系列

TEK-058

62PCS EMERGENCY TIRE REPAIR KIT 62件套应急补胎工具组套

- 1PC knurl Type Heavy-Duty T-handle Insert Tool
- 1PC knurl Type Heavy-Duty T-handle Spiral Probe Tool
- 1PC Spare Insert Needle
- 30PCS 4"(200mm)Self-vulcanization Plugs
- 4PCS Standard Valve Cores
- 4PCS Brass Hex Valve Caps
- 4PCS Plastic Valve Caps
- 4PCS Plastic Extension Valves
- 1PC 4-Way Valve Stem Tool
- 1PC Plastic Storage Box
- 2PCS L-type Hex Tools
- 4PCS Professional Repair Patches
- 1PC 12ml Rubber Cement
- 1 Pair Of Working Gloves
- 1PC Knife
- 1PC Lube
- 1PC Blow Mould Case

Case option colour



TEK-041

43PCS EMERGENCY TIRE REPAIR KIT 43件套应急补胎工具组套

- 1PC Zinc-Alloy T-handle Insert Tool
- 1PC Zinc-Alloy T-handle Spiral probe Tool
- 1PC Needle Replacement Tool
- 30PCS 4"(100mm)Self-vulcanization Plugs
- 1PC Long Nose Pliers
- 1PC 12"(300mm) Steel Wire
- 1PC TR413 Valve Stem
- 1PC TR414 Valve Stem
- 1PC Pencil Tire pressure gauge (10-100psi)
- 1PC 12ml Rubber Cement
- 1PC 4-Way Valve Stem Tool
- 1PC Knife
- 1PC Instruction
- 1PC Nylon Rolling Bag

Bag option colour



TEK-003

25PCS EMERGENCY TIRE REPAIR KIT 25件套应急补胎工具组套

- 1PC Small Heavy-duty T-handle Insert Tool
- 1PC Small Heavy-duty T-handle Rasp Tool
- 1PC L-type Hex Tool
- 20PCS 4"(100mm)Self-vulcanization Plugs
- 1PC Knife
- 1PC Blow Mould Case

Case option colour



Optional parts



TEK-005A

29PCS EMERGENCY TIRE REPAIR KIT 29件套应急补胎工具组套

- 1PC Plastic T-handle Insert Tools
- 1PC Plastic T-handle Reamer
- 20PCS 4"(100mm)Self-vulcanization Plugs
- 1PC Pencil Tire Pressure Gauge 10-100psi
- 1PC 12ml Rubber Cement
- 1PC Metal Buffing Tool
- 2PCS Patches
- 1PC Knife
- 1PC Plastic Storage Box



TEK-010

6PCS PORTABLE EMERGENCY TIRE REPAIR KIT 6件套便携式应急补胎工具组套

- 1PC Detachable Type T-handle Insert Tool
- 1PC Detachable Type T-handle Rasp Tool
- PCS 4"(100mm)Self-vulcanization Plugs
- 1PC Plastic Storage Tube
- 1PC Plastic box



TEK-005B

EMERGENCY TIRE REPAIR KIT 应急补胎工具组套

- 1PC T handle insert tool
- 1PC T handle rasp
- 1PC Straight handle 5 size probe
- 1PC Long beak pliers
- 1PC Rubber cutter
- 1PC Mark crayon
- 1PC 12ml rubber cement
- 1PC Box band-aid
- 20PCS 100*6mm tire seal
- 10PCS 200*6mm tire seal

☆ Customized acceptable



TEK-004

EMERGENCY TIRE REPAIR KIT 套应急补胎工具组套

- 1PC Heavy-duty T-handle Insert Tool
- 1PC Heavy-duty T-handle Rasp Tool
- 1PC Spare Insert Needle
- 2PCS L-type Hex Tool
- 20PCS 4"(100mm)Self-vulcanization Plugs
- 1PC Knife
- 1PC Lube
- 1PC Blow Mould Case

Case option colour



Optional parts



A



B



C



D



E



F

TUBELESS TIRE REPAIR KITS

补胎工具套装系列

PROFESSIONAL WORKSHOP REPAIR KIT

专业修理店补胎套装系列

TEK-008

87PCS EMERGENCY TIRE REPAIR KIT

87件套应急补胎工具组套

1PC Plastic T-Handle Insert Tool
1PC Plastic T-Handle Rasp Tool
1PC Dual Head Gauge (10-120psi)
20PCS 4"(100mm)Self-vulcanization Plugs
15PCS 1-1/2" Round Patches
2PCS 2-1/2" x 4-1/2" Patches
2PCS 2-1/2" Round Patches
2PCS TR413 Valve Stem
2PCS TR418 Valve Stem
8PCS 1-3/4" Plastic Valve Extension Caps
8PCS Brass Hex Valve Caps
8PCS Standard Valve Core
8PCS Plastic Tire Valve Caps
4PCS Ball Needles
1PC Metal Buffing Tool
1PC 4 Way Valve Stem Tool
1PC Ball Type Air Chuck
1PC 12ml Rubber Cement
1PC Plastic Storage Box



TEK-009

36PCS EMERGENCY TIRE REPAIR KIT

36件套应急补胎工具组套

1PC Plastic Straight Handle Insert Tool
1PC Plastic Straight Handle Rasp Tool
1PC 4 Way Valve Stem Tool
4PCS 1-3/4" Plastic Valve Extension Caps
4PCS Standard Valve Cores
4PCS Brass Hex Valve Caps
4PCS Plastic Valve Caps
3PCS 4"(100mm)Self-vulcanization Plugs
1PC 12ml Rubber Cement
1PC Pencil Tire Pressure Gauge(10-100psi)
10PCS 1-1/2" Round Patches
1PC Metal Buffing Tool
1PC Plastic Storage Box



TEK-043

47PCS EMERGENCY TIRE REPAIR KIT

47件套应急补胎工具组套

1PC Plastic T-Handle Insert Tool
1PC Plastic T-Handle Rasp Tool
10PCS 4"(100mm)Self-vulcanization Plugs
30PCS Cold Repair Patches
1PC 10Z Rubber Cement
1PC Metal Buffing Tool
1PC Knife
1PC Patches Stitcher
1PC Plastic Storage Box



TEK-048

68PCS PROFESSIONAL TIRE REPAIR KIT

68件套专业补胎工具组套

1PC Air Die Grinder(BAT-002) With Buffing Wheel(BW-201)
1PC 8 OZ Fast dry Rubber Cement(ST-309-8)
1PC 32 OZ Bead Sealer(ST-308)
1PC 32 OZ Pre-Buff Rubber Cleaner(ST-310)
1PC Heavy-duty T-handle Insert Tool
1PC Heavy-duty T-handle Rasp Tool
1PC Patch Stitcher
1PC Hoe Style Inner Scraper
1PC Rubber Knife
1PC Long Nose Pliers
1PC Tire Marker
10PCS 45mm Universal Repair Patches
9PCS 50mm Universal Round Repair Patches
30PCS 4"(100mm)Self-vulcanization Plugs
4PCS US Style Radial Patches
3PCS USE Style Bis-Ply Patches
1PC Strong Plastic Storage box

☆ Customized acceptable



TEK-050

63PCS PROFESSIONAL TIRE REPAIR KIT

63件套专业补胎工具组套

1PC Heavy-duty T-handle Insert Tool
1PC Heavy-duty T-handle Rasp Tool
1PC 12v Smart Air compressor
20PCS 4"(100mm)Self-vulcanization Plugs
20PCS 8"(200mm)Self-vulcanization Plugs
1PC Double Head Tire Pressure Gauge 10-120psi
4PCS Standard Valve Cores
4PCS Brass Hex Valve Caps
4PCS Plastic Valve Caps
4PCS Plastic Extension Valves
1PC 4-Way Valve Stem Tool
1PC Tire Sealant 500mm
1PC Strong Plastic Storage box

☆ Customized acceptable



MOTORCYCLE/BICYCLE TIRE REPIRE KIT

摩托车/自行车 补胎工具套装

CO₂ CARTRIDGE WITH TIRE REPAIR TOOL

二氧化碳钢瓶和套装系列

BMRK-002

10PCS BIKE TUBE REPAIR KIT
10件套自行车内胎修补工具组套
3PCS Metal Tire Lever
4PCS Tube Repair Patches
1PC Metal Buffing Tool
1PC 7ml Rubber Cement
1PC Plastic Box



BMRK-007

22PCS TUBE REPAIR KIT
22件套内胎修补工具组套
3PCS Large Patches
5PCS Middle Patches
5PCS Small Patches
4PCS Buffing Paper
1PC Tire Stitcher
1PC 12ml Rubber Cement
1PC Tire Marker
1Bag of Talcum powder
1PC Metal Box




TEK-040

BIKE TUBE REPAIR KIT
内胎修补工具组套
Tube Repair Patches
Rubber Tube
12ml Rubber Cement
Metal Buffing Tool
Plastic Box



Optional parts



BMRK-004

12PCS BICYCLE TIRE REPAIR KIT
12件套自行车轮胎修补工具组套
3PCS Metal Tire Lever
4PCS Tube Repair Patches
2PCS Rubber Tube
1PC Metal Buffing Tool
1PC 12ml Rubber Cement
1PC Mutil Use Wrench Tool



TEK-007

15PCS VALVE ACCESSORIES AND TOOL KIT
15件套气门嘴配件及工具组套
4PCS Standard Valve Cores
4PCS Brass Hex Valve Caps
4PCS Plastic Valve Caps
1PC 4-Ways Valve Stem Tool
1PC Pencil Tire Gauge(10-50psi)
1PC Plastic Box



BMRK-001

PROFESSIONAL BIKE REPAIR KIT
专业自行车拆装工具套装

1PC pedal wrench 15/16mm & 15/17mm (A-001)
1PC headset spanner wrench 30/32mm & 36/40mm(A-002)
1PC chain whip(A-003)
2PCS cone wrenches 13/15mm & 14/16mm (A-004)
1PC adjustable lock ring spanner(A-005)
1PC bottom bracket cup wrench (A-006)
1PC adjustable wrench(A-007)
1PC open-end wrench 8/10mm(A-008)
1PC screwdriver(A-009)
3PCS socket wrenches 8/9/10mm (A-010)
4PCS bits(A-010)
1PC bit holder(A-010)
7PCS Allen keys (2/2.5/3/4/5/6/8mm) (A-011)
1PC chain rivet extractor (A-012)
3PCS tyre levers (A-013)
1PC tube repair kit (A-014)
1PC L-handle(A-015)
1PC wrench (A-015)
1PC free-wheel remover (A-016)
1PC cartridge BB tool (A-017)
1PC crank arm remover (A-018)
1PC spoke adjuster(A-019)
1PC tyre pressure gauge
1PC blow mould case



BMRK-006

PROFESSIONAL MOTORCYCLE TIRE REPAIR KIT

6 pc 16g Co2 Cartridge (C016)
1 pc Cartridge Protector Cover
1 pc Metal Release Valve(ARV-004)
2 pcs T-Handle Tubeless Tire repair tool
5 pcs 4"(100mm) Tire Strings
1 pc Digital Pressure Gauge(LTG-006)
4 pcs Tire Repair Patches
2 pcs Metal Tire lever
1 pc 12mL cement
1 pc Knife
1 Pc Nylon Carry Bag



TEK-037

22PCS TIRE REPAIR KIT WITH CO2 CARTRIDGE

22件套补胎工具组套
5 pcs 16g Co2 Cartridge
1 pc Co2 release valve(ARV-001)
2 pcs Small Heavy-Duty T-Handle Tubeless Tire repair tool
10 pcs 4"(100mm) Tire Strings
1 pc knife
2 pcs Needle replacement tools
1 Pc Strong Plastic box



TEK-036

19 PCS TIRE REPAIR KIT

19件套补胎工具组套
2pcs repair tools
10pcs repair strings
3pcs 65g Co2 cartridges
1pc strong plastic case
1pc hex wrench
1pc Co2 release valve
1pc release valve exchanger



TEK-035

19PCS TIRE REPAIR KIT WITH CO2 CARTRIDGES

19件套补胎工具组套
3 pcs 16g Co2 Cartridge
1 pc Co2 Release Valve(ARV-004)
2 pcs T-Handle Tubeless Tire Repair Tool
10 pcs 4"(100mm) Tire Strings
1 pc Knife
1 pc 12mL Cement
1 Pc Nylon Carry Bag



Optional parts



Co2 Cartridges Air Release Valve
钢瓶放气阀



Part NO.	Description
ARV-003	16g Co2 cartridge release tube
ARV-004	16g Co2 cartridge release tube
ARV-005	33g to 220g Co2 cartridge release valve

CO2 CARTRIDGES
二氧化碳钢瓶



Part NO.	D	L	A	Part NO.	D	L	A
CO-08	18.4mm	64.3mm	-	CO-38	30.4mm	140mm	1/2"
CO-10	18.4mm	83.9mm	-	CO-65	32mm	175mm	1/2"
CO-16	22mm	90mm	3/8"	CO-150	40mm	245mm	1/2"
CO-33	26.2mm	140mm	1/2"	CO-220	60mm	195mm	1/2"

TUBELESS TIRE REPAIR TOOL 真空胎修补工具



PLASTIC HANDLE REPAIR TOOL

塑料把手补胎工具

Part NO.	Description
PHT-A-1	#1 Straight Plastic Handle with Repair Needle
PHT-A-2	#2 Straight Plastic Handle with Repair Needle
PHT-A-3	#2 Straight Plastic Handle with Repair Needle
PHT-A-4	#3 Straight Plastic Handle with Repair Needle
PHT-A-5	#3 Straight Plastic Handle with Repair Needle
PHT-B-1	#1 Plastic T-Handle with Repair Needle
PHT-B-2	#2 Plastic T-Handle with Repair Needle
PHT-C-1	#1 Plastic Pistol Handle with Repair Needle
PHT-C-2	#2 Plastic Pistol Handle with Repair Needle
PHT-C-3	#3 Plastic Pistol Handle with Repair Needle
PHT-C-4	#4 Plastic Pistol Handle with Repair Needle
PHT-C-5	#5 Plastic Pistol Handle with Repair Needle

All needles of the tools above can be instead of any needle of the right page.

所有工具可根据客人要求替换成右图的补胎针



METAL HANDLE REPAIR TOOL

金属把手补胎工具

TR NO.	Description
MHT-A	Heavy Duty T-Handle in Plastic Protector with Repair Needle
MHT-B	Heavy Duty T-Handle with Repair Needle
MHT-C	Knurl Heavy Duty T-handle with Repair Needle
MHT-D	Tube Type Metal T-Handle with Repair Needle
MHT-E	Tube Type Metal T-handle with Plug and Repair Needle
MHT-F	L-Type Heavy Duty T-Handle with Repair Needle
MHT-G	Small Heavy Duty T-Handle with Repair Needle
MHT-H	Small Heavy Duty T-Handle in Plastic Protector with Repair Needle
MHT-J	Pistol Type Metal T-Handle with Repair Needle


All needles of the tools above can be instead of any needle of the right page.

所有工具可根据客人要求替换成右图的补胎针

TUBELESS TIRE REPAIR NEEDLE 真空胎修补针

STRING INSERT NEEDLES

塞胶条补胎针系列



Each item above Has follow specifications
(Φ 2mm/2.5mm/3.2mm/3.6mm/4mm/5mm/5.5mm)
All length can also be custom as buyer's opinion

	SIN-001	SIN-002	SIN-003
A	75mm	75mm	75mm
B	100mm	100mm	100mm
C	125mm	125mm	125mm
D	150mm	150mm	150mm
E	175mm	175mm	175mm
F	200mm	200mm	200mm
G	225mm	225mm	225mm
H	250mm	250mm	250mm


	SIN-004	SIN-005	SIN-006	SIN-018
A	75mm	75mm	75mm	75mm
B	100mm	100mm	100mm	100mm
C	125mm	125mm	125mm	125mm
D	150mm	150mm	150mm	150mm
E	175mm	175mm	175mm	175mm
F	200mm	200mm	200mm	200mm
G	225mm	225mm	225mm	225mm
H	250mm	250mm	250mm	250mm

All needle size is customized

所有针的规格可根据要求定做

PROBE AND RASP NEEDLES

探针和磨孔针系列



All length can also be custom as buyer's opinion

	SIN-007A	SIN-007B	SIN-007C
A	75mm	75mm	75mm
B	100mm	100mm	100mm
C	125mm	125mm	125mm
D	150mm	150mm	150mm
E	175mm	175mm	175mm
F	200mm	200mm	200mm
G	225mm	225mm	225mm
H	250mm	250mm	250mm

	SIN-009	SIN-014	SIN-012	SIN-016
A	75mm	75mm	75mm	75mm
B	100mm	100mm	100mm	100mm
C	125mm	125mm	125mm	125mm
D	150mm	150mm	150mm	150mm
E	175mm	175mm	175mm	175mm
F	200mm	200mm	200mm	200mm
G	225mm	225mm	225mm	225mm
H	250mm	250mm	250mm	250mm

All needle size is customized

所有针的规格可根据要求定做

TUBELESS TIRE REPAIR TOOL

真空胎修补工具

TUBELESS TIRE REPAIR TOOL

真空胎修补工具




Part NO.	Description	Part NO.	Description
PHT-010	#1 Plastic T-Handle with 200mm Probe Needle	PHT-080B	#1 Straight Handle with Smooth Probe Needle
PHT-016A	Strong Straight Handle with 230mm Rasp Tool Long	PHT-083A	Tire Injured Measure Tool
PHT-016B	Strong Straight Handle with 180mm Rasp Tool Middle	PHT-083B	Tire Injured Measure Tool
PHT-016C	Strong Straight Handle with 110mm Rasp Tool Short	PHT-089	Small Rubber Straight Handle with Front Eye Open Needle
PHT-023A	Strong Straight Handle with 240mm 2 in 1 Repair Needle	PHT-090	Small Plastic Straight Handle with Front Eye Open Needle
PHT-023B	#2 Straight Handle with 240mm 2 in 1 Repair Needle	PHT-091	#1 Plastic Straight Handle with 170mm Eye Closed Needle
PHT-084A	Mini Plastic Straight Handle with Front Open Eye needle for Bike or Gift	PHT-085	#2 Plastic Straight Handle with 200mm Eye Closed Needle
PHT-084B	Mini Plastic Straight Handle with Rasp needle for Bike or Gift	PHT-088	#1 Straight Handle with mm Eye Closed Needle
PHT-080A	#1 Straight Handle with Smooth Probe Needle		

PHT-030

PHT-030-A
Zinc-Alloy T-Handle Plug Insert Tool

PHT-030-B
Zinc-Alloy T-Handle Rasp Tool

Multi surface treatment : Golden 、 Chrome、 Paint



PHT-009

PLASTIC T-HANDLE 4 IN 1 TUBELESS TIRE REPAIR TOOL



PHT-033


METAL T-HANDLE 4 IN 1 TUBELESS TIRE REPAIR TOOL



MHT-007

MHT-007A
Small Metal T-Handle with Screw Type Rasp Needle

MHT-007B
Small Metal T-Handle with Screw Type Front Open Needle



PHT-011

PHT-011A
Detachable Type Plastic Pistol Handle Large

PHT-011B
Detachable Type Plastic Pistol Handle Small



The tools can be use any needle of the page 9

工具可根据客人要求替换成9页的补胎针

VALVE STEM TOOLS 气门嘴装卸工具



VALVE INSTALLATION TOOLS

气门嘴装卸工具

Part NO.	Description
VCT-016	Chain Type Valve Fishing Tool
VCT-017	Valve Fishing Tool
VCT-018	3 in 1 Valve Fishing Tool Long
VCT-019	3 in 1 Valve Fishing Tool Short
VIT-001	Heavy Duty Valve Stem Tool
VIT-002	Heavy Duty Valve Stem Tool with Rubber Protector
VIT-003	Heavy Duty Valve Stem Tool with Plastic Protector
VIT-004	Heavy Duty Valve Stem Tool
VIT-008B	2 in 1 Plastic Handle Valve Stem Tool
VIT-008C	Plastic Handle Valve Stem Tool with Rotate Head
VIT-012	2 in 1 Valve Stem Tool with Rubber Extender
VIT-014	TPMS Valve Stem Tool
PHG-004	Plastic Head Valve Stem Removal Tool
PHG-005	Metal Head Valve Stem Removal Tool



VALVE ACCESSORIES

气门嘴配件工具

Part NO.	Description
VIT-006	Valve Stem Cap installtion tool
VIT-007	TPMS Valve Tool with 11mm & 12mm Hex
VIT-009	Hexagonal Screwdriver



VALVE STEM TOOLS 气门嘴装卸工具



VALVE CORE TOOLS

气门芯装卸工具

Part NO.	Description
VCT-003	2 in 1 Valve Stem Tool
VCT-007	Valve Core Tool Long
VCT-008	Double-head Valve Core Tool for Standard and Large Bore
VCT-009	Double-head Valve Core Tool
VCT-010A	Valve Core Tool Short
VCT-010B	Valve Core Tool Long
VCT-011	Valve Core Tool Short
VCT-014	Valve Core Tool
VCT-015A	Rubber Straight Handle Valve Core Tool
VCT-015B	Valve Core Extractor
VCT-015C	Rubber Straight Handle Valve Core Tool with Clip
VCT-015D	Rubber Straight Handle Valve Core Tool
VCT-020	Aluminum Handle Valve Core Tool
VCT-025	2 in 1 Valve Core Tool with Clip
VCT-027	Double Head Aluminum Handle Valve Core Tool
VCT-028	Double Head Valve Core Tool With Magnet
VCT-029A	Aluminum Handle Valve Core Tool with Magnet Long
VCT-029B	Aluminum Handle Valve Core Tool with Magnet Short
VCT-031	Torque Valve Core Tool for TPMS Valve
VCT-032	Valve Core Tool with Spring to Hold The Valve Core



ALL-PURPOSE VALVE TOOLS

多功能气门嘴工具

Part NO.	Description
VCT-001	4-Way Valve Stem Tool Standard
VCT-001L	4-Way Valve Stem Tool Large
VCT-002	Multi-Use Valve Stem Tool
VCT-004	4-Way Valve Stem Tool Black
VCT-005	4-Way Valve Stem Tool Black
VCT-006	4-Way Valve Stem Tool Black



WHEEL WEIGHT TOOLS

平衡块工具



PHG-001A



PHG-001B



PHG-001C

CLIP-ON WHEEL WEIGHT PLIERS

挂钩平衡块工具

Part NO.	Description
PHG-001A	Forge Wheel Weight Pliers Nickel Plating
PHG-001B	Forge Wheel Weight Pliers Black
PHG-001C	Forge Wheel Weight Pliers
PHG-002	Forge Wheel Weight Pliers Nickel Plating
PHG-003	Wheel Weight Pliers
PHG-034	Heavy-Duty Wheel Weight Pliers
PHG-001AC	Plastic Cap For Forge Weight Pliers
PHG-003AC	Cap Accessories for PHG-003

ADHESIVE WHEEL WEIGHT TOOL

粘贴平衡块工具

A high-impact plastic chisel designed to remove adhesive wheel weights quickly without damaging expensive rims. Simply pry the weight off with a light tap of a hammer. The edge can be re-sharpened for extended use.

Part NO.	Description
PHG-031A	Adhesive wheel weight removal tool Big Handle
PHG-031B	Adhesive wheel weight removal tool Small Handle
PHG-031C	Adhesive wheel weight removal tool Short
PHG-031D	Adhesive wheel weight removal tool Short

Body option colour



WHEEL WEIGHT HAMMER

平衡锤

Part NO.	Description
PHG-014	Non-Lead Clip-on Truck Wheel weight Hammer
PHG-015	Non-Lead Clip-on Truck Wheel weight Hammer



PHG-034



PHG-001AC



PHG-002



PHG-003

PHG-003AC



PHG-031B



PHG-031A



PHG-031C



PHG-031D



PHG-015



PHG-014

TIRE REPAIR PATCH TOOLS

补片修补类工具



THG-009



THG-008



THG-021



THG-018



THG-020

STITCHERS

滚轮工具

Part NO.	Roller dia. (mm)	Thickness (mm)
THG-008	38	2/2.5/3/4/5/6
THG-009	50	4/5/6
THG-018	38	42
THG-021A	38	2/2.5/3/4/5/6
THG-021B	50	4/5/6
THG-020	2 in 1 Metal Tire Stitcher 150mm*30mm	

SCRAPERS

刮刀工具

Part NO.	Description
PHG-010	Hoe Style Inner Liner Scraper
PHG-011	Blade Style Inner Liner Scraper

SKIVING KNIVES

橡胶刀

Part NO.	Description
THG-016A	X2T taper skiving knife
THG-016B	X1Y extra curve sharp skiving knife
THG-016C	X3N round point flexible blade skiving knife
THG-016D	Utility Knife



THG-016A



THG-016C



THG-016B



THG-016D

APPLICATORS

刷子系列

PART NO	DESCRIBE	HEAD DIA (mm)	Hair Length (mm)	POLE DIA (mm)	POLE Length (mm)
PHG-074A-2	2#	19.5	38	9	160
PHG-074A-4	4#	24	38	10	160
PHG-074A-6	6#	29.5	38	10.5	160
PHG-074A-8	8#	35	38	13	162
PHG-074A-10	10#	38	44	16.5	170
PHG-074A-12	12#	43	44	17	170
PHG-074A-14	14#	48	44	18	180
PHG-074A-16	16#	54.5	44	19.5	180
PHG-074A-20	20#	65	51	21.5	185
PHG-074A-22	22#	69.5	51	21.5	185
PHG-045	Large	46	45	28	390
PHG-075	Cotton Tire Swab				



PHG-074



PHG-045



PHG-075

CRAYONS AND HOLDER

记号笔和套筒

Part NO.	Description
PHG-006	Tire Crayon Holder
TRC-002W	White Color Tire Crayons
TRC-002Y	Yellow Color Tire Crayons



PHG-006



TRC-002W



TRC-002Y

LUG NUT WRENCH

扳手工具



Part NO.	Description
CW-001	Forged Cross Wrench With Steel Pad 17mm, 19mm, 21mm & Free 1/2" Bar
CW-002	Forged Cross Wrench 17mm, 19mm, 21mm & 23mm
CW-004	Forged Cross Wrench With Steel Pad 17mm, 19mm, 21mm & 23mm
CW-008	Forged Cross Wrench With ABS Pad 17mm, 19mm, 21mm & 23mm
CW-009	16" Forged Cross Wrench 17mm, 19mm, 21mm & 23mm
CW-011	Foldable Cross Wrench 17mm, 19mm, 21mm & 23mm
AAT-006	L Style Wrench With Two Socket, 17mm/19mm & 21mm/23mm



Part NO.	Description
CW-010	Heavy Duty Detachable Cross Wrench 1/2" Free Bar



TIRE EQUIPMENT ACCESSORIES

拆装胎设备附件



TIRE CHARGER HEAD

拆胎设备鸟头工具


Part NO.	Description
PHG-021	ABS Tire Changer Mounting Head
PHG-022	ABS Tire Changer Mounting Head
PHG-023	ABS Tire Changer Mounting Head
PHG-023K	Plastic Tyre Mounting Head Seat
TMA-001	Metal Tire Changer Mounting Head
TMA-004	Metal Tire Changer Mounting Head
TMA-005	Metal Tire Changer Mounting Head



BEAD CLAMP & QUICK CONNECTOR

压胎辅助器和快接螺母工具

Part NO.	Description
TMAS-001	Bead Clamp
TMAS-002	Bead Clamp
TMAS-003	Quick Connector



TIRE LEVER

撬棒工具

Part NO.	Description
TL-001	12"(300mm) Tire Lever
TL-002	16"(400mm) Tire Lever
TL-003	20"(500mm) Tire Lever
TL-004	22"(550mm) Tire Lever
TL-005	24"(600mm) Tire Lever
TL-006	30"(750mm) Tire Lever
TL-003WP	20"(500mm) Tire Lever With Plastic Protector
TL-003WSP	20"(500mm) Tire Lever With Small Plastic Protector
TL-007	2 in 1 Tire Dismount Tool



TREAD DEPTH GAUGE AND WHEEL TOOL 轮胎花纹尺和轮毂工具



TREAD DEPTH GAUGES 轮胎花纹深度尺

Part NO.	Description
PHG-012A	Economic Tread Depth Gauge White Scale Bar
PHG-012B	Economic Tread Depth Gauge Black Scale Bar
PHG-012C	Economic Tread Depth Gauge Metal Scale Bar
PHG-012C	Economic Tread Depth Gauge Green Scale Bar
PHG-013A	Strainless Steel Tread Depth Gauge
PHG-013B	Strainless Steel Tread Depth Gauge
PHG-046	Digital Tread Depth Gauge
PHG-047	Dial Tread Depth Gauge
PHG-048	Truck Tread Depth Gauge
PHG-076	2 in 1 Tread Depth Gauge
PHG-077	Plastic Tread Depth Gauge with Key Ring



OTHER TOOLS FOR WHEEL 其他轮毂工具

Part NO.	Description
PHG-035A	Plastic P.C.D Gauge
PHG-041	Tire Mounting Protector
PHG-078	Rim Width Caliper



TIRE REPAIR MATERIAL 轮胎修补材料

- Tire Repair Patches
- String Tyre Inserts
- Tire Repair Chemicals
- Combination Units



STANDARD PUNCTURE REPAIR PROCEDURES

Patch Repair Procedures



Center the repair unit over the injury on the inside of the tire and outline an area 1/4" larger than the patch to define the repair area.




Using pre-buff rubber cleaner and an inner liner scraper, thoroughly clean the outlined area, removing all mold lubricants, dirt, and debris.




Using a low speed buffer at no more than 5,000 rpm, buff the outlined area to an even, Be careful not to buff through the inner liner and expose the cord body plies of the tire. Vacuum away any buffing debris.



Relax the tire beads to their normal position. Remove the protective backing from the repair unit being careful not to touch the gum surface.



Using a roller stitcher, stitch the repair unit down firmly to the tire inner liner by working from the center outward making sure to remove all trapped air.



Place it on the inner liner centered over the insert.



Using a 500 rpm low speed air drill and the appropriate carbide cutter, clear and prepare the injury channel by drilling it 3 times from the inside of the tire and then 3 times from the outside of the tire. This will clear away any damaged cables and prepares the injury channel to receive the vulcanizing insert (stem portion of the repair unit). Vacuum away any buffing debris.

Place a drop of cement at the leading edge of the stem portion of the repair unit being careful not to puddle. This lubricates the repair unit as it is pulled through the injury channel.



Keeping the stem in a relaxed position, cut the stem about 1/8" above the tread surface of the tire. Do not pull the stem while cutting.

Lead-wire combination units Repair Procedures



Select the appropriate repair material based on the size of the injury and the type of tire being repaired. Center the patch head over the injury on the inside of the tire and outline an area 1/4" larger than the patch to define the repair area.




Using pre-buff rubber cleaner and an innerliner scraper, thoroughly clean the outlined area, removing all mold lubricants, dirt, and debris.



Relax the tire beads to their normal position. Remove the protective covering from the patch head and stem portions of the repair unit being careful not to touch the gum surfaces of the patch or stem.



Using a cement dipped probe, coat the wall of the injury channel with chemical vulcanizing cement. Using the brush applicator, apply cement to the prepared area of the inner liner in a stippling motion being careful not to puddle the cement. Allow the cement to dry thoroughly before installing the repair unit.



Insert the lead wire into the injury channel from the inside of the tire and pull it from the outside of the tire with a pair of pliers. Pull the repair unit steadily from the outside of the tire until the patch head is seated. Do not dimple the patch head by pulling too far.

TIRE REPAIR CHEMICALS 补胎化学品系列

MOUNTING AND DEMOUNTING COMPOUNDE

拆装胎润滑膏

To prevent damage to tire beads, always use quality Bellright Mounting and Demounting Compounds.

We off an industry leading selection for the tire service professional.

Part NO.	Color	Size	Description
ST-101	White	1kg	Euro-paste
ST-303	White	3kg	Euro-paste
ST-305	White	5kg	Euro-paste
ST-301	White	45g	Lubricant

RUBBER CEMENTS

胶水系列

For chemical or heat vulcanization. The flammable vulcanizing cement is our most popular, fast dry cement. For use with any Bellright repair unit or insert.

When used on large reinforced patches, coat patch and inner liner with cement.

Part NO.	Color	Size	Description
ST-306-8	Blue	8oz(236ml)	For Chemical or Heat Vulcanization
ST-306-32	Blue	32oz(945ml)	For Chemical or Heat Vulcanization
ST-307-8	Black	8oz(236ml)	For Heat Vulcanization Only
ST-307-32	Black	32oz(945ml)	For Heat Vulcanization Only
ST-309-8	Clear	8oz(236ml)	For Chemical or Heat Vulcanization
ST-309-32	Clear	8oz(945ml)	For Chemical or Heat Vulcanization
ST-320	Clear	8oz(236ml)	For Chemical or Heat Vulcanization
ST-312A	Clear	0.41 fl oz(12ml)	For Chemical or Heat Vulcanization
ST-312B	Clear	0.41 fl oz(12ml)	For Chemical or Heat Vulcanization
ST-312C	Clear	1oz(26ml)	For Chemical or Heat Vulcanization



ST-312A



ST-312B



ST-312C

TIRE SEALANT

自补液

Part NO.	Color	Size	Description
ST-050-350	Green	350ml	For tire and tube
ST-050-500	Green	500ml	For tire and tube
ST-050-800	Green	800ml	For tire and tube

BEAD SEALER

密封剂

Part NO.	Color	Size	Description
ST-308	Black	32oz(945ml)	Forsealing small air leaks

BUFFING SOLUTION

清洗剂

Part NO.	Color	Size	Description
ST-310	Clear	32oz(945ml)	For removing dirt, debris and mold lubricants



ST-305

ST-303

ST-301



ST-306-8



ST-306-32



ST-309-8



ST-309-32



ST-320



ST-050



ST-308



ST-310

TIRE REPAIR PATCHES

补胎专用耗材

BIAS-PLY PATCHES

斜交胎补片系列

ST-022 to 026

TUBE/TUBELESS TIRE REPAIRS PATCHES BLACK COLOUR WITH ORANGE BASE 圆形内胎补片

Designed for chemical or heat vulcanization, the Universal patches is a unit molded style repair unit with premium blue vulcanizing gum. This repair is molded onto a white mylar backing which is slit for easy removal.

PART NO.	Shope	SIZE(Inch)	SIZE(mm)	Box QTY
ST-022	Round	1	25	100
ST-023	Round	1-1/4	32	100
ST-024	Round	2	42	50
ST-025	Round	2-1/4	50	30
ST-026	Round	2-3/8	60	20



ST-030 to 032

TUBE/TUBELESS TIRE REPAIRS PATCHES BLACK COLOUR 扁形内胎补片

Designed for chemical or heat vulcanization, the Universal patches is a unit molded style repair unit with premium blue vulcanizing gum. This repair is molded onto a white mylar backing which is slit for easy removal.

PART NO.	Shope	SIZE(Inch)	SIZE(mm)	Box QTY
ST-030	Oval	1-5/8x3	72x40	30
ST-031	Oval	2-3/8x3	50x32	50
ST-032	Oval	2-1/4x4	32x24	100



ST-701 to 803

UNIVERSAL SQUARE/ROUND PATCHES 通用形补片

Designed for Chemical Vulcanization
Black vulcanizing gum, blue poly backing.

PART NO.	Shope	SIZE(Inch)	SIZE(mm)	Box QTY
ST-701	Small Square	1-3/4	45	50
ST-702	Medium Square	2-1/8	55	25
ST-703	Large Square	3	75	15
ST-801	Small Round	1-5/8	41	50
ST-802	Medium Round	2-1/4	57	25
ST-803	Large Round	3-1/4	82	15



ST-701B to 803B

UNIVERSAL SQUARE/ROUND PATCHES 通用形补片

Designed for Chemical Vulcanization
Black vulcanizing gum, blue poly backing.

PART NO.	Shope	SIZE(Inch)	SIZE(mm)	Box QTY
ST-701B	Small Square	1-3/4	45	50
ST-702B	Medium Square	2-1/8	55	25
ST-703B	Large Square	3	75	15
ST-801B	Small Round	1-5/8	41	50
ST-802B	Medium Round	2-1/4	57	25
ST-803B	Large Round	3-1/4	82	15



		INJURY SIZE																
		3mm 1/8"	6mm 1/4"	10mm 3/8"	15mm 1/2"	20mm 3/4"	25mm 1"	40mm 1 1/2"	50mm 2"	65mm 2 1/2"	75mm 3"	100mm 4"	125mm 5"	150mm 6"	175mm 7"	200mm 8"	225mm 9"	250mm 10"
		PASSENGER, TRUCK, REARTRUCK																
BIAS PLY REPAIR APPLICATION CHART	PLY RATING	4	55mm 2-1/8"	55mm 2-1/8"	75mm 3"	90mm 3-1/2"	110mm 4-1/4"	110mm 4-1/4"	140mm 5-1/2"	165mm 6-1/2"	250mm 9-5/8"							
		6	55mm 2-1/8"	55mm 2-1/8"	75mm 3"	90mm 3-1/2"	110mm 4-1/4"	110mm 4-1/4"	140mm 5-1/2"	165mm 6-1/2"	250mm 9-5/8"							
		8	55mm 2-1/8"	55mm 2-1/8"	90mm 3-1/2"	110mm 4-1/4"	110mm 4-1/4"	140mm 5-1/2"	140mm 5-1/2"	165mm 6-1/2"	250mm 9-5/8"							
		10	55mm 2-1/8"	75mm 3"	90mm 3-1/2"	110mm 4-1/4"	110mm 4-1/4"	140mm 5-1/2"	165mm 6-1/2"	250mm 9-5/8"	250mm 9-5/8"	290mm 11-3/8"	305mm 12"					
		12	55mm 2-1/8"	75mm 3"	90mm 3-1/2"	140mm 5-1/2"	140mm 5-1/2"	140mm 5-1/2"	165mm 6-1/2"	250mm 9-5/8"	250mm 9-5/8"	290mm 11-3/8"	305mm 12"					
		14	55mm 2-1/8"	75mm 3"	110mm 4-1/4"	140mm 5-1/2"	140mm 5-1/2"	165mm 6-1/2"	250mm 9-5/8"	250mm 9-5/8"	290mm 11-3/8"	305mm 12"	508mm 20"					
		16	55mm 2-1/8"	75mm 3"	140mm 5-1/2"	140mm 5-1/2"	165mm 6-1/2"	165mm 6-1/2"	250mm 9-5/8"	250mm 9-5/8"	290mm 11-3/8"	305mm 12"	508mm 20"					
		18	55mm 2-1/8"	75mm 3"	140mm 5-1/2"	165mm 6-1/2"	165mm 6-1/2"	250mm 9-5/8"	250mm 9-5/8"	290mm 11-3/8"	305mm 12"	305mm 12"	380mm 15"	508mm 20"				
		20	55mm 2-1/8"	75mm 3"	140mm 5-1/2"	165mm 6-1/2"	165mm 6-1/2"	250mm 9-5/8"	290mm 11-3/8"	305mm 12"	305mm 12"	305mm 12"	380mm 15"	508mm 20"				
		22	55mm 2-1/8"	75mm 3"	140mm 5-1/2"	250mm 9-5/8"	250mm 9-5/8"	290mm 11-3/8"	305mm 12"	305mm 12"	305mm 12"	305mm 12"	508mm 20"					
		24	55mm 2-1/8"	75mm 3"	140mm 5-1/2"	250mm 9-5/8"	250mm 9-5/8"	290mm 11-3/8"	305mm 12"	305mm 12"	305mm 12"	305mm 12"	508mm 20"					
		FARM, TRACTOR, SHEDDER																
		4	55mm 2-1/8"	55mm 2-1/8"	75mm 3"	90mm 3-1/2"	110mm 4-1/4"	110mm 4-1/4"	140mm 5-1/2"	165mm 6-1/2"	200mm 8-1/8"	207mm 8-1/8"	235mm 9-1/4"	295mm 11-5/8"	295mm 11-5/8"	380mm 15"	380mm 15"	
		6	55mm 2-1/8"	55mm 2-1/8"	75mm 3"	90mm 3-1/2"	110mm 4-1/4"	110mm 4-1/4"	140mm 5-1/2"	165mm 6-1/2"	200mm 8-1/8"	207mm 8-1/8"	235mm 9-1/4"	295mm 11-5/8"	295mm 11-5/8"	380mm 15"	380mm 15"	
		8	55mm 2-1/8"	75mm 3"	90mm 3-1/2"	90mm 3-1/2"	110mm 4-1/4"	110mm 4-1/4"	140mm 5-1/2"	165mm 6-1/2"	200mm 8-1/8"	207mm 8-1/8"	235mm 9-1/4"	295mm 11-5/8"	295mm 11-5/8"	380mm 15"	380mm 15"	380mm 15"
		10	55mm 2-1/8"	75mm 3"	90mm 3-1/2"	110mm 4-1/4"	110mm 4-1/4"	140mm 5-1/2"	165mm 6-1/2"	250mm 9-5/8"	235mm 9-1/4"	235mm 9-1/4"	295mm 11-5/8"	295mm 11-5/8"	380mm 15"	380mm 15"	495mm 19-1/2"	495mm 19-1/2"
		12	55mm 2-1/8"	75mm 3"	90mm 3-1/2"	140mm 5-1/2"	140mm 5-1/2"	140mm 5-1/2"	165mm 6-1/2"	250mm 9-5/8"	235mm 9-1/4"	235mm 9-1/4"	295mm 11-5/8"	295mm 11-5/8"	380mm 15"	495mm 19-1/2"	495mm 19-1/2"	495mm 19-1/2"
		14	55mm 2-1/8"	75mm 3"	140mm 5-1/2"	140mm 5-1/2"	140mm 5-1/2"	165mm 6-1/2"	165mm 6-1/2"	250mm 9-5/8"	235mm 9-1/4"	295mm 11-5/8"	295mm 11-5/8"	380mm 15"	495mm 19-1/2"	495mm 19-1/2"	495mm 19-1/2"	495mm 19-1/2"
		16	55mm 2-1/8"	75mm 3"	140mm 5-1/2"	140mm 5-1/2"	165mm 6-1/2"	165mm 6-1/2"	250mm 9-5/8"	295mm 11-5/8"	295mm 11-5/8"	295mm 11-5/8"	380mm 15"	495mm 19-1/2"	495mm 19-1/2"	495mm 19-1/2"	495mm 19-1/2"	495mm 19-1/2"
		18	55mm 2-1/8"	75mm 3"	140mm 5-1/2"	165mm 6-1/2"	165mm 6-1/2"	300mm 11-5/8"	380mm 15"	295mm 11-5/8"	380mm 15"	380mm 15"	380mm 15"	495mm 19-1/2"	495mm 19-1/2"	495mm 19-1/2"	495mm 19-1/2"	495mm 19-1/2"
		REINFORCEMENT REPAIRS																
		8-12	55mm 2-1/8"	55mm 2-1/8"	75mm 3"	90mm 3-1/2"	110mm 4-1/4"	110mm 4-1/4"	140mm 5-1/2"	140mm 5-1/2"	165mm 6-1/2"	250mm 9-5/8"	290mm 11-3/8"	305mm 12"				
		14-18	55mm 2-1/8"	55mm 2-1/8"	75mm 3"	90mm 3-1/2"	140mm 5-1/2"	140mm 5-1/2"	165mm 6-1/2"	165mm 6-1/2"	250mm 9-5/8"	250mm 9-5/8"	290mm 11-3/8"	305mm 12"				
		20-24	55mm 2-1/8"	55mm 2-1/8"	90mm 3-1/2"	140mm 5-1/2"	165mm 6-1/2"	165mm 6-1/2"	165mm 6-1/2"	165mm 6-1/2"	290mm 11-3/8"	290mm 11-3/8"	305mm 12"	380mm 15"				

USING THIS CHART:

1. Use the appropriate section of this chart for the repair being performed.
2. Note the ply rating of the tire being repaired and locate this in the left hand column of appropriate section.
3. Measure the injury being repaired across the largest area of broken or removed cord. Locate this injury size, or next largest size listed, along the top row.
4. Use the specified repair unit where the column and row intersect.

US STYLE BIAS-PLY PATCHES

美式斜交胎补片

PART NO.	PL	SIZE(Inch)	SIZE(mm)	Box QTY
ST-501	2 Ply	3-1/2	90	20
ST-502	2 Ply	4-1/2	115	10
ST-503	2Ply	5-1/2	140	10
ST-504	3 Ply	6-1/2	165	10
ST-505	4 Ply	7-1/2	190	10
ST-506	4 Ply	8-1/2	215	10
ST-508	6 Ply	12-1/2	317	5

Designed primarily for use in agricultural bias ply tube or tubeless tires
Designed for chemical vulcanization



ST-501 to 508

EURO STYLE BIAS-PLY PATCHES

欧式斜交胎补片

PART NO.	PL	SIZE(Inch)	SIZE(mm)	Box QTY
ST-111	2 Ply	3	75	24
ST-112	2 Ply	4	105	24
ST-113	2 Ply	5-1/2	135	24
ST-114	3 Ply	7	175	12
ST-115	4 Ply	8-1/2	215	10
ST-116	1 Ply	10	260	5
ST-117	1 Ply	11-1/2	300	1 piece per bag
ST-118	1 Ply	13-1/2	350	1 piece per bag
ST-119	1 Ply	15-1/2	400	1 piece per bag



ST-111 to 119

RADIAL APPLICATION CHART

子午线补片修补对照表

RADIAL PATCHES

子午线补片系列

RADIAL REPAIR APPLICATION CHART								
SIDEWALL INJURY		TREAD INJURY	PASSENGER		LIGHT TRUCK	HEAVY TRUCK		EARTHMOVER
Maximum Width	Maximum Length	Maximum Diameter	125-195	205-255	6.50-12.50 7-10 215/85 - 255/85 215/75 - 265/75	7.50-10.00 8-11 235/80 - 275/80 245/75 - 295/75	11.00-14.00 12-16.5 295/80 - 315/80 315/75 - 425/65	14.00-40.00 15.5-50.5 20/65 - 65/65
1/8" (3mm)	1/8" (3mm)	1/8" (3mm)	42x75mm	42x75mm	42x75mm	42x75mm	42x75mm	125x330mm
		1/4" (6mm)	42x75mm	42x75mm	57x100mm	57x100mm	57x100mm	125x254mm
1/4" (6mm)	1/4" (6mm)		42x75mm	42x75mm	57x100mm	57x100mm	57x100mm	125x330mm
	1/2" (12mm)		42x75mm	42x75mm	72x125mm	125x254mm	100x188mm	125x254mm
	2" (50mm)		57x100mm	57x100mm	75x150mm			
1 Cable	1-1/2" (40mm)				72x125mm	72x125mm	72x125mm	
	3-1/8" (80mm)				75x150mm	75x150mm	75x150mm	
	4-3/4" (120mm)					75x215mm	75x215mm	
	6" (50mm)					76x278mm	76x278mm	
2 Cable	3/4" (19mm)				72x125mm	72x125mm	75x150mm	
	1-1/2" (40mm)				75x150mm	75x215mm	75x215mm	
	2-3/8" (60mm)				75x150mm	75x215mm	76x278mm	
	5-1/8" (130mm)					76x278mm	76x355mm	
3/8" (10mm)	3/8" (10mm)	1/4" (6mm)	42x75mm	42x75mm	72x125mm	72x125mm	72x125mm	125x330mm
	1-1/2" (40mm)		42x75mm	42x75mm	72x125mm	72x125mm	72x125mm	
	2" (50mm)		57x100mm	57x100mm				
	2-3/8" (60mm)		95x100mm	95x100mm	75x150mm		100x188mm	125x254mm
	3-1/8" (80mm)				125x254mm		125x254mm	
	5-1/8" (130mm)						125x330mm	
1/2" (12mm)	1-1/2" (40mm)	1/2" (12mm)	57x100mm	57x100mm	75x150mm	115x125mm	115x125mm	125x330mm
	2" (50mm)		57x100mm	57x100mm	75x150mm	100x188mm	100x188mm	125x330mm
	2-3/4" (70mm)		95x100mm	95x100mm			125x254mm	
	2-3/4" (95mm)				100x188mm	125x254mm		
	5-1/8" (130mm)					125x330mm	125x330mm	
3/4" (19mm)	3/4" (19mm)	3/4" (19mm)	57x100mm	57x100mm	75x150mm	115x125mm	133x180mm	125x330mm
	1" (25mm)		57x100mm	57x100mm	75x150mm		100x188mm	125x330mm
	1-1/2" (40mm)			95x100mm			100x188mm	
	2" (50mm)		95x100mm		75x215mm		125x254mm	
	2-1/2" (65mm)						125x254mm	
	4-3/8" (110mm)						125x330mm	
	5-1/8" (130mm)						125x330mm	
1" (25mm)	1-1/2" (40mm)	1" (25mm)	95x100mm	95x100mm	115x125mm	133x180mm	133x180mm	125x330mm
	2" (50mm)		95x100mm	95x100mm		125x254mm	125x330mm	
	3-1/8" (80mm)			75x150mm		125x330mm		
	4" (100mm)					125x330mm		
1-1/4" (30mm)	2" (50mm)	1-1/4" (30mm)				133x180mm	133x180mm	
	3-1/8" (80mm)					125x254mm	125x330mm	
	4" (100mm)					125x330mm		
1-1/2" (40mm)	2" (50mm)	1-1/2" (40mm)				190x240mm	190x240mm	
	3-1/8" (80mm)					125x330mm	125x330mm	
SHOULDER INJURY	1/4" (6mm)	1/4" (6mm)	42x75mm	42x75mm	57x100mm	72x125mm	72x125mm	125x254mm
	3/8" (10mm)	3/8" (10mm)	57x100mm	57x100mm	72x125mm		75x150mm	125x330mm
	1/2" (12mm)	1/2" (12mm)		95x100mm	75x150mm	75x150mm	100x188mm	
	3/4" (19mm)	3/4" (19mm)			100x188mm	125x254mm	125x254mm	
	1" (25mm)	1" (25mm)				125x330mm	125x330mm	
		1-1/2" (40mm)				125x330mm	125x330mm	

ST-601 to 605

US STYLE RADIAL PATCHES


美式子午线补片

Designed to vulcanize chemically or in low temperature systems
Gray vulcanizing gum, blue poly backing


PART NO.	PL	SIZE(Inch)	SIZE(mm)	Box QTY
ST-601	1Ply	1-5/8x3	45x76	20
ST-602	1 Ply	2-3/8x3	57x76	20
ST-603	1 Ply	2-1/4x4	57x102	10
ST-604	1 Ply	3-3/4x4	95x102	10
ST-605	2 Ply	2-7/8x5	76x125	10



*CROWN INJURY (C) Measure max. diameter of damaged wire belt.



A-B No Repairs In Bead Area



SIDEWALL INJURY (W x L)

Measure (W) the width of the injury across the Radial Ply and (L) the length of the injury to determine the correct size repair unit.

Repairable Areas & Limits

Puncture Repair Procedure For Passenger Tires With 1/4" Maximum Size Injury In The Tread Area Only. Do Not Repair Sidewall Or Shoulder Injuries.

ST-901 to 909

EURO STYLE RADIAL PATCHES

欧式子午线补片

Designed for chemical or heat vulcanization
Premium blue vulcanizing gum, white backing.


PART NO.	PL	SIZE(Inch)	SIZE(mm)	Box QTY
ST-901	1 Ply	1-5/8x3	55x75	20
ST-902	1 Ply	2-3/8x3	65x105	10
ST-903	1 Ply	2-1/4x4	80x125	10
ST-904	2 Ply	3-3/4x4	92x155	10
ST-905	2 Ply	2-7/8x5	92x135	10
ST-906	3 Ply	5x7-3/8	130x190	10
ST-907	4 Ply	5x8-1/2	125x215	5
ST-908	4 Ply	3x11	140x280	5
ST-909	4 Ply	3x13	140x340	5




RADIAL REPAIR UNITS USAGE

A-B Non-Repairable Bead Area Damage

TIRE SIZE	RADIAL PLY
Passenger	1-1/2"(40mm)
Light Truck (7.00-8.75)	2-1/2"(64mm)
Heavy Duty (9.00-14.00)	3"



Non-speed rated tire



Speed rated tire

TIRE REPAIR SEAL AND PLUG 补胎胶条和蘑菇钉系列

COMBINATION UNITS

蘑菇钉补片
combination units require no special wire pulling tools.



Part NO.	SIZE(mm)	Box QTY
ST-264	26x4	60
ST-364	36x4	24
ST-366	36x6	24
ST-466	46x6	24
ST-509	50x9	24
ST-606	60x6	24
ST-609	60x9	24
ST-1014	100x14	24

COMBINATION UNITS WITH METAL COVER

金属杆蘑菇钉



Part NO.	SIZE(mm)	Box QTY
ST-264M	26x4	60
ST-364M	36x4	24
ST-366M	36x6	24
ST-466M	46x6	24
ST-509M	50x9	24
ST-606M	60x6	24
ST-609M	60x9	24

INSERTS

整体塞



Part NO.	SIZE(mm)	Box QTY
ST-131	4	50
ST-132	6	50
ST-133	9	50



STRING-TYPE INSERTS

补胎胶条

Part NO.	SIZE(mm)	SIZE(inch)	Color	Box QTY
ST-001	3.5x200	8	Brown	6sheet/box
ST-002	3.5x200	8	Black	6sheet/box
ST-003	6x200	8	Brown	6sheet/box
ST-004	6x200	8	Black	6sheet/box
ST-005	6x100	4	Black	12sheet/box
ST-006	6x100	4	Brown	12sheet/box
ST-007	3.5x100	4	Brown	12sheet/box
ST-008	3.5x100	4	Black	12sheet/box
ST-003L	6x300	12	Brown	6sheet/box
ST-004L	6x300	12	Black	6sheet/box



TIRE PRESSURE PRODUCTS 轮胎胎压工具系列

- Tire Gauges
- Tire Inflator
- Air Chuck
- Air Compressors
- Air Hose
- Quick Coupler
- Air Blow Gun



DIAL STYLE TIRE GAUGE

表盘式胎压表系列

DIAL STYLE TIRE GAUGE AND TYRE INFLATE

表盘式胎压表与胎压枪系列

Dial style tire gauges

Steel cover can be different colour coated
Measure range can be made according to buyer's request
Gauge with air release valve or without

STRAIGHT HEAD DIAL TIRE GAUGES

Part No.	Description
TCG-010C	40mm Dia Gauge with Magnet
TCG-010D	40mm Dia Gauge
TCG-010E	40mm Dia Gauge with Rubber Cover and release valve



Part No.	Description
TCG-002A	50mm Straight-on dial gauge
TCG-002B	40 Straight-on dial gauge
TCG-002C	Zinc-Alloy dial gauge with deflator
TCG-004A	Plastic Angled dial gauge
TCG-004B	Plastic dial gauge
TCG-005	Zinc-Alloy dial gauge
TCG-042	Long chuck dial tire pressure gauge

Scale Can Be Made As buyer's Opinion
Logo Printed Is Available



TCG-004A



TCG-004B



TCG-005



TCG-002C



TCG-042



TCG-010D



TCG-010C



TCG-010E



TCG-002A



TCG-002B

TCG-013A

TIRE DEFLATOR GAUGE

From 0 to 60 psi
Scale Can Be Made As buyer's Opinion
Logo Printed Is Available



TCG-023A

TIRE DEFLATOR GAUGE

From 0 to 220psi / 0 to 15bar / 0 to 1500Kpa
Scale Can Be Made As buyer's Opinion
Logo Printed Is Available



TRUCK TIRE INFLATOR GAUGES

Gauge with long rubber chuck
Can be test pressure and inflating air
Heavy-duty and high quality standard

Part No.	Description
TCG-019A	3 in 1 Tire Inflating Gun
TCG-028	Tire Inflator with Plastic Scale Bar
TCG-031	Dial Tire Inflator Gauge
TCG-040	Heavy Duty Inflator Gauge



TCG-028



TCG-040



TCG-031

TCG-013B

FLEXIBLE RUBBER HOSE DIAL TIRE GAUGE

From 0 to 160 psi
Scale Can Be Made As buyer's Opinion
Logo Printed Is Available



TCG-013C

LONG CHUCK DIAL TYRE GAUGE

From 0 to 170 psi
Scale Can Be Made As buyer's Opinion
Logo Printed Is Available



TCG-034

TIRE INFLATOR GAUGE

From 0 to 60 psi
Scale Can Be Made As buyer's Opinion
Logo Printed Is Available



TCG-019

DIGITAL TYRE GAUGE

数显胎压表系列

DIGITAL TIRE GAUGES

Clear screen easy to read figure
Long-life battery with low power warning light
Scale with psi, bar, kpa and kgf



Part No.	Description
LTG-002	Digital tire gauge
LTG-003	Digital tire gauge rubber plastic paint body
LTG-005	Angled Digital tire gauge
LTG-006	Popular Digital tire gauge
LTG-008	Digital tire gauge
LTG-010	Digital tire gauge with speaker
LTG-012	2 in 1 Digital tire gauge / Tread depth gauge
LTG-013	Digital tire gauge
LTG-014A	Long Chuck Pencil Style Truck Digital tire gauge
LTG-014B	Long Chuck Pencil Style Truck Digital tire gauge
LTG-014C	Long Chuck Pencil Style Truck Digital tire gauge
LTG-015	Straight-on Digital tire gauge
LTG-018A	4 in 1 Digital tire pressure gauge
LTG-018B	4 in 1 Digital tire pressure gauge



LTG-012



LTG-013



LTG-008



LTG-002



LTG-005



LTG-015



LTG-006



LTG-003



LTG-010



LTG-014A



LTG-014B



LTG-014C



LTG-018A

4 in 1 Digital tire pressure gauge
1、Gauge
2、Flashlight
3、Emergency life hammer
4、Seatbelt cutter



LTG-018B

4 in 1 Digital tire pressure gauge
1、Gauge
2、Flashlight
3、Emergency life hammer
4、Seatbelt cutter

DIGITAL TYRE PRESSURE GAUGE

表盘式数显胎压表系列



LTG-013



LTG-024
Air Exhaust Function



LTG-015

DIGITAL TIRE PRESSURE GAUGE

Gauge with long rubber chuck
Can be test pressure and inflating air
Heavy-duty and high quality standard

Part No.	Description
LTG-009	Digital Tyre Inflator Gauge
LTG-013	Round Style Digital Tyre Gauge With Long Chuck
LTG-015	Straight-on Digital Tyre Gauge
LTG-023	Digital Tyre Pressure Gauge
LTG-024	Digital Tyre Pressure Gauge , Air Exhaust Function



LTG-023



LTG-009

LONG CHUCK DIGITAL TIRE GAUGE

LTG-017A
LTG-017B
LTG-017C

Description
● Pressure range: 0-200psi, 0-14bar, 0-995kpa, 0-14kgf/cm
● Pressure unit: psi, bar, kpa, kgf/cm² (optional)
● Resolution: 1psi/0.1bar/5kpa/0.1kgf/cm²
● Power: CR2032 3V lithium coin cell
● On/off key
● Auto shut off
● Bleed valve
● Soft protective round cover
● Accuracy: ±2 psi F.S.
● Product size: 31x6.9x3.4cm



LTG-017C



LTG-017B



LTG-017A



PENCIL PRESSURE TYRE GAUGES 测气笔系列

PENCIL PRESSURE TYRE GAUGES 测气笔系列



PTG-002A



PTG-002B

Specification

- Mini tire gauge with magnet or key-chain
- Plastic head , aluminum tube
- 4 side plastic bar
- Pressure range: 10-50psi

Case option colour



Specification

- Pen tire gauge
- Chrome-plated zinc head , aluminum tube
- 4 side plastic bar
- Pressure range: 10-50psi or 10-100psi

Case option colour



Specification

- Pen tire gauge
- Chrome-plated zinc head , aluminum tube
- 4 side plastic bar
- Pressure range: 10-50psi or 10-100psi
- A. Camo B. Flag C. Rainbow
- D. Flame E. Yin-yang F. Skull

NEW



PTG-003



PTG-010



PTG-014

Item No.	Specification	SCALE(psi)
PTG-003	Metal Scale Gauge with clip	1-20 / 10-50 / 10-75 / 10-100
PTG-010	Metal Scale with Plastic clip head	1-20 / 10-50 / 10-100
PTG-014	Chrome body with clip	1-20 / 10-50 / 10-75 / 10-100



PTG-008A

PTG-008B

PTG-008C

PTG-016

Item No.	Specification	SCALE(psi)
PTG-008A	Dual- head Gauge with clip	10-120
PTG-008B	Dual- head Gauge with clip	10-120
PTG-008C	Dual- head Gauge with clip	10-120
PTG-016	2 in 1 chrome body with clip	10-100
PTG-005B	Truck gauge with plastic scale bar	10-150
PTG-007A	Angled Dual-head with metal scale bar	10-150
PTG-007B	Angled Dual-head with plastic scale bar	10-150
PTG-007C	Angled Dual-head with metal scale bar	10-150
PTG-017	Truck gauge with plastic scale bar Black	10-150
PTG-018	360 degree Rotate head Large bore stem gauge	10-150



PTG-005B



PTG-007A



PTG-007B



PTG-007C



For large bore stem 12v1

PTG-018



PTG-017

AIR CHUCKS

打气头系列



Part No.	Description
TCH-009A	Dual Foot Air Chuck 1/4" Female
TCH-009B	Nickle Plated With 6mm Tail
TCH-014A	Straight-on TILT Lock Chuck 1/4" Female
TCH-014B	Angled Dual Foot Chuck 1/4" Female
TCH-016	Dual Foot Air Chuck 1/4" Female
TCH-017	Straight-on Chuck 1/4" Female
TCH-018	Dual Foot Chuck with Hose bar
TCH-023	Double Head Chuck For Motorcycle / Bicycle
TCH-027S	Quick Connect Chuck with 1/4" male Short
TCH-027L	Quick Connect Chuck with 1/4" male Long
TCH-028	Straight-on Air Chuck 1/4"Female
TCH-029	Dual Foot Long Style Chuck with Quick Coupler Fitting
TCH-031A	Lock-on Air Chuck 1/4" Female
TCH-031C	Double Head Chuck with Length 300-320mm
TCH-032	Double Head Chuck 1/4" Female



Part No.	Description
TCH-003	Air chuck(Brass)1/4", 5/16"hose bar
TCH-004	Air Chuck With Clip(Brass) 1/4"Female
TCH-005A	Air chuck(Brass)1/4"female
TCH-005B	Air chuck(Brass)1/4"female
TCH-006	Air chuck(Brass)1/4", 5/16"hose bar



Part No.	Description
TCH-001	Air Chuck With Clip 1/4"Female
TCH-002	Air Chuck With Clip 1/4", 5/16"hose bar



Part No.	Description
AC108	Tail 6x15mm&8x25mm Optional, Open & Closed Type Optional
AC106	Tail 6x15mm&8x25mm Optional, Open & Closed Type Optional
AC-01	Tail 6x15mm&8x25mm Optional, Open & Closed Type Optional



Part No.	Description
TCH-032	Tube Deflator
TCH-033	Tube Deflator

TIT-004
PORTABLE MULTI-USE CAR WASHER & COMPRESSOR
多功能汽车清洗充气套装
0-300psi . CE Approved
Hot sale Products
Easy Handle



AIR COMPRESSOR 空压机系列

AIR COMPRESSOR 空压机系列



TIT-001



ST-050



TCG-037

TCG-039

Item No.	Specification
TIT-001	Portable 12V Air Compressor With LED Light

Item No.	Specification
TCG-037	Single Cylinder Foot-operated Pump
TCG-038	Double Cylinder Foot-operated Pump
TCG-039	Manual Pump



4WD-D-003

75L Air compressor
Power supply :DC12V
Rated current: 30A
Cylinder diameter: 40mm
Max pressure: 150PSI(10Bar)
Max Duty cycle: 40minutes
Air hose: 5m PU hose
Cord: 2.4m
Net weight: 6.29kg/pc

4WD-D-004

160L Air Compressor
Voltage:DC12V
Rated current:45A
Max pressure:150PSI
Cylinder diameter:60mm
Air hose:0.4m hose +6m PU hose
Cord:2m
Net weight:7.3kg/pc



4WD-D-006

210L double cylinder air compressor
Power: DC12V 90A
Max pressure: 150PSI
Capacity: 210L/min
Cylinder: dia 60mmX2
Cord: 3m
Products weight: 10.3kgs
Product size: 38.6*28.5*27.6cm
Carton size: 40*30*57cm 2set



TIT-007

Voltage: DC12V/14V
Rated current: 15A
Max pressure: 150PSI
Capacity: 30 L/min
Max Duty cycle:20 minutes
Air hose: 0.75m rubber hose
Cord: 3m
Net weight: 2.05kg/pc
Product size: 17*8*15cm
Packing size: 49*44*42cm



4WD-D-005

Voltage: DC12V
Rated current: 25A
Max pressure: 150PSI
Capacity: 70 L/min
Cylinder diameter: 2*30mm
Air hose: 0.25m +6m air hose(PU)
Cord: 3m
Net weight: 3.5kg/pc
Product size: 32*24*25cm
Packing size: 50*33*51.5cm,4pcs/ctn



4WD-D-001

Power supply :DC12V/24V
Rated current: 30A
Cylinder diameter: 40mm
Max pressure: 150PSI(10Bar)
Capacity: 72 L/min
Max Duty cycle: 40minutes
Air hose: 0.25m air hose ,6m PU hose
Cord: 2.5m
Net weight: 4.3kg/pc



4WD-D-002

Power supply :DC12V/24V
Rated current: 50A
Cylinder diameter: 2X40mm
Max pressure: 150PSI(10Bar)
Capacity:150 L/min
Max Duty cycle: 40minutes
Air hose: 0.25m air hose ,6m PU hose
Cord: 1.8m
Net weight: 5.9kg/pc



PAH-004

Rubber air hose with 1/4"male fitting

Different size and Multi Color
Length as buyer's opinion



PAH-001

PU/PE air hose

Different size and Multi Color
Length as buyer's opinion



PAH-011

PU/PE spring air hose with quick coupler

Different size and Multi Color
Length as buyer's opinion



PAH-012B

PU/PE braid air hose with quick coupler

Different size and Multi Color
Length as buyer's opinion



HR-001

PU/PE air hose reel

Length:15 m
Hose Size: 8x12 mm
Fitting: quick and coopler



USA TYPE QUICK COUPLER AND FITTING



Coupler w/hose bar

Part No.	L	φ D	L1	SW	FT
BT-007-1	56	φ 24	16	17	φ 6.35
BT-007-2	58	φ 24	18	17	φ 8
BT-007-3	60	φ 24	20	17	φ 10



Female coupler

Part No.	L	φ D	L1	SW	FT
BT-009-1	47.5	φ 24	15.5	17	1/4"NPT
BT-009-2	48	φ 24	16	20	3/8"NPT
BT-009-3	50.5	φ 24	18.5	25	1/2"NPT



Male coupler

Part No.	L	φ D	L1	SW	FT
BT-008-1	50.5	φ 24	10.5	17	1/4"PT
BT-008-2	51.5	φ 24	11	17	3/8"PT
BT-008-3	55	φ 24	13.5	21	1/2"PT



Fitting w/hose bar

Part No.	L	φ D	L1	SW	FT
BT-015-1	40.5	φ 9.9	16	φ 13	φ 6.35
BT-015-2	42.5	φ 9.9	18	φ 13	φ 8
BT-015-3	45.5	φ 9.9	20	φ 13	φ 10



Female Fitting

Part No.	L	φ D	L1	SW	FT
BT-013-1	35.5	φ 9.9	15	16	1/4"NPT
BT-013-2	37	φ 9.9	16.5	20	3/8"NPT
BT-013-3	38.5	φ 9.9	18	25	1/2"NPT



Male Fitting

Part No.	L	φ D	L1	SW	FT
BT-014-1	36	φ 9.9	10.5	14	1/4"NPT
BT-014-2	37	φ 9.9	11	17	3/8"NPT
BT-014-3	41	φ 9.9	13.5	21	1/2"NPT

GERMANY TYPE QUICK COUPLER AND FITTING



Coupler w/hose bar

Part No.	L	φ D	L1	SW	FT
BT-007-A	56	φ 24	16	17	φ 6.35
BT-007-B	58	φ 24	18	17	φ 8
BT-007-C	60	φ 24	20	17	φ 10



Female coupler

Part No.	L	φ D	L1	SW	FT
BT-009-A	47.5	φ 24	15.5	17	1/4"NPT
BT-009-B	48	φ 24	16	20	3/8"NPT
BT-009-C	50.5	φ 24	18.5	25	1/2"NPT



Male coupler

Part No.	L	φ D	L1	SW	FT
BT-008-A	50.5	φ 24	10.5	17	1/4"PT
BT-008-B	51.5	φ 24	11	17	3/8"PT
BT-008-C	55	φ 24	13.5	21	1/2"PT



Fitting w/hose bar

Part No.	L	φ D	L1	SW	FT
BT-015-A	40.5	φ 9.9	16	φ 13	φ 6.35
BT-015-B	42.5	φ 9.9	18	φ 13	φ 8
BT-015-C	45.5	φ 9.9	20	φ 13	φ 10



Female Fitting

Part No.	L	φ D	L1	SW	FT
BT-013-A	35.5	φ 9.9	15	16	1/4"NPT
BT-013-B	37	φ 9.9	16.5	20	3/8"NPT
BT-013-C	38.5	φ 9.9	18	25	1/2"NPT



Male Fitting

Part No.	L	φ D	L1	SW	FT
BT-014-A	36	φ 9.9	10.5	14	1/4"NPT
BT-014-B	37	φ 9.9	11	17	3/8"NPT
BT-014-C	41	φ 9.9	13.5	21	1/2"NPT

AIR BLOW GUN 吹尘枪系列

Blow Guns
TRUE-FLATE Safety Blow Gun



ABG-011

Part No.	Description
ABG-011	Safety Blow Gun

Safety Blow Gun




ABG-012

Part No.	Description
ABG-012	Safety Blow Gun

Air Duster



Part No.	Nozzle
DG-10-3	80mm
DG-10-2	50mm
DG-10-1+2+3	30mm, 50mm, 80mm
DG-10-1+2	30mm, 50mm
DG-10-1+3	30mm, 80mm
DG-10A	45*42*36cm 15/14kg



ABG-001


ABG-002

ABG-003

Part No.	Nozzle	Description
ABG-001	100mm	1/4"Female
ABG-01A	300mm	1/4"Female
ABG-002	100mm	1/4"Female
ABG-002A	300mm	1/4"Female
ABG-003	100mm	1/4"Female
ABG-003A	300mm	1/4"Female
ABG-006	100mm	1/4"Female
ABG-006A	300mm	1/4"Female

PRODUCTS FOR MERCHANDISER RETAIL

■ Retail pack for tire repair tools, hardware, accessories



■ Blister card, case box, pouch or pegboard multi-choice.

RETAIL PACKAGE PRODUCTS

零售系列产品



PPP-037



PPP-044




PPP-045



PPP-032



PPP-033



PPP-035



PPP-031




PPP-034



SIN-003K



SIN-013K



PPP-055



PPP-006



PPP-015



TEG-009K

REPAIR TOOLS
补胎工具

Part No.	Item Description	Inner Pack Qty	Master Pack Qty
PPP-037	3pc Tire Repair Kit	–	25
PPP-044	9pc Tire Repair Kit	–	25
PPP-045	8pc Tire Repair Kit	–	25
PPP-032	8pc Tire Repair Kit	–	50
PPP-033	8pc Tire Repair Kit	–	50
PPP-035	8pc Tire Repair Kit	–	50
PPP-031	8pc Tire Repair Kit	–	48

Part No.	Item Description	Inner Pack Qty	Master Pack Qty
PPP-034	6pc Tire Repair Kit	–	48
SIN-003K	5pc Tire Repair Needle Kit	–	100
SIN-013K	6pc Tire Repair Needle Kit	–	100
PPP-055	11pc Tire Repair Kit	–	25
PPP-006	7pc Tire Repair Kit	–	25
PPP-015	12pc Tire Repair Kit	–	25
TEG-009K	36pc Tire Repair Kit	–	20



TPK-001



TPK-002



TPK-003



TPK-004



TPK-006



TPK-008



TPK-005



TPK-007

REPAIR MATERIALS
补胎材料

Part No.	Item Description	Inner Pack Qty	Master Pack Qty
TPK-001	7pc Plug Repair Kit	24	96
TPK-002	7pc Patch Repair Kit	12	96
TPK-003	6pc Patch Repair Kit	12	96
TPK-004	12ml Cement Kit	24	96

Part No.	Item Description	Inner Pack Qty	Master Pack Qty
TPK-005	29.4ml Cement Kit	12	96
TPK-006	30pc Plugs Kit	24	96
TPK-007	10pc Plug Kit	24	96
TPK-008	Tyre Marker Kit	24	96

RETAIL PACKAGE PRODUCTS

零售系列产品



PHG-010K




PHG-011K



PPP-056



VCT-020K



VCT-015CK



VCT-018K



THG-008K



VIT-008K



VIT-004K




AAT-006K

REPAIR TOOLS
补胎工具

Part No.	Item Description	Inner Pack Qty	Master Pack Qty
PHG-010K	Scrape Kit	–	50
PHG-011K	Scrape Kit	–	50
PPP-056	Valve core tool Kit	24	96
VCT-020K	Valve core tool Kit	10	100
VCT-015CK	Valve core tool Kit	10	100
VCT-018K	Valve Fishing Tool Kit	10	100
VCT-001K	4-way tool Kit	24	96
THG-008K	Tire Stiticher Kit	–	25
PHG-031AK	Adhesive Weight removal tool Kit	–	25
PHG-034K	Heavy Duty Weight Plier Kit	–	25
PHG-012K	Tread deapth gauge Kit	24	96
PHG-046K	Digital Tread Deapth Gauge Kit	–	50
AAT-006K	Wheel wrench Kit	–	10
VIT-004K	Metal Valve Stem tool Kit	5	25
VIT-008K	Plastic Valve Stem tool Kit	–	50



PHG-031AK



PHG-034K




PHG-012K



PHG-046K

TIRE GAUGE
胎压表

Part No.	Item Description	Inner Pack Qty	Master Pack Qty
LTG-003K	Digital Gauge	12	48
LTG-006K	Digital Gauge	12	48
TCG-002AK	50mm Dial Gauge	12	48
TCG-002BK	40mm Dial Gauge	12	48
TCG-004BK	Plastic Dial Gauge	12	48
TCG-019K	3 in 1 Tire inflator	12	20
TCG-005BK	Zinc-alloy gauge	–	20
TCG-013K	Long Chuck gauge	–	20
CO16K	4pc 16g Co2 Cartridges	–	20
PTG-007BK	Truck Tire Gauge	24	96
PTG-008K	Dual Foot Gauge with 4pc Extension	24	96
PTG-001K	Pencil Tire Gauge	–	100
PTG-001VCK	Pencil Tire Gauge with 4pc Valve Cap	24	96



TCG-019K



PTG-001VCK




PTG-001K



PTG-008K




PTG-007BK




LTG-003K




LTG-006K



TCG-002AK



TCG-002BK




TCG-004BK



TCG-005BK



TCG-013K



CO16K

RETAIL PACKAGE PRODUCTS 零售系列产品



DPC-022RK DPC-022SK DPC-022BK



DPC-015K DPC-050K

VALVE ACCESSORIES
气门嘴配件

Part No.	Item Description	Inner Pack Qty	Master Pack Qty
DPC-022RK	4pc Alum.Cap Red	24	96
DPC-022SK	4pc Alum.Cap Sliver	24	96
DPC-022BK	4pc Alum.Cap Blue	24	96
DPC-015K	4pc Alum.Cap Chrome	24	96
DPC-050K	8pc Plastic Cap Black	24	96
DPC-035BK	4pc Alum.Cap Blue	24	96
DPC-035BLK	4pc Alum.Cap Black	24	96
DPC-035SK	4pc Alum.Cap Sliver	24	96
DPC-035RK	4pc Alum.Cap Red	24	96
TVC-012	4pc Plastic Cap (Dice)	-	50
TVC-013	4pc Plastic Cap (Ball)	-	50
TVC-014	4pc Plastic Cap (Skull)	-	50
TVC-010	4pc Plastic Cap Black	-	50
TVC-019	4pc Valve Core	24	96
TVC-018	2pc Ball Needle	24	96
TVC-020	4pc Plastic Extension	24	96
TVC-021	4pc Valve Sleeve and Cap	24	96
TR413K2	2pc Tire Valve	24	96
TR418K2	2pc Tire Valve	24	96
TVC-022	4pc Metal Extension	24	96
TVC-016	4pc Metal Extension	24	96



DPC-035BK DPC-035BLK



DPC-035SK DPC-035RK



TIRE VALVE AND
ACCESSORIES
气门嘴和配件

- Tire Valve Stem
- Valve Sleeve
- Valve Stem Extensions
- Valve Stem Core
- Valve Stem Cap



TR418K2 TVC-022 TVC-016 TVC-019 TVC-018 TVC-020 TVC-021



TVC-012 TVC-013 TVC-014 TVC-010 TR413K2

Part Number	General Application	Part Number	General Application
BR-20006AK	GMC, Hummer, Isuzu	BR-20011AK	Subaru
BR-20008	Rubber Snap-In TPMS valve	BR-20014AK	Nissan, Infiniti
BR-20012AK	Prowler & Corvette	BR-20016AK	Mercedes
BR-20013AK	Chrysler, Dodge, Jeep	BR-20035AK	Honda
BR-20015AK	GM with TRW Clamp-In	BR-20036AK	Acura, Honda, Kia
BR-20028AK	Chrysler, Dodge, Mitsubishi	BR-20202AK	Audi, Mercedes, Volkswagen
BR-20096AK	Ford	BR-20203AK	Audi, Mercedes
BR-20107AK	GM	BR-20204AK	Acura, Honda, Kia
BR-20198AK	Dodge Sprinter	BR-20206AK	Hyundai, Honda, Kia
BR-20201AK	Chrysler	BR-20207AK	Volkswagen
BR-20005AK	Nissan	BR-20211AK	Misc, Imports
BR-20007AK	Nissan, Infiniti	BR-20216AK	Lexus, Toyota
BR-20009AK	Saab, Suzuki	BR-20217AK	Lexus, Toyota
BR-20010AK	Volvo	BR-20221AK	Lexus SC430



TPMS VALVES

胎压监测系统气门嘴

Part Number	Description
TPMS413	TPMS Valve
TPMS413AC	TPMS Valve
VW9-RP-TPMS	TPMS Valve
TR5991TPMS	TPMS Valve
TPMS-001	TPMS Valve
TPMS-002	TPMS Valve
TPMS-003	TPMS Valve
TPMS-004	TPMS Valve
TPMS-005	TPMS Valve
TPMS-006	TPMS Valve
TPMS-007	TPMS Valve
TPMS-008	TPMS Valve
TPMS-009	TPMS Valve
TPMS-010	TPMS Valve
TPMS-011	TPMS Valve
TPMS-012	TPMS Valve



Tire Pressure Monitoring System

胎压监测系统气门嘴工具



PROFESSIONAL TPMS APPLICATION SOLUTION

The TPMSK100 contains all of the tools needed to service and install TPMS sensors and service kits. All tools are stored and organized in a sturdy plastic case



Multi-function torque tool work on tips and socket

TPMSK100



K100-1

TPMS torque tools 4N/M

- Torque tool used for install TPMS valve and on to sensor with 10mm 15.7mm tips M11 M12 1/4" socket



K100-2

TPMS torque tools 1.4N/M

- Torque tool used for install TPMS valve and on to sensor with 10mm 15.7mm tips M11 M12 1/4" socket



K100-3

Valve core torque tool

- Tightens valve cores to OE specifications, 3.5-4 in/lbs (.45 N/m). Meets industry recommended torque value. Can also be used to remove valve cores.



K100-4

TPMS valve puller

- TPMS valve puller designed for draw the TPMS valve out from the rim with rubber plate easy for drawing



K100-5

TPMS grommet pick tool

- The hook is used to help remove old and broken grommets from the TPMS aluminum valve stem. The tip is used to fix the valve avoid rotating when install sensor



K100-6

TPMS grommet remove tool

- This tool is used to help remove old grommets and install new grommet from the TPMS aluminum valve stem.



K100-7

TPMS torque tool tips

- Tips used on TPMS valve torque tool for install onto the sensor T10 and T15 2 size



K100-8

1/4" Drive TPMS socket

- The socket is used for install the TPMS valve. with the shift can match TPMS torque tool standard socket S11 S12



K100-9

1/4" Socket TPMS shift

- The shift just for connect TPMS socket on to the TPMS torque tool 1/4" drive

PROFESSIONAL TPMS APPLICATION SOLUTION

The TPMSK100 contains all of the tools needed to service and install TPMS sensors and service kits. All tools are stored and organized in a sturdy plastic case



TPMS grommet remove tool

- This tool is used to help remove old grommets and install new grommet from the TPMS aluminum valve stem.



Valve core torque tool

- Tightens valve cores to OE specifications, 3.5-4 in/lbs (.45 N/m). Meets industry recommended torque value. Can also be used to remove valve cores.



TPMS torque tools

- Torque tool used for install TPMS valve and on to sensor with 10mm 15.7mm tips M11 M12 1/4" socket



TPMS valve puller

- TPMS valve puller designed for draw the TPMS valve out from the rim with rubber plate easy for drawing



TPMS grommet pick tool

- The hook is used to help remove old and broken grommets from the TPMS aluminum valve stem. The tip is used to fix the valve avoid rotating when install sensor

SNAP-IN TUBELESS VALVES

卡扣式真空胎气门嘴

PASSENGER AND LIGHT TRUCK SNAP-IN TUBELESS RUBBER VALVES

轿车、轻卡车卡扣式真空胎气门嘴

Generally used for passenger car, trailers and light trucks

For use to 65 psi/4.5 bar cold inflation pressure maximum

Recommended maximum rim thickness at rim hole is .156"/4mm

For .453"dia.Rim Holes



NO.	TR NO.	ETRTO NO.	RIM HOLE	A	B	C
1	TR412	V2.03.6	.453"/11.3mm	33	22	15
2	TR413	V2.03.1	.453"/11.3mm	43	32	15
3	TR414	V2.03.2	.453"/11.3mm	49	38	15
4	TR414L	V2.03.8	.453"/11.3mm	56	45	15
5	TR418	V2.03.4	.453"/11.3mm	62	51	15
6	TR423	—	.453"/11.3mm	74	63	15
7	TR415	V2.03.3	.625"/15.7mm	43	31	19
8	TR425	—	.625"/15.7mm	62	50	19

Chrome Sleeve & Cap- Straight Type

镀铬铜套和铜帽一直型

Maximum air pressure 65 psi.

Fits rim hole .453".



NO.	TR NO.	SLEEVE
1	TR412C	CS6
2	TR413C	CS12/CS16
3	TR414C	CS16/CS18
4	TR415C	CS12/CS16
5	TR418C	CS22/CS30

Chrome All-Sleeve & Cap- Loudhailer Type

镀铬铜套和铜帽一喇叭型

Maximum air pressure 65 psi.

Fits rim hole .453".



NO.	TR NO.	SLEEVE
1	TR412AC	CAS12
2	TR413AC	CAS13
3	TR414AC	CAS14
4	TR418AC	CAS18

Aluminum colour-Sleeve&caps

彩色铝帽和铝套一直型

Maximum air pressure 65 psi.

Fits rim hole .453".



NO.	TR NO.	SLEEVE
1	TR412A	AS6
2	TR413A	AS12/AS16
3	TR414A	AS16/AS18
4	TR415A	AS12/AS16
5	TR418A	AS22/AS30

Aluminum colour-Sleeve&caps

彩色铝帽和铝套一喇叭型

Maximum air pressure 65 psi.

Fits rim hole .453".



NO.	TR NO.	SLEEVE
1	TR412AL	AS412
2	TR413AL	AS413
3	TR414AL	AS414
4	TR418AL	AS418



TR600 SERIES HIGH PRESSURE SNAP-IN VALVES

TR600 系列高压卡扣式气门嘴

Ideal for light trucks. For use to 100psi/6.9bar cold inflation pressure maximum

Recommended maximum rim thickness at rim hole is .205"/5.2mm

For .625"dia.Rim Holes



NO.	TR NO.	RIM HOLE	A	B	C
1	TR600HP	.453"/11.3mm	42.8	31	12.4
2	TR602HP	.453"/11.3mm	61.3	50	12.4
3	TR801HP	.625"/15.7mm	49	33.5	17
4	TR802HP	.625"/15.7mm	66	50.5	17
5	TR600HP-AC	.453"/11.3mm	42.8	31	12.4

HIGH PERFORMANCE TUBELESS TIRE VALVE

高性能无内胎气门嘴

Recommended torque at installation 3-5 Nm / 25-45inch-pounds



NO.	Part NO.	Rim Hole (mm/in)
1	MS525S	.453"/11.3mm
2	MS525L	.453"/11.3mm
3	MS525AL	.453"/11.3mm

TRACTOR VALVES

拖拉机气门嘴

For ϕ 15.7(.625"dia.)Rim Holes




NO.	TR NO.	ETRTO NO.	RIM HOLE	TOTAL LENGTH
1	TR618A	V5.01.1	.625"/15.7mm	30.5
2	TR618	—	.625"/15.7mm	36
3	VC618	—	—	—
4	CH3	—	—	—
5	TV6008	6008B VS-936B	ϕ 16/.625"	14

PVR70 Series Snap-in Valves

PVR70系列卡扣式无内胎气门嘴

Fits rim hole .453".



TR NO.	ETRTO NO.	A	B	C	Rim hole
PVR70	TR412L,TR70	32.5	30	15	.453"/11.3mm

Motorcycle&Passenger Valves

摩托车、轿车气门嘴



NO.	Part NO.	ETRTO NO.	Ref.Length (mm) (in)	RIM HOLE
1	TV430AL	V1.10.1AL	ϕ 14.5×34.5	ϕ 8.3/.327"
2	TV453AL	Wh455	ϕ 14×36.5	ϕ 11.5/.453"
3	TV25AL	V2.07.1	ϕ 15×25/84"	.327"/8.3mm

AIR-LIQUID TUBE VALVES FOR TRACTORS & AGRICULTURAL IMPLEMENT

拖拉机、农业机械内胎气门嘴-气液型




TR NO.	TR Spud NO.	ETRTO NO. (Ref.NO.)	Ref.Length (mm) (in)	Base Dia (mm) (in)
TR218A	SP218A	V4.01.1	48/1-7/8	ϕ 63.5/2-1/2
TR220A	SP220A	V4.01.2	57/1-1/4	ϕ 82/3-1/4
TRCH3		V4.02.1	36/1.42	
TRCH3		AG2340-4A	36/1.42	
TRCHI		AG2340-4	41/1. 62	
TRVHINI		AG2340-4NI	41/1. 62	

CLAMP-IN TUBELESS VALVES 压紧式真空胎气门嘴

TR570 SERIES STRAIGHT/BENT TYPE TUBLESS METAL CLAMP-IN VALVE FOR TRUCK AND BUS

TR570 系列直型/弯型卡客车系列气门嘴
For drop center rims recommended torque at installation: 35-55 inch-pounds / 4-6 Nm



NO.	TR NO.	ETRTO NO.	Rim Hole	A	B	α	NO.	TR NO.	ETRTO NO.	Rim Hole	A	B	α
1	TR500	V3.21.3	.625"/16mm	51	-	-	8	TR572C	V3.21.11	.625"/16mm	96	33	90
2	TR501	V3.21.2	.625"/16mm	38	-	-	9	TR573	V3.21.7	.625"/16mm	111	-	-
3	TR570	V3.21.4	.625"/16mm	79.5	-	-	10	TR573C	V3.21.12	.625"/16mm	111	33	90
4	TR570C	V3.21.9	.625"/16mm	79.5	33	90	11	TR574	V3.21.8	.625"/16mm	127	-	-
5	TR571	V3.21.5	.625"/16mm	86	-	-	12	TR575	V3.21.1	.625"/16mm	29	-	-
6	TR571C	V3.21.10	.625"/16mm	86	33	90	13	TR5010V	-	.625"x.875"	-	-	-
7	TR572	V3.21.6	.625"/16mm	96	-	-							



V3.20 SERIES METRIC RIM HOLE VALVE CLAMP-DOWN VALVES

V3.20 系列轮胎气门嘴

For wheel with wide base rims 15° tapered recommended torque at installation 12-15 Nm / 105-130 inch-pounds

NO.	ETRTO NO.	Rim Hole	L
1	V3.20.1	.390"/9.7mm	36
2	V3.20.3	.390"/9.7mm	82


NO.	ETRTO NO.	Rim Hole	A	B	α
3	V3.20.2	.390"/9.7mm	30	60	17
4	V3.20.4	.390"/9.7mm	25	60	27
5	V3.20.5	.390"/9.7mm	25	40	27
6	V3.20.6	.390"/9.7mm	25	85	27
7	V3.20.7	.390"/9.7mm	25	50	27
8	V3.20.8	.390"/9.7mm	29	60	12
9	V3.20.9	.390"/9.7mm	45	85	12
10	V3.20.10	.390"/9.7mm	50	25	28
11	V3.20.12	.390"/9.7mm	25	70	27

CLAMP-IN TUBELESS VALVES 压紧式真空胎气门嘴

TR540 SERIES TUBELESS O-RING SEAL CLAMP-IN VALVES FIR TRUCK

TR540系列卡车O型圈密封气门嘴

For Alcoa aluminum truck wheels
Recommended torque at installation 80-125inch-pounds 9-14 Nm



NO	TR. NO.	Rim Hole	A	B	C	α
1	TR542	.390"/9.7mm	32	-	-	-
2	TR543	.390"/9.7mm	58.5	-	-	-
3	TR543C	.390"/9.7mm	58.5	23.6	35	45
4	TR543D	.390"/9.7mm	58.5	25	35	60
5	TR543E	.390"/9.7mm	58.5	25	35	75
6	TR544	.390"/9.7mm	73	-	-	-
7	TR544C	.390"/9.7mm	73	25	49	45
8	TR544D	.390"/9.7mm	73	25	49	60
9	TR545	.390"/9.7mm	89	-	-	-
10	TR545D	.390"/9.7mm	89	25	66	60
11	TR545E	.390"/9.7mm	89	25	66	75
12	TR546	.390"/9.7mm	108.5	-	-	-
13	TR546D	.390"/9.7mm	108.5	25	85	60
14	TR546E	.390"/9.7mm	108.5	25	85	75
15	TR547	.390"/9.7mm	119.5	-	-	-
16	TR547D	.390"/9.7mm	119.5	25	96	60

TR510 Series Tubeless Valves for Aluminium Disc Wheels

TR510系列铝轮无内胎气门嘴

Used in drop-center aluminium disc wheels with 16(.625")bottom valve hole Nickel plated

NO.	TR NO.	ETRTO NO.	Eff. Length	Ref.Length	Rim Hole
1	TR509	VS-946R	121/4-3/4	φ 23×139/90°	φ 16 (. 625")
2	TR510	VS-879R	140/5-1/2	φ 23×139/90°	φ 16 (. 625")
3	TR511	VS-949R	108/4-1/4	φ 23×139/90°	φ 16 (. 625")
4	TV513(TR513)	EX-513, SR7004A	Hor.L67/2-5/8	φ 23×139/90°	φ 16 (. 625")
5	TV515(TR515)	EX-515, SR7005A	Hor.L83/3-1/4	φ 23×139/90°	φ 16 (. 625")

TR621A Series Bent Type Valves



TR NO.	ETRTO NO.	Ref Length (mm)	Ref Length (in)	Ref Length (mm)	Ref Length (in)	Angle Bend
TR621A	V5.02.1	39	1.53	75	2.97	65°
TR622A	V5.02.2	44	1.75	11	4.53	90°
TR623A	V5.02.3	39	1.53	57	2.25	65°

CLAMP-IN TUBELESS VALVES

压紧式真空胎气门嘴

TUBE VALVES

内胎气门嘴

PASSENGER&LIGHT TRUCK VALVES-CLAMP-UP TYPE(CHROME PLATED)



U-1 Series

V-1系列压紧型

U-3 Series

V-3系列压紧型



V-1



V-3



V-4



V-5

Part NO.	ETRRO NO. (REF.NO.)	Ref.Length (mm)	Rim Hole (mm/in)
V-1	TR271	φ 14×33	φ 8.3/.327"
V-2	TR272	φ 14×37	φ 8.3/.327"
V-1S	TR273	φ 14×34.5	φ 11.3/.453"
V-3	WH23A,TR33E	φ 14×33	φ 11.5/.453"
V-4	TR43E,WH206	φ 14×43	φ 11.5/.453"
V-5	TR208,TR48E	φ 14×48	φ 11.5/.453"
V-6	TR53E,WH204	φ 14×53	φ 11.5/.453"
V-7	TR63E	φ 14×63	φ 11.3/.453"

VS-8 SERIES

V-8压紧型和弯曲型



VS-7



VS-8



VS-9



PVR75A



PVR75C

Part NO.	ETRRO NO. (REF.NO.)	Ref.Length (mm)	Rim Hole (mm/in)
VS-7	TR26A	φ 16×34	φ 11.5/.453"
VS-8	TR26G,PVR43A	φ 16×38	φ 11.5/.453"
VS-9	V-8 + 7, JS43E	φ 16×43	φ 11.5/.453"
PVR75A	V-8-45/WH303	φ 16×53/45°	φ 11.5/.453"
PVR75B	V-8-30	φ 16×53/30°	φ 11.3/.453"
PVR75C	V-8-90	φ 16×63/90°	φ 11.3/.453"



C511B



C511A

PUR98 SERIES BENT TYPE

PVR98系列弯曲型



PVR98A



PVR201

Part NO.	ETRRO NO. (REF.NO.)	Ref.Length (mm)	Rim Hole (mm/in)
PVR70C	TR67E	φ 14×63/90°	φ 11.5/.453"
PVR98A	-	φ 14×53/30°	φ 11.5/.453"
PVR201	-	φ 14×76/85°	φ 11.5/.453"

CLAMP-UP TYPE VALVE

压紧型气门嘴

The valve is designed for front-wheel- drive Toronadao('66-'78)

and El Dorade('66-'78)cars.

For φ 11.5(.453"dia)Rim Holes



TR417

PVR153

Part NO.	ETRRO NO. (REF.NO.)	Ref.Length (mm)	Rim Hole (mm/in)
TR417	-	-	φ 11.5/.453"
PVR153	-	-	φ 11.5/.453"

TUBELESS PASSENGER CARS, LIGHT TRUCK VALVES

轿车,小客车,轻卡车气门嘴



1

4

2

3

NO.	Part NO.	Rim Hole (mm/in)	Ref.Length (mm)
1	TR416	.625"/16mm	17x40mm
2	TR416S	.453"/11.5mm	17x40mm
3	TR416L	.625"/16mm	17x54mm
4	TR416B	.625"/16mm	-

INDUSTRIAL VEHICLE VALVES

工程车辆气门嘴



JS2



TR NO.	a(mm)	Thread	Angle
TR244	54	10V2	90
JS2	56	10V2	70
Z1-03-1	44.5	12V1	-
Z1-04-1	64.5	12V1	86

PASSENGER CAR & LIGHT TRUCK VALVES

小客车、轻卡车气门嘴

Rubber covered valves



TR13

TRB6

TR15

Part NO.	ETRRO NO. (REF.NO.)	BASE dia (mm)	Length (mm/in)	Rim Hole (mm/in)
TR13	V2.01.1	φ 56	38/1-1/2	11.5/.46
TR15	V2.01.2	φ 56	38/1-1/2	16.5/.65
TRB6	-	-	-	-

PASSENGER CAR & LIGHT TRUCK VALVES

小客车、轻卡车气门嘴



TR135

TR150

Part NO.	ETRRO NO. (REF.NO.)	BASE dia (mm)	Length (mm/in)	Rim Hole (mm/in)
TR135	-	φ 56	67/2.63	16.5/.65
TR150	-	φ 56	94/3.9	16.5/.65
TR150CW	-	φ 56	94/3.69	16.5/.65

JS89 Series Rubber Base Valves



JS89

TR NO.	a(mm)	b(mm)
JS89	58.5	12.5
JS185	68	12.5
JS244A	50	22
TR88	36	12

MOTORCYCLE VALVES

摩托车气门嘴



TR87S

TR87

Part NO.	BASE dia (mm)	B/H (mm)	Angle Bend
TR87	φ 10.5	33/19	90
TR87S	φ 10.5	28.5	-
JS87	φ 10.5	30/19	90
JS87C	φ 9.5	33/23.5	90
JS87N	φ 9.5	30/21	90
JS87P	φ 9.5	27.5/19	70
V1.08.1	φ 10.3	33/21	90
V1.08.2	φ 10.3	38/22	80
V1.08.3	φ 10.3	27/17	30
V1.08.4	φ 10.3	28/19	85

RUBBER BASE VALVE TR4 SERIES



TR1

TR4


Part NO.	BASE dia (mm)	Length (mm/in)
TR4	φ 45	34
TR6	OV68×42	34.5
TR1	φ 28 or φ 25	34

CLAMP-IN TUBELESS VALVES

压紧式真空胎气门嘴

SINGLE BEND TUBELESS VALVES


单弯无内胎气门嘴



TR NO.	Ref Length (D)	A	Rim Hole
V.3.12.1	φ 26	40	φ 15.7 (.625")
V.3.12.2	φ 26	95	φ 15.7 (.625")
V.3.12.3	φ 26	65	φ 15.7 (.625")
V.3.12.4	φ 26	90	φ 15.7 (.625")

Double Bend Tubeless Valves

双弯无内胎气门嘴



TR NO.	Ref Length (D)	A	B	β	Rim Hole
V.3.13.1	φ 26	46.5	42.5	153	φ 15.7 (.625")
V.3.13.2	φ 26	30	79	126	φ 15.7 (.625")

Double Bend Tubeless Valves


双弯无内胎气门嘴



TR NO.	Ref Length (D)	A	B	α	Rim/Valve Hole
V.3.16.1	φ 31	36	29	150	φ 20.5 (.812")
V.3.16.2	φ 26	30	79	126	φ 15.7 (.625")

Triple Bend Tubeless Valves


三弯及整体型无内胎气门嘴



TR NO.	Ref Length (D)	A	α / β	Rim Hole
V.3.14.1	φ 26	26	147	φ 15.7 (.625")
V.3.14.2	φ 26	45	147	φ 15.7 (.625")
V.3.14.2	φ 26	37	147	-

Triple Bend Tubeless Valves

三弯无内胎气门嘴



TR NO.	Ref Length (C)	A	B	D	α / β	Rim Hole
V.3.18.1	φ 31	64	24.5	14.5	146	φ 20.5 (.812")
V.3.18.2	φ 31	81	24.5	14.5	146	φ 20.5 (.812")
V.3.18.3	φ 31	51	37.5	19.5	138	φ 20.5 (.812")
V.3.18.4	φ 31	68	37.5	19.5	138	φ 20.5 (.812")

Single Bend Tubeless Valves

单弯无内胎气门嘴



TR NO.	Ref Length (D)	A	B	V°	Rim/Valve Hole
V.3.15.1	φ 31	14	22.5	110	φ 20.5 (.812")
V.3.15.2	φ 31	11	15.5	95	φ 20.5 (.812")

LARGE BORE TUBELESS VALVES

大芯腔真空胎气门嘴

TRJ670 Large Bore Tubeless Valves—Straight Type

Parts:RG66、C2&VC6orVc7
For φ 20.5 (.812") Rim Holes.

TRSP2 Large Bore Tubeless Spud

Parts:RG22、HS2&HZ15
For φ 20.5 (.812") Valve Holes.



LARGE BORE TUBELESS

VALVES FOR

OFF-THE-ROAD VEHICLES



工程机械、林业、农业机械大芯腔无内胎气门嘴

TR NO.	D/L (mm)	A/H (mm)	Z°	Rim/Valve Hole
TRJ651-03	32/1.27	119/4.69	90°	φ 20.5 (.812")
TRJ652-03	27/1.08	140/5.50	86°	φ 20.5 (.812")
TRJ653-03	27/1.08	64/2.50	80°	φ 20.5 (.812")
TRJ654-03	27/1.08	79/3.12	60°	φ 20.5 (.812")
TRJ655-03	27/1.08	79/3.12	74°	φ 20.5 (.812")
TRJ656-03	67/2.62	94/3.69	90°	φ 20.5 (.812")
TRJ657-03	27/1.08	102/4.00	80°	φ 20.5 (.812")
TRJ658-03	27/1.08	140/5.50	80°	φ 20.5 (.812")
TRJ659-03	48/1.89	89/3.50	90°	φ 20.5 (.812")
TRJ660-03	48/1.89	225/8.75	90°	φ 20.5 (.812")
TRJ669-03	27/1.08	64/2.50	90°	φ 20.5 (.812")
J653-03NI	27/1.08	64/2.50	80°	φ 20.5 (.812")
J653-03ZN	27/1.08	64/2.50	80°	φ 20.5 (.812")
TRJ670-03	41/1.63	-	STR	φ 20.5 (.812")
TRSP2	17/0.66	-	STR	φ 20.5 (.812")

Large Bore Tube Valves Stem (Swivel Type)

TRJ4000-L(Length,in) Stem Series

TR NO.	Ref. Length (mm)	Ref. Length (in)	Ver. Height (mm/in)	Angle
TRJ4000-2.5	64	2.5	27/1.08	90
TRJ4000-4	102	4	27/1.08	90
TRJ4000-4.5	114	4.5	27/1.08	90
TRJ4000-6	152	6	27/1.08	90
TRJ4000-7.5	191	7.5	27/1.08	90
TRJ4000-8	203	8	27/1.08	90
TRJ4000-9	229	9	27/1.08	90
TRJ4000-10	254	10	27/1.08	90
TRJ4000-24	610	24	27/1.08	90



TRJ690 Series Large Bore Tubeless Valves


Triple Bent/Turret Type

TR NO.	(A	Ref Length(mm/in)			Y ° or
	B	C	D)		
TRJ690(V5.05.1)	32/1.25	119/4.69	59/2.31	14/0.56	28
TRJ662	32/1.25	119/4.69	59/2.31	14/0.56	18
TRJ693(V5.05.2)	22.5/0.88	127/5.00	62/2.44	25/1.00	60
TRJ695	20.5/0.81	105/4.12	56/2.91	25/1.00	50
TRJ696	27/1.06	108/4.25	52/2.06	23/0.91	42



SUPER LARGE BORE TUBELESS VALVES

特大芯腔无内胎气门嘴



LARGE BORE AND STANDARD TUBE VALVES

大芯腔真空胎气门嘴


TUBE VALVES

内胎气门嘴

OFF-THE-ROAD EQUIPMENT LARGE BORE TUBE VALVES

工程机械大芯腔内胎气门嘴

Screw-on Large Bore Convertible Tube Valves




TR NO.	FROM	ETRTO NO. (Ref.NO.)	A (mm / in)	A1 (mm / in)	Angle Bend
TRJ1014	A/+BW	AG8328/+BW	49/1.91	-	-
TRJ1076	A/+BW		106/4.16	-	-
TRJ1076	B/+BW	AG8245/+BW	106/4.16	28/1.10	86
TRJ1076	C/+BW	AG8246/+BW	106/4.16	38/1.50	90
TRJ1076	D/+BW	AG8247/+BW	106/4.16	52/2.06	90
TRJ1076	E/+BW	AG8248/+BW	106/4.16	35/1.38	88
TRJ1175	A/+BW		134/5.28	-	-
TRJ1175	B/+BW	AG8260/+BW	134/5.28	32/1.226	82
TRJ1175	C/+BW	AG8261/+BW	134/5.28	35/1.38	88
TRJ1078	A/+BW		147/5.78	-	-
TRJ1078	B/+BW	AG8265/+BW	147/5.78	35/1.38	82
TRJ1078	C/+BW	AG8266/+BW	147/5.78	35/1.38	90
TRJ1179	A/+BW		163/6.41	-	-
TRJ1179	B/+BW	AG8275/+BW	163/6.41	35/1.38	88

TRUCK&BUS TUBE VALVES

客车、卡车气门嘴

Rubber-Base Valves

These valves available are either straight or bent. EILDE standard rubber-base dia. is $\phi 9(3.75")$ as illustrated but optional base dia. of $\phi 83(3.25")$ or $\phi 70(2.75")$ is also available.




TR NO.	Ref.length(mm)
ZI-01-1	28×30/45/86°
TR227A	26×30/50/86°
TR274A	26×30/60/86°
TR75A	28×30/75/86°
TR76A	28×30/85/86°
TR177A	28×30/95/86°
TR77A	28×30/105/86°
TR175A	28×30/115/86°
TR78A	28×30/127/86°
TR178A	28×30/135/86°
TR179A	28×30/140/86°
ZI-01-9	28×30/158/86°
ZI-01-10	28×30/178/86°

THUCK&BUS REPAIR TUBE VALVES

客车、卡车内胎气门嘴

Screw-on Standard Bore Tube Valves



TR NO.	FROM	ETRTO NO. (Ref.NO.)	Ref.length (mm)
TR1075A/B	A/-BW	AG5240+BW	$\phi 22.5 \times 24/76/86^\circ$
TR1076A/B	A/-BW	AG5245+BW	$\phi 22.5 \times 24/86/86^\circ$
TR1077A/B	A/-BW	AG5255+BW	$\phi 22.5 \times 24/105/86^\circ$
TR1078A/B	A/-BW	AG5265+BW	$\phi 22.5 \times 24/127/86^\circ$
TR1175A/B	A/-BW	AG5260+BW	$\phi 22.5 \times 24/115/86^\circ$
TR1177A/B	A/-BW	AG5250+BW	$\phi 22.5 \times 24/95/86^\circ$
TR1179A/B	A/-BW	AG5275+BW	$\phi 22.5 \times 24/141/86^\circ$


TR SP1000 Spud Series Air-Liquid Type (Valve Base with Spud)



TR NO.	ETRTO NO. (Ref.NO.)	Ref.length (mm)	(in)	Base Dia (mm)	(in)
SP1000-95	Sp1000	6.0	0.22	95	3.75
SP1000-83	Ag775	9.5	0.37	93	3.25

TRUCK & BUS TUBE VALVES

客车、卡车内胎气门嘴




Part NO.	A (mm)	B (mm)	Angle	Part NO.	A (mm)	B (mm)	Angle
V3.02.2	22.5	43	120	V3.02.16	20.5	149.5	90
V3.02.3	33	47.5	95	V3.02.17	20.5	165.5	90
V3.02.4	39.5	44	110	V3.02.18	22.5	74.5	90
V3.02.5	20.5	47.5	90	V3.02.19	20.5	60	94
V3.02.7	22.5	71.5	100	V3.02.20	22.5	56.5	95
V3.02.8	20.5	89.5	94	V3.02.21	20.5	172	90
V3.02.9	20.5	99.5	94	V3.02.22	32.5	117.5	94
V3.02.10	20.5	115	94	V3.02.23	29.5	66.5	90
V3.02.11	20	126	98	V3.02.24	20.5	117	90
V3.02.12	20.5	132	94	V3.02.25	27	160	88
V3.02.13	20.5	133.5	90	V3.02.26	20.5	105	94
V3.02.14	20.5	138.5	94	V3.02.27	20	75	94
V3.02.15	20.5	145.5	94	V3.02.29	20	127	94

TRUCK & BUS TUBE VALVES-European Style

客车、卡车内胎气门嘴-欧式

Rubber Spud



Part NO.	A (mm)	B (mm)	Part NO.	A (mm)	B (mm)
V3.08.1	$\phi 65$	7	V3.08.4	$\phi 57$	5
V3.08.2	$\phi 70$	7	JSP2	$\phi 95$	7
V3.08.3	$\phi 80$	8	MCLP6220	$\phi 110/115$	7

Double Bent Screw-on Universal Valves


Parts:C1、VC3S or VC3S or VC2.



Part NO.	A (mm)	B (mm)	C (mm)	Angle	Part NO.	A (mm)	B (mm)	C (mm)	Angle
V3.04.1	20.5	32	37	90/138	V3.04.10	20.5	47	53	90/154
V3.04.2	20.5	38	41.5	90/153	V3.04.11	20.5	47	63.5	90/154
V3.04.3	20	59	38.5	90/163	V3.04.17	20	65	45	90/160
V3.04.4	20	74	40	90/144	V3.04.24	20	58	47	90/164
V3.04.5	20	76	47.5	90/153	V3.04.26	20	99	42	90/189
V3.04.6	20	86	47.5	90/153					

Triple Bent Screw-on Universal Valves

Parts:C1、VC3S or VC3S or VC2.



Part NO.	A	B	C	D	E	Angle	Part NO.	A	B	C	D	E	Angle
V3.06.1	20.5	30.5	19.5	35.5	17	90/139/139	V3.06.9	20.5	67.5	19.5	54.5	17	90/139/139
V3.06.2	20.5	44.5	12	37.5	17	90/125/125	V3.06.12	23.5	71.5	19.5	25.5	11.5	90/150/150
V3.06.3	20.5	46	20.5	47.5	17	90/140/140	V3.06.14	20	50	13	40	7	90/153/153
V3.06.5	20.5	62.5	19.5	49	17	90/139/139	V3.06.15	20	60	13	40	7	90/153/153
V3.06.6	20	79.5	19.5	37.5	17	90/139/139	V3.06.16	20	62	13	50	7	90/153/153
V3.06.7	20.5	45.5	18.5	42.5	17	90/137/137	V3.06.17	20	75	13	50	7	90/153/153
V3.06.8	24.5	61.5	14.5	50.5	17.5	90/153/153							

VALVE STEM EXTENSIONS

气门嘴延长帽/管系列

PLASTIC VALVE EXTENSIONS P Series

气门嘴塑料延长帽

PASSENGER CAR EXTENSIONS

Valve Extensions provide a seal against contaminants while extending the valve mouth for convenient access.



Part NO.	Eff.Length (mm/in)	Description
EX19P	19/3/4	Plastic valve stem extension
EX32P	32/1-1/4	Plastic valve stem extension
EX38P	38/1-1/2	Plastic valve stem extension

Metal (brass) type-nickel plated

金属延长帽

M Series



Part NO.	Eff.Length (mm/in)	Description
EX13M	13/1/2	Metal valve stem extension
EX19M	19/3/4	Metal valve stem extension
EX32M	32/1-1/4	Metal valve stem extension

Bent metal type-brass/nickel/chrome

弯曲型延长杆



Part NO.	Eff.Length (mm/in)	Angle °	vertical height (mm/in)
VE36-45	36/1-3/8	45	24/1-15/16
VE36-90	36/1-3/8	90	24/1-15/16
VE36-135	36/1-3/8	135	24/1-15/16
VE36-45CR	36	45	24
VE36-90CR	36	90	24
VE36-135CR	36	135	24

TRUCK & BUS VALVE EXTENSIONMT Series

卡客车金属延长管



Part NO.	Eff.Length (mm)	Length(mm)
EX30MT	30	40
EX50MT	50	60
EX66MT	66	76
EX76MT	76	86
EX90MT	90	100
EX100MT	100	110
EX110MT	110	120
EX115MT	115	125
EX120MT	120	130
EX130MT	130	140
EX140MT	140	150
EX152MT	152	162

LARGE BORE VALVE METAL (BRASS) EXTENSIONS EXJ Series

大芯腔气门嘴金属延长管



Part NO.	Eff.Length (mm)	Length(mm)
EXJ50M	50	76
EXJ66M	66	92
EXJ76M	76	102
EXJ90M	90	116
EXJ100M	100	126
EXJ110M	110	136
EXJ115M	115	141
EXJ120M	120	146
EXJ130M	130	156
EXJ140M	140	166
EXJ152M	152	178

TIRE VALVE PLASTIC EXTENSIONS RIGID FOR COMMERCIAL VEHICLES

卡客车塑料延长杆



Part NO.	Eff.Length (mm)	Length(mm)
EX53PT/PT-B	53.5	71
EX77PT/PT-B	77.5	95
EX97PT/PT-B	97.5	115
EX107PT/PT-B	107.5	125
EX132PT/PT-B	132.5	150
EX152PT/PT-B	152.5	170
EX162PT/PT-B	162.5	180
EX169PT/PT-B	169.5	187

VALVE STEM EXTENSIONS

气门嘴延长帽（管）系列

FLEXIBLE BRAIDED WIRE/TEXTILE RUBBER HOSE EXTENSIONS-SWIVEL CLAMP TYPE

橡胶延长管和金属编织延长管

Extensions screw onto the inner valve stem and come out thru the outside wheel and, depending on type, they fasten under lug nut or clamp onto the rim.



E Series


Part No.	Length(mm)	Describe
EX125R	125	RUBBER HOSE EXTENSION
EX150R	150	RUBBER HOSE EXTENSION
EX175R	175	RUBBER HOSE EXTENSION
EX185R	185	RUBBER HOSE EXTENSION
EX200R	200	RUBBER HOSE EXTENSION
EX210R	210	RUBBER HOSE EXTENSION
EX250R	250	RUBBER HOSE EXTENSION
EX350R	350	RUBBER HOSE EXTENSION
EX40SR	400	RUBBER HOSE EXTENSION
EX450R	450	RUBBER HOSE EXTENSION
EX500R	500	RUBBER HOSE EXTENSION



SE Series

Part No.	Length(mm)	Describe
EX125SRM	125	Briaded Wire HOSE EXTENSION
EX150SRM	150	Briaded Wire HOSE EXTENSION
EX175SRM	175	Briaded Wire HOSE EXTENSION
EX185SRM	185	Briaded Wire HOSE EXTENSION
EX200SRM	200	Briaded Wire HOSE EXTENSION
EX210SRM	210	Briaded Wire HOSE EXTENSION
EX250SRM	250	Briaded Wire HOSE EXTENSION
EX350SRM	350	Briaded Wire HOSE EXTENSION
EX400SRM	400	Briaded Wire HOSE EXTENSION
EX450SRM	450	Briaded Wire HOSE EXTENSION
EX500SRM	500	Briaded Wire HOSE EXTENSION

FLEXIBLE BRAIDED WIRE EXTENSIONS-RIGID TYPE



LARGE BORE VALVES FLEXIBLE EXTENSIONS

大芯腔气门嘴橡胶延长管



FY-001

FY-002

FY-003

RSW Series

Part No.	Length(mm)	Describe
EX125RSW	125	Flexible Briaded Wire EXTENSION
EX150RSW	150	Flexible Briaded Wire EXTENSION
EX175RSW	175	Flexible Briaded Wire EXTENSION
EX185RSW	185	Flexible Briaded Wire EXTENSION
EX200RSW	200	Flexible Briaded Wire EXTENSION
EX210RSW	210	Flexible Briaded Wire EXTENSION
EX250RSW	250	Flexible Briaded Wire EXTENSION
EX350RSW	350	Flexible Briaded Wire EXTENSION
EX400RSW	400	Flexible Briaded Wire EXTENSION
EX450RSW	450	Flexible Briaded Wire EXTENSION
EX500RSW	500	Flexible Briaded Wire EXTENSION

EXJR Series

Part No.	Length(mm)	Describe
EXJR125E	125	LARGE BORE EXTENSION
EXJR150E	150	LARGE BORE EXTENSION
EXJR175E	175	LARGE BORE EXTENSION
EXJR185E	185	LARGE BORE EXTENSION
EXJR200E	200	LARGE BORE EXTENSION
EXJR210E	210	LARGE BORE EXTENSION
EXJR250E	250	LARGE BORE EXTENSION
EXJR350E	350	LARGE BORE EXTENSION
EXJR40SE	400	LARGE BORE EXTENSION
EXJR450E	450	LARGE BORE EXTENSION
EXJR500E	500	LARGE BORE EXTENSION

VALVE STEM SLEEVE/CAP/CORE

气门帽/气门芯/装饰套

BRASS VALVE SLEEVES
铜质气门嘴装饰套




ALUMINUM VALVE SLEEVES
铝质气门嘴装饰套



Part NO.	Description
CAS12	Brass Valve Sleeve all Cover Chrome
CAS13	Brass Valve Sleeve all Cover Chrome
CAS14	Brass Valve Sleeve all Cover Chrome
CAS18	Brass Valve Sleeve all Cover Chrome
CS6	Brass Valve Sleeve Straight Type Chrome
CS12	Brass Valve Sleeve Straight Type Chrome
CS16	Brass Valve Sleeve Straight Type Chrome
CS18	Brass Valve Sleeve Straight Type Chrome
CS22	Brass Valve Sleeve Straight Type Chrome
CS30	Brass Valve Sleeve Straight Type Chrome
AS6	Alum. Valve Sleeve Straight Type
AS12	Alum. Valve Sleeve Straight Type
AS16	Alum. Valve Sleeve Straight Type
AS18	Alum. Valve Sleeve Straight Type
AS22	Alum. Valve Sleeve Straight Type
AS30	Alum. Valve Sleeve Straight Type
AS412	Alum. Valve Sleeve All Cover
AS413	Alum. Valve Sleeve All Cover
AS414	Alum. Valve Sleeve All Cover
AS418	Alum. Valve Sleeve All Cover

BRASS VALVE CORES
铜质气门芯



Part NO.	Feature (resistant)	Operating pressure kgf/cm ² (psi)	Operating temperature range °C (°F)
C1-SB	Standard	0-15(0-220)	-40-100(40-212)
C1-SR	Standard	0-15(0-220)	-54-150(65-302)
C1-SF	Freon	0-35(0-500)	-20-100(-4-212)
IC1-BL	Italy type	0-15(0-220)	-40-100(40-212)
IC1-B	Italy type	0-15(0-220)	-40-100(40-212)
C2-SB	Standard	0-15(0-220)	-40-100(40-212)
C2-SR	Standard	0-15(0-220)	-54-150(65-302)
C1-LR	Heat and Cold	0-15(0-220)	-54-150(-65-302)
C1-LB	Standard	0-15(0-220)	-40-100(40-212)
C2-LR	Standard	0-15(0-220)	-40-100(40-212)
C2-LR	Heat and Cold	0-15(0-220)	-54-150(-65-302)

BRASS VALVE CAPS
铜质气门帽



ALUMINUM VALVE CAPS
铝制气门帽



PLASTIC VALVE CAPS
塑料气门帽




PARTICULAR VALVE CAPS
特殊样式气门帽



WHEEL BALANCE WEIGHTS
平衡块系列

- Special Wheel Weight
- Clip-on Wheel Weight
- Adhesive Wheel Weight



FE CLIP-ON WHEEL WEIGHT

铁质挂钩式平衡块

FE CLIP-ON WHEEL WEIGHT

铁质挂钩式平衡块



Fe



Fe



Fe



Fe

Gram				OZ			
Model	Weight (g)	Weight (OZ)	BOX QTY	Model	Weight (OZ)	Weight (g)	BOX QTY
PFEA-05	5	0.18	100	PFEB-0.25	0.25	7	100
PFEA-10	10	0.35	100	PFEB-0.5	0.5	14	100
PFEA-15	15	0.53	100	PFEB-0.75	0.75	21	100
PFEA-20	20	0.71	100	PFEB-1	1	28	100
PFEA-25	25	0.88	100	PFEB-1.25	1.25	35	100
PFEA-30	30	1.06	50	PFEB-1.5	1.5	42	50
PFEA-35	35	1.24	50	PFEB-1.75	1.75	49	50
PFEA-40	40	1.41	50	PFEB-2	2	56	50
PFEA-45	45	1.59	50	PFEB-2.25	2.25	63	50
PFEA-50	50	1.77	50	PFEB-2.5	2.5	70	50
PFEA-55	55	1.94	50	PFEB-2.75	2.75	77	50
PFEA-60	60	2.12	50	PFEB-3	3	84	50

For steel wheel

Gram				OZ			
Model	Weight (g)	Weight (OZ)	BOX QTY	Model	Weight (OZ)	Weight (g)	BOX QTY
FNFEA-05	5	0.18	100	FNFEB-0.25	0.25	7	100
FNFEA-10	10	0.35	100	FNFEB-0.5	0.5	14	100
FNFEA-15	15	0.53	100	FNFEB-0.75	0.75	21	100
FNFEA-20	20	0.71	100	FNFEB-1	1	28	100
FNFEA-25	25	0.88	100	FNFEB-1.25	1.25	35	100
FNFEA-30	30	1.06	50	FNFEB-1.5	1.5	42	50
FNFEA-35	35	1.24	50	FNFEB-1.75	1.75	49	50
FNFEA-40	40	1.41	50	FNFEB-2	2	56	50
FNFEA-45	45	1.59	50	FNFEB-2.25	2.25	63	50
FNFEA-50	50	1.77	50	FNFEB-2.5	2.5	70	50
FNFEA-55	55	1.94	50	FNFEB-2.75	2.75	77	50
FNFEA-60	60	2.12	50	FNFEB-3	3	84	50

For Alloy wheel

Gram				OZ			
Model	Weight (g)	Weight (OZ)	BOX QTY	Model	Weight (OZ)	Weight (g)	BOX QTY
ENFEA-05	5	0.18	100	ENFEB-0.25	0.25	7	100
ENFEA-10	10	0.35	100	ENFEB-0.5	0.5	14	100
ENFEA-15	15	0.53	100	ENFEB-0.75	0.75	21	100
ENFEA-20	20	0.71	100	ENFEB-1	1	28	100
ENFEA-25	25	0.88	100	ENFEB-1.25	1.25	35	100
ENFEA-30	30	1.06	50	ENFEB-1.5	1.5	42	50
ENFEA-35	35	1.24	50	ENFEB-1.75	1.75	49	50
ENFEA-40	40	1.41	50	ENFEB-2	2	56	50
ENFEA-45	45	1.59	50	ENFEB-2.25	2.25	63	50
ENFEA-50	50	1.77	50	ENFEB-2.5	2.5	70	50
ENFEA-55	55	1.94	50	ENFEB-2.75	2.75	77	50
ENFEA-60	60	2.12	50	ENFEB-3	3	84	50

For Alloy wheel

Gram				OZ			
Model	Weight (g)	Weight (OZ)	BOX QTY	Model	Weight (OZ)	Weight (g)	BOX QTY
MCFEA-05	5	0.18	100	MCFEB-0.25	0.25	7	100
MCFEA-10	10	0.35	100	MCFEB-0.5	0.5	14	100
MCFEA-15	15	0.53	100	MCFEB-0.75	0.75	21	100
MCFEA-20	20	0.71	100	MCFEB-1	1	28	100
MCFEA-25	25	0.88	100	MCFEB-1.25	1.25	35	100
MCFEA-30	30	1.06	50	MCFEB-1.5	1.5	42	50
MCFEA-35	35	1.24	50	MCFEB-1.75	1.75	49	50
MCFEA-40	40	1.41	50	MCFEB-2	2	56	50
MCFEA-45	45	1.59	50	MCFEB-2.25	2.25	63	50
MCFEA-50	50	1.77	50	MCFEB-2.5	2.5	70	50
MCFEA-55	55	1.94	50	MCFEB-2.75	2.75	77	50
MCFEA-60	60	2.12	50	MCFEB-3	3	84	50

For Alloy wheel



Fe



Fe

Gram				OZ			
Model	Weight (g)	Weight (OZ)	BOX QTY	Model	Weight (OZ)	Weight (g)	BOX QTY
IAWFEA-05	5	0.18	100	IAWFEB-0.25	0.25	7	100
IAWFEA-10	10	0.35	100	IAWFEB-0.5	0.5	14	100
IAWFEA-15	15	0.53	100	IAWFEB-0.75	0.75	21	100
IAWFEA-20	20	0.71	100	IAWFEB-1	1	28	100
IAWFEA-25	25	0.88	100	IAWFEB-1.25	1.25	35	100
IAWFEA-30	30	1.06	50	IAWFEB-1.5	1.5	42	50
IAWFEA-35	35	1.24	50	IAWFEB-1.75	1.75	49	50
IAWFEA-40	40	1.41	50	IAWFEB-2	2	56	50
IAWFEA-45	45	1.59	50	IAWFEB-2.25	2.25	63	50
IAWFEA-50	50	1.77	50	IAWFEB-2.5	2.5	70	50
IAWFEA-55	55	1.94	50	IAWFEB-2.75	2.75	77	50
IAWFEA-60	60	2.12	50	IAWFEB-3	3	84	50

For Alloy wheel

Gram				OZ			
Model	Weight (g)	Weight (OZ)	BOX QTY	Model	Weight (OZ)	Weight (g)	BOX QTY
AWFEA-05	5	0.18	100	AWFEB-0.25	0.25	7	100
AWFEA-10	10	0.35	100	AWFEB-0.5	0.5	14	100
AWFEA-15	15	0.53	100	AWFEB-0.75	0.75	21	100
AWFEA-20	20	0.71	100	AWFEB-1	1	28	100
AWFEA-25	25	0.88	100	AWFEB-1.25	1.25	35	100
AWFEA-30	30	1.06	50	AWFEB-1.5	1.5	42	50
AWFEA-35	35	1.24	50	AWFEB-1.75	1.75	49	50
AWFEA-40	40	1.41	50	AWFEB-2	2	56	50
AWFEA-45	45	1.59	50	AWFEB-2.25	2.25	63	50
AWFEA-50	50	1.77	50	AWFEB-2.5	2.5	70	50
AWFEA-55	55	1.94	50	AWFEB-2.75	2.75	77	50
AWFEA-60	60	2.12	50	AWFEB-3	3	84	50

For Alloy wheel

WHEEL WEIGHT RACK

平衡块货架

Height: 56"
Wide: 36"
8 Bins each line
96 Bins each rack



WWR1000AB

NEW



WWR1000F



WWR1000R



WWR1000V

WHEEL WEIGHTS APPLICATION CHART

平衡块车型参照表

Wheel Weights Application Chart

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
All Acura	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All Audi	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN
All BMW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
Buick															
All others	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
Cadillac															
Catera	IAW	IAW	IAW												
All others	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
Chevrolet															
Aveo						IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
Cavalier	AW	AW	MC	MC	MC	MC	MC	MC							
(incl. Z-24)															
Corvette	AW	AW	AW	AW	AW	AW	AW	AW	AW						
Epica						IAW	IAW	IAW							
Optra						IAW	IAW	IAW	IAW	IAW					
Prizm	FN	FN	FN												
All others	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
Chrysler															
Concorde, 300,	LH	LH	LH	LH	LH	LH	MC	MC	MC	MC	MC	MC	MC	MC	MC
LHS, New Yorker															
Crossfire						ADH	ADH	ADH	ADH	ADH					
Prowler						AW									
PT Cruiser						LH MC	LH MC	LH MC	LH MC	LH MC	LH MC	LH MC	LH MC	LH MC	LH MC
Sebring						LH	LH	LH	LH	LH	MC	MC	MC	MC	MC
All others	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All Daewoo	FN	FN	FN	FN											
Dodge															
Intrepid	LH	LH	LH	LH	LH	LH									
Neon															
Stratus (Sedan)															
All others	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
Fiat (500)															

Wheel Weights Application Chart

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Ford															
C-Max															IAW
Fiesta														IAW	IAW
All others	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All Geo															
All Honda	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All Hyundai	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Infiniti	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All Isuzu	FN	FN	FN	FN	FN	FN	FN	FN	FN						
All Jaguar	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Kia	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Lexus	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All Lincoln	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
Mazda															
Mazda 6, 626, MX6	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All others	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All Mercedes-Benz	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN
All Mercury	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All Mini															
Mitsubishi															
Eclipse	IAW	IAW	IAW	IAW	IAW	IAW	IAW	MC	MC	MC	MC	MC	MC	MC	MC
Galant	IAW	IAW	IAW	IAW	IAW	IAW	IAW	MC	MC	MC	MC	MC	MC	MC	MC
All others	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Nissan	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
Oldsmobile															
Achieva															
All others	MC	MC	MC	MC	MC	MC									
Plymouth															
Neon	MC	LH	LH												
All others	MC	MC	MC												

WHEEL WEIGHTS APPLICATION CHART

平衡块车型参照表

Wheel Weights Application Chart

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Pontiac															
G3, Wave						IAW	IAW	IAW	IAW	IAW	IAW				
Grand Am	MC	MC	MC	MC	MC	MC	MC	MC							
GTO						IAW	IAW	IAW							
Sunbird, Sunfire	AW	MC	MC	MC	MC	MC									
Vibe															
All others	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All Porsche	ADH	ADH	ADH	ADH	ADH	ADH	ADH	ADH	ADH	ADH	ADH	ADH	ADH	ADH	ADH
All Saab	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
Saturn															
Astra															
All others	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All Scion															
All Smart															
All Subaru	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Suzuki	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Toyota	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All Volkswagen	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN
All Volvo	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW

Wheel Weights Application Chart

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Acura															
SLX	IAW	IAW													
All others															
All Audi															
All BMW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Buick															
Cadillac															
SRX															
All others	MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC
Chevrolet															
Avalanche															
Blazer (K5), Tahoe	MC	MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC
Blazer	MC	MC	MC	MC	MC	MC	MC								
(S&T Series)															
C, K, R, V, Series															
Pickup (Silverado)															
SSR															
Tracker	IAW	IAW	IAW	IAW	IAW	IAW									
All others	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC
All Chrysler	LH	LH	LH	LH	LH	LH	LH	LH	LH	LH	LH	LH	LH	LH	LH
Dodge															
B Series Van, Ram	MC	MC	MC	MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC
Van															
Caravan, Grand	LH	LH	LH	LH	LH	LH	LH	LH	LH	LH	LH	LH	LH	LH	LH
Caravan															
All others	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
Ford															
Escape	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
Explorer	MC	MC	MC	MC	EN	MC	EN	MC	EN	MC	EN	MC	MC	MC	MC
Expedition	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T
F100 & F150	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T
F250 & F350	MC	MC	MC												
Ranger	MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC

WHEEL WEIGHTS APPLICATION CHART

平衡块车型参照表

ZN/PB CLIP-ON WHEEL WEIGHT

锌质/铅质挂钩式平衡块

Wheel Weights Application Chart

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Transit Connect												IAW	IAW	IAW	IAW
All others	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC	T MC
All Geo															
GMC															
C, K, R, V Series	T	T	T	T	T	T	T	T	T	MC	T MC	MC	T MC	MC	T MC
Pickup (Sierra)															
Savana	MC	MC	MC	MC	MC	MC	MC	MC	T MC	MC	T MC	MC	T MC	MC	T MC
Yukon/XL	MC	MC	T MC	MC	T MC	MC	T MC	MC	T MC	MC	T MC	MC	T MC	MC	T MC
(includes Denali)															
All others	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
Honda															
Passport	IAW	IAW	IAW	IAW											
All others	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All Hummer					MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All Hyundai			IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Infiniti	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All Isuzu	IAW	IAW	IAW	IAW	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All Jeep	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All Kia	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Land Rover	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Lexus	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
Lincoln															
Aviator					ADH	ADH	ADH	ADH							
All others	T	T	T	T	T	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
Mazda															
B Series	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
Tribute			MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All others	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All Mercedes	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN

Wheel Weights Application Chart

	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Mercury															
Mountaineer	MC	MC	MC	MC	ADH	MCADH	MCADH	MCADH	MCADH	MC	MC	MC	MC	MC	MC
Villager	FN	FN	FN	FN											
All others					MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
Mitsubishi															
Endeavor					IAW	IAW									
Raider															
All others	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Nissan	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All Oldsmobile	MC	MC	MC	MC	MC	MC									
All Plymouth	LH	LH													
Pontiac															
Vibe				FN	FN	FN	FN	FN	FN						
All others	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All Saab															
All Saturn				MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All Scion															
All Subaru	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
Suzuki															
XL-7															
All others	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Toyota	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
Volkswagen															
Routan															
All others	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN
All Volvo					IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW

Zn



WB-003

UNIVERSAL CLIP ON WHEEL WEIGHT FOR STEEL WHEEL
 锌质通用型钢轮平衡块
 Materials: ZINC
 From 5 to 60 gram
 Powder Coated or Original Finish

WB-002

UNIVERSAL CLIP ON WHEEL WEIGHT FOR ALLOY WHEEL
 锌质通用型铝轮平衡块
 Materials: ZINC
 From 5 to 60 gram
 Powder Coated or Original Finish

Zn



Pb



WB-001A

UNIVERSAL CLIP ON WHEEL WEIGHT FOR STEEL WHEEL
 铅质通用型钢轮平衡块
 Materials: LEAD
 From 5 to 60 gram
 Powder Coated or Original Finish

WB-001B

UNIVERSAL CLIP ON WHEEL WEIGHT FOR ALLOY WHEEL
 铅质通用型铝轮平衡块
 Materials: LEAD
 From 5 to 60 gram
 Powder Coated or Original Finish

Pb



ZN/PB CLIP-ON WHEEL WEIGHT

锌质/铅质挂钩式平衡块

FE ADHESIVE WHEEL WEIGHT 铁质粘贴式平衡块

WB-006A

UNIVERSAL CLIP ON WHEEL WEIGHT FOR ALLOY OR STEEL WHEEL

铁质通用型钢/铝轮平衡块

Materials: Steel

From 5 to 60 gram

Powder Coated or Zinc-Plated



QWBW-001A

HIGH PERFORMANCE DIE-CASTING CLIP ON WHEEL WEIGHT

高档型锌质压铸平衡块

Materials: ZINC

From 5 to 60 gram

Chrome Finish

For Alloy wheel



WB-030

TRUCK CLIP ON WHEEL WEIGHT

卡车用铅制平衡块

Materials: PB

From 50 to 500 gram

Powder Coated or Original

Clip-on wheel weight installation instructions

挂钩平衡块安装说明



1.select the correct application

using a wheel weight application guide,select the correct application for the vehicle you are servicing. check that the weight application is correct by testing the placement on the wheel flange.



2.placing the wheel weight

place the wheel weight in the correct location of the imbalance. Prior to striking with the hammer, make sure that the top and the bottom of the clip are touching the rim flange. the body of the weight should not be touching the rim!



3.installation

once the wheel weight is properly aligned, strike the clip with a proper wheel weight installation hammer please note: striking the weight body could result in clip retention failure or weight movement.



4.checking the weight

after installing the weight, check to make sure that it is secured properly.



WB-026



WB-016



WB-013



WB-012



WB-040



WB-014



WB-037



WB-023



WB-020

PART NO.	Weight	Matrelais	Describe	Finish	BOX QTY
WB-037Z3	OZ(84g)	Fe	4pcs 1/4 OZ(7g) + 4pcs 1/2 OZ(14g)	Zinc-Plated	50
WB-037P3	OZ(84g)	Fe	4pcs 1/4 OZ(7g) + 4pcs 1/2 OZ(14g)	Powder Coated	50
WB-037BL	3OZ(84g)	Fe	4pcs 1/4 OZ(7g) + 4pcs 1/2 OZ(14g)	Black Coated	50
WB-020Z3	OZ(84g)	Fe	12pcs 1/4 OZ(7g)	Zinc-Plated	50
WB-020P3	OZ(84g)	Fe	12pcs 1/4 OZ(7g)	Powder Coated	50
WB-020BL	3OZ(84g)	Fe	12pcs 1/4 OZ(7g)	Black Coated	50
WB-023Z3	OZ(84g)	Fe	6pcs 1/2 OZ(14g)	Zinc-Plated	50
WB-023P3	OZ(84g)	Fe	6pcs 1/2 OZ(14g)	Powder Coated	50
WB-023BL	3OZ(84g)	Fe	6pcs 1/2 OZ(14g)	Black Coated	50

PART NO.	Weight	Matrelais	Describe	Finish	BOX QTY
WB-016Z	60g	Fe	12pcs 5g	Zinc-Plated	100
WB-016P	60g	Fe	12pcs 5g	Powder Coated	100
WB-016BL	60g	Fe	12pcs 5g	Black Coated	100
WB-026Z	60g	Fe	12pcs 5g	Zinc-Plated	100
WB-026P	60g	Fe	12pcs 5g	Powder Coated	100
WB-026BL	60g	Fe	12pcs 5g	Black Coated	100



Fe

PART NO.	Weight	Matrelais	Describe	Finish	BOX QTY
WB-012Z	60g	Fe	4pcs 5g + 4pcs 10g	Zinc-Plated	100
WB-012P	60g	Fe	4pcs 5g + 4pcs 10g	Powder Coated	100
WB-012BL	60g	Fe	4pcs 5g + 4pcs 10g	Black Coated	100
WB-013Z	60g	Fe	4pcs 5g + 4pcs 10g	Zinc-Plated	100
WB-013P	60g	Fe	4pcs 5g + 4pcs 10g	Powder Coated	100
WB-013BL	60g	Fe	4pcs 5g + 4pcs 10g	Black Coated	100



Fe

PART NO.	Weight	Matrelais	Describe	Finish	BOX QTY
WB-040Z	60g	Fe	4pcs 5g + 4pcs 10g With Wide Tape Cover	Zinc-Plated	100
WB-040P	60g	Fe	4pcs 5g + 4pcs 10g With Wide Tape Cover	Powder Coated	100
WB-014Z	30g	Fe	12pcs 2.5g	Zinc-Plated	100
WB-014P	30g	Fe	12pcs 2.5g	Powder Coated	100

Fe



3M

Normal

Norton

Fe



3M

Normal

Norton

PB/ZN/FE ADHESIVE WHEEL WEIGHT 铅质/锌质/铁质粘贴式平衡块



WB-025



WB-043



WB-019



WB-018

PART NO.	Weight	Matreials	Describe	Finish	BOX QTY
WB-025L	60g	Pb	4pcs 5g + 4pcs 10g	Original	100
WB-025P	60g	Pb	4pcs 5g + 4pcs 10g	Powder Coated	100
WB-043L	60g	Pb	12pcs 5g	Original	100
WB-043P	60g	Pb	12pcs 5g	Powder Coated	100

Pb

3M

Normal

Norton

PART NO.	Weight	Matreials	Describe	Finish	BOX QTY
WB-019L	3 OZ(84g)	Pb	12pcs 1/4 OZ(7g)	Original	50
WB-019P	3 OZ(84g)	Pb	12pcs 1/4 OZ(7g)	Powder Coated	50
WB-018L	6 OZ(168g)	Pb	12pcs 1/2 OZ(14g)	Original	50
WB-018P	6 OZ(168g)	Pb	12pcs 1/2 OZ(14g)	Powder Coated	50

Pb

3M

Normal

Norton



WB-017

PART NO.	Weight	Matreials	Describe	Finish	BOX QTY
WB-017Z	60g	Zn	4pcs 5g + 4pcs 10g	Original	100
WB-017P	60g	Zn	4pcs 5g + 4pcs 10g	Powder Coated	100

Zn



WB-008

PART NO.	Weight	Matreials	Describe	Finish	BOX QTY
WB-008Z	5kgs	Fe	1000pcs 5g	Zinc-Plated	1
WB-008P	5kgs	Fe	1000pcs 5g	Powder Coated	1

Fe



WB-007

PART NO.	Weight	Matreials	Describe	Finish	BOX QTY
WB-007Z	5kgs	Fe	1000pcs 5g	Zinc-Plated	1
WB-007P	5kgs	Fe	1000pcs 5g	Powder Coated	1

Fe

Adhesive weight installation instructions

粘贴式平衡块使用说明

1.Pre-treating the rim

Apply a suitable cleaning agent on the area where weight is to be applied. Wipe area clean and dry. Please note: Be sure to test the cleaning agent on a small area to ensure it will not damage the wheel's finish.

2. Select adhesive weight size

Cut the adhesive weight or break them apart, depending on weight type. to obtain the correct amount of weight needed.

3. Applying the weights

Remove the tape backing and press the center of the weight exactly at the imbalance point. Please note: Do not touch the tape surface after peeling off the tape backing.

4. Securing the weight

Once the center of the weight is located at the imbalance point, press down on the full weight length working from the center to the left and right. Using firm hand pressure should be enough to secure the weight.

WHEEL NUTS & BOLTS 螺丝螺母系列

- Wheel Adaptors
- Wheel Spacer
- HUB Center Ring
- Wheel Nuts/Bolts

068 Tel: +86-574-8303 0786 Fax: +86-574-8303 0787 E-mail: sales@bellright.com Http://www.bellright.com Http://www.tyredocto.net Http://www.yiluda4x4.com

WHEEL NUT/BOLT AND SPACER

WHEEL ADAPTORS

轮毂变位器

ALUMINUM FORGING TECHNIQS

One or two pieces types available. Manufactured to all your specifications from the highest quality 6061-T6 biller aluminum by.



4 LUG PART #	FROM	TO	THICKNESS	I. D.	O. D.	STUD THREAD SIZE
BT-144	4×100mm	4×100mm	1"	71mm	150mm	12mm×1.50
BT-145	4×100mm	4×100mm	1.25"	71mm	150mm	12mm×1.50
BT-146	4×100mm	4×4.5"	1"	71mm	150mm	12mm×1.50
BT-147	4×4.25"	4×100mm	1"	71mm	150mm	12mm×1.50
BT-148	4×4.5"	4×100mm	1"	71mm	150mm	12mm×1.50
BT-149	4×4.5"	4×100mm	1.25"	71mm	150mm	12mm×1.50
BT-150	4×4.5"	4×4.5"	1"	71mm	150mm	12mm×1.50
BT-151	4×4.5"	4×4.5"	1.25"	71mm	150mm	12mm×1.50
BT-152	4×4.5"	4×4.5"	1.5"	71mm	150mm	12mm×1.50
BT-153	4×4.5"	4×4.5"	2"	71mm	150mm	12mm×1.50



5 LUG PART #	FROM	TO	THICKNESS	I. D.	O. D.	STUD THREAD SIZE
BT-154	5×100mm	5×100mm	1"	56.11mm	150mm	12mm×1.50
BT-155	5×100mm	5×100mm	1.25"	56.11mm	150mm	12mm×1.50
BT-156	5×100mm	5×4.5"	1"	64mm	150mm	12mm×1.50
BT-157	5×135mm	5×4.5"	1.5"	87.1mm	176mm	12mm×1.50
BT-158	5×4.25"	5×4.5"	1.25"	73.1mm	150mm	12mm×1.50
BT-159	5×4.5"	5×4.5"	1"	74mm	164mm	12mm×1.50
BT-160	5×4.5"	5×4.5"	1.25"	74mm	164mm	12mm×1.50
BT-161	5×4.5"	5×4.5"	1.5"	74mm	164mm	12mm×1.50
BT-162	5×4.5"	5×4.5"	2"	74mm	164mm	12mm×1.50
BT-163	5×4.5"	5×4.75"	1.25"	74mm	164mm	12mm×1.50
BT-164	5×4.5"	5×5"	1.25"	74mm	164mm	12mm×1.50
BT-165	5×4.75"	5×4.5"	1.25"	74mm	164mm	12mm×1.50
BT-166	5×4.75"	5×4.75"	1"	74mm	164mm	12mm×1.50
BT-167	5×4.75"	5×4.75"	1.25"	74mm	164mm	12mm×1.50
BT-168	5×4.75"	5×4.75"	1.5"	74mm	164mm	12mm×1.50
BT-169	5×4.75"	5×4.75"	2"	74mm	164mm	12mm×1.50
BT-170	5×4.75"	5×5"	1.25"	74mm	164mm	12mm×1.50
BT-171	5×5"	5×135mm	1.25"	78mm	176mm	12mm×1.50
BT-172	5×5"	5×4.5"	1.25"	78mm	164mm	12mm×1.50
BT-173	5×5"	5×4.75"	1.25"	78mm	164mm	12mm×1.50
BT-179	5×5"	5×5"	1.25"	78mm	164mm	12mm×1.50
BT-175	5×5.5"	5×4.5"	1.5"	82.55mm	176mm	12mm×1.50
BT-176	5×5.5"	5×4.75"	1.5"	82.55mm	176mm	12mm×1.50
BT-177	5×5.5"	5×5.5"	1.5"	108mm	176mm	1/2"
BT-178	5×5.5"	5×5.5"	2"	108mm	176mm	1/2"

Optional colour



2 PCS PART #	FROM	TO	THICKNESS	I. D.	O. D.	STUD THREAD SIZE
BT-179	4×4.5"	5×100mm	1.75"	74mm	164mm	12mm×1.50
BT-180	5×100mm	4×4.5"	2.00"	74mm	164mm	12mm×1.50
BT-181	5×4.75"	6×135mm	2.00"	78mm	176mm	12mm×1.50
BT-182	5×4.75"	6×5.5"	2.00"	78mm	176mm	12mm×1.50
BT-183	5×5.5"	6×4.5"	1.50"	78mm	176mm	12mm×1.50
BT-184	5×5.5"	6×4.5"	1.75"	78mm	176mm	12mm×1.50
BT-185	5×5.5"	6×5.5"	1.75"	78mm	176mm	12mm×1.50
BT-186	5×135mm	6×4.5"	1.5"	78mm	176mm	12mm×1.50
BT-187	5×5.5"	4×4.5"	1.5"	78mm	176mm	12mm×1.50
BT-188	5×5.5"	6×4.5"	1.5"	78mm	176mm	12mm×1.50

WHEEL ADAPTORS

轮毂变位器

Optional colour



6 LUG PART #	FROM	TO	THICKNESS	I. D.	O. D.	STUD THREAD SIZE
BT-189	6×5.5"	4×5.5"	1.5"	108mm	176mm	12mm×1.50
BT-190	6×5.5"	4×5.5"	1.5"	78mm	176mm	14mm×1.50

8 LUG PART #	FROM	TO	THICKNESS	I. D.	O. D.	STUD THREAD SIZE
BT-191	8×170mm	8×170mm	2"	125mm	216mm	14mm×2.00
BT-192	8×200mm	8×200mm	2"	125mm	246mm	14mm×1.50
	8×6.5"	8×6.5"	2"	126.15mm	216mm	14mm×1.50

DUAL DRILL PART #	FROM	TO	THICKNESS	I. D.	O. D.	STUD THREAD SIZE
BT-193	4×4.25/4×100mm	4×4.5"	1"	71mm	150mm	12mm×1.50
BT-194	5×1135mm/5×5"	5×4.5"	1.5"	87.1mm	176mm	12mm×1.50
BT-195	5×1135mm/5×5"	5×4.75"	1.5"	87.1mm	176mm	12mm×1.50
BT-196	5×1135mm/5×5"	5×5"	1.5"	87.1mm	176mm	12mm×1.50
BT-197	5×1135mm/5×5"	5×5.5"	1.5"	87.1mm	176mm	12mm×1.50
BT-198	5×4.5/5×4.75"	5×135mm	1.25"	74mm	164mm	12mm×1.50
BT-199	5×4.5/5×4.75"	5×4.5"	1.25"	74mm	164mm	12mm×1.50
BT-200	5×4.5/5×4.75"	5×4.75"	1.25"	74mm	164mm	12mm×1.50
BT-201	5×4.5/5×4.75"	5×5"	1.25"	74mm	164mm	12mm×1.50
BT-202	5×4.5/5×4.75"	5×5.5"	1.25"	74mm	164mm	12mm×1.50
BT-203	5×4.75/5×5"	5×5"	1.5"	78.1mm	164mm	12mm×1.50
BT-204	5×5/5×5.5"	5×135mm	1.5"	87.1mm	176mm	1/2"
BT-205	5×5/5×5.5"	5×5.5"	1.5"	87.1mm	176mm	1/2"

PART #	WHEL I.D.	HUB I.D.	O. D.	DESCRIPTION	THICKNESS
BT-206	73mm	67.1mm	150mm	4&5×100mm-4&5×114.3mm	8mm
BT-207	73mm	67.1mm	150mm	4&5×100mm-4&5×114.3mm	12mm

PART #	WHEL I.D.	HUB I.D.	O. D.	DESCRIPTION	THICKNESS
BT-208	57.1mm	57.1mm	136mm	4×100mm	20mm
BT-209	65.1mm	65.1mm	146mm	4×108mm	20mm
BT-210	67.1mm	67.1mm	146mm	4×114.3mm	20mm
BT-211	58.1mm	58.1mm	136mm	4×98mm	20mm
BT-212	57.1mm	57.1mm	136mm	4×100mm	20mm
BT-213	65.1mm	65.1mm	146mm	4×110mm	20mm
BT-214	57.1mm	57.1mm	146mm	4×112mm	20mm
BT-215	72.6mm	72.6mm	146mm	4×120mm	20mm

PART #	WHEL I.D.	HUB I.D.	O. D.	DESCRIPTION	THICKNESS
BT-216	73mm	67.1mm	150mm	4×100mm-4×114.3mm	12mm
BT-217	73mm	67.1mm	150mm	4×100mm-4×114.3mm	23mm
BT-218	73mm	67.1mm	150mm	5×100mm-5×114.3mm	12mm
BT-219	73mm	67.1mm	150mm	5×100mm-5×114.3mm	23mm





BT-220



BT-221



BT-222



BT-223



BT-224



BT-226



BT-225



BT-228



BT-229

Part No.	Description	THICK	I. D.	O. D.
BT-220	4&5 on 98-130mm	3mm	76.5mm	152.0mm

Part No.	Description	THICK	I. D.	O. D.
BT-221	4 on 98-120mm	8mm	71.5mm	151.5mm

Part No.	Description	THICK	I. D.	O. D.
BT-222	5 on 108-120mm	8mm	90.0mm	164.3mm

Part No.	Description	THICK	I. D.	O. D.
BT-223	6&6 on 5.1/2"mm	6mm	107.0mm	178.0mm

Part No.	Description	THICK	I. D.	O. D.
BT-224	8lug Boit Circle	6mm	127.0mm	208.0mm

Part No.	Description	THICK	I. D.	O. D.
BT-225	5 on 100-120mm	8mm	81.0mm	152.0mm

Part No.	Description	THICK	I. D.	O. D.
BT-226	4&5 on 98-120mm	5mm	78.5mm	145.0mm

Part No.	Description	THICK	I. D.	O. D.
BT-227	5 on 108-120mm	1/2	82.0mm	154.0mm

Part No.	Description	THICK	I. D.	O. D.
BT-228	4&5 on 98-120mm	5mm	78.5mm	140.0mm

Part No.	Description	THICK	I. D.	O. D.
BT-229	4&5 on 98-135mm	6mm	72.5mm	158.0mm



BT-013

Optional colour



ALUMINUM RINGS
CUSTOM SIZE ACCEPTABLE
可定制任何规格

O. D.	I. D.	O. D.	I. D.
72.62mm	72.62mm	73.0mm	72.62mm
72.62mm	57.10mm	73.0mm	57.10mm
72.62mm	59.61mm	73.0mm	59.61mm
72.62mm	60.06mm	73.0mm	60.06mm
72.62mm	63.09mm	73.0mm	63.09mm
72.62mm	64.15mm	73.0mm	64.15mm
72.62mm	66.06mm	73.0mm	66.06mm
72.62mm	67.20mm	73.0mm	67.20mm
72.62mm	70.03mm	73.0mm	70.03mm
72.62mm	56.15mm	73.0mm	56.15mm
72.62mm	67.06mm	73.0mm	67.06mm
72.62mm	54.06mm	73.0mm	54.06mm
72.62mm	70.10mm	73.0mm	70.10mm

☆ More sizes optional

PLASTIC RING
CUSTOM SIZE ACCEPTABLE
可定制任何规格

O. D.	I. D.	O. D.	I. D.	O. D.	I. D.	O. D.	I. D.
60.1mm	54.1mm	70.1mm	54.1mm	73mm	54.1mm	74mm	54.1mm
60.1mm	56.1mm	70.1mm	56.1mm	73mm	56.1mm	74mm	56.1mm
60.1mm	57.1mm	70.1mm	56.6mm	73mm	56.6mm	74mm	56.6mm
60.1mm	58.1mm	70.1mm	57.1mm	73mm	57.1mm	74mm	57.1mm
63.4mm	54.1mm	70.1mm	58.1mm	73mm	58.6mm	74mm	58.1mm
63.4mm	56.1mm	70.1mm	59.1mm	73mm	59.1mm	74mm	59.1mm
63.4mm	56.6mm	70.1mm	60.1mm	73mm	59.6mm	74mm	59.6mm
63.4mm	57.1mm	70.1mm	63.4mm	73mm	60.1mm	74mm	60.1mm
63.4mm	58.1mm	70.1mm	65.1mm	73mm	63.4mm	74mm	63.4mm
63.4mm	59.1mm	70.1mm	66.6mm	73mm	63.9mm	74mm	63.9mm
63.4mm	60.1mm	72.6mm	54.1mm	73mm	64.1mm	74mm	64.1mm
64mm	54.1mm	72.6mm	56.1mm	73mm	65.1mm	74mm	65.1mm
64mm	56.1mm	72.6mm	56.6mm	73mm	66.1mm	74mm	66.1mm
64mm	56.6mm	72.6mm	57.1mm	73mm	66.6mm	74mm	66.6mm
64mm	57.1mm	72.6mm	58.1mm	73mm	67.1mm	74mm	67.1mm
64mm	58.1mm	72.6mm	59.1mm	73mm	67.2mm	74mm	70.1mm
64mm	59.1mm	72.6mm	59.6mm	73mm	70.1mm	74mm	70.3mm
64mm	60.1mm	72.6mm	60.1mm	73mm	70.3mm	74mm	70.5mm
67.1mm	54.1mm	72.6mm	63.4mm	73mm	70.5mm	74mm	71.5mm
67.1mm	56.1mm	72.6mm	63.9mm	73mm	71.5mm	74mm	72.6mm
67.1mm	56.6mm	72.6mm	64.1mm	73mm	71.6mm	74.1mm	72.6mm
67.1mm	57.1mm	72.6mm	65.1mm	73.1mm	54.1mm	78mm	66.1mm
67.1mm	58.1mm	72.6mm	66.1mm	73.1mm	56.1mm	78mm	66.56mm
67.1mm	58.6mm	72.6mm	66.5mm	73.1mm	56.6mm	78mm	70.3mm
67.1mm	59.1mm	72.6mm	66.6mm	73.1mm	57.1mm	78mm	71.3mm
67.1mm	60.1mm	72.6mm	67.1mm	73.1mm	58.6mm	78mm	71.5mm
67.1mm	63.4mm	72.6mm	70.1mm	73.1mm	60.1mm	78mm	72.6mm
67.1mm	65.1mm	72.6mm	70.3mm	73.1mm	63.4mm	78mm	74.1mm
		72.6mm	70.5mm	73.1mm	65.1mm	87mm	78.1mm
				73.1mm	66.1mm	108mm	78.1mm
				73.1mm	66.6mm	108mm	100mm
				73.1mm	67.1mm	110mm	67.1mm



BT-014

Optional colour



OPEN-END BULGE ACORN

Part Number	Thread Size	Box Qty	Case Qty
BT-001 7/16	7/16"	50	500
BT-001 1/2	1/2"	50	500
BT-001 12/1.25	12mm 1.25	50	500
BT-001 12/1.50	12mm 1.50	50	500
BT-001 12/1.75	12mm 1.75	50	500
BT-001 14/1.50	14mm 1.50	50	500
BT-001 14/2.00	14mm 2.00	50	500
BT-001 9/16	9/16"	50	500



BULGE ACORN, 1.75" LONG

Part Number	Thread Size	Box Qty	Case Qty
BT-007 1/2	1/2"	40	400
BT-007 12/1.50	12mm 1.50	40	400
BT-007 12/1.75	12mm 1.75	40	400
BT-007 14/1.50	14mm 1.50	40	400
BT-007 14/2.00	14mm 2.00	40	400
BT-007 9/16	9/16"	40	400



SPLINE ACORN

Part Number	Thread Size	Box Qty	Case Qty
BT-307 1/2	1/2"	50	500
BT-308 12/1.25	12mm 1.25	50	500
BT-309 12/1.50	12mm 1.50	50	500
BT-310 12/1.75	12mm 1.75	50	500



Use Key Adapter k002/k003

DUPLEX SPLINE ACORN SHORT

Part Number	Thread Size	Box Qty	Case Qty
BT-301 14/1.50	14mm 1.50	50	500
BT-302 14/2.00	14mm 2.00	50	500
BT-303 9/16	9/16"	50	500



Use Key Adapter k001

WASHER NUT

Part Number	Thread Size	Box Qty	Case Qty
BT-311 12/1.50	12mm 1.50	40	400
BT-312 12/1.75	12mm 1.75	40	400
BT-313 14/1.50	14mm 1.50	40	400
BT-314 14/2.00	14mm 2.00	40	400
BT-315 9/16	9/16"	40	400



BULGE ACORN, 1.38" LONG

Part Number	Thread Size	Box Qty	Case Qty
BT-005 7/16	7/16"	50	500
BT-005 1/2	1/2"	50	500
BT-005 12/1.25	12mm 1.25	50	500
BT-005 12/1.50	12mm 1.50	50	500
BT-005 12/1.75	12mm 1.75	50	500
BT-005 14/1.50	14mm 1.50	50	500



BULGE ACORN, 1.9" LONG

Part Number	Thread Size	Box Qty	Case Qty
BT-009 12/1.50	12mm 1.50	30	300
BT-009 12/1.75	12mm 1.75	30	300
BT-009 14/1.50	14mm 1.50	30	300
BT-009 14/2.00	14mm 2.00	30	300
BT-009 9/16	9/16"	30	300



OPEN-END SPLINE


Part Number	Thread Size	Box Qty	Case Qty
BT-304 1/2	1/2"	50	500
BT-305 12/1.25	12mm 1.25	50	500
BT-306 12/1.50	12mm 1.50	50	500



Use Key Adapter k002

DUPLEX SPLINE ACORN LONG

Part Number	Thread Size	Box Qty	Case Qty
BT-126 12/1.50	12mm 1.50	40	400
BT-127 12/1.75	12mm 1.75	40	400
BT-129 14/1.50	14mm 1.50	40	400
BT-130 14/2.00	14mm 2.00	40	400
BT-131 9/16	9/16"	40	400



Use Key Adapter k001

TUNER ACORN HEAT TREATED

Part Number	Thread Size	Box Qty	Case Qty
BT-108 1/2	1/2"	50	500
BT-109 12/1.25	12mm 1.25	50	500
BT-110 12/1.50	12mm 1.50	50	500
BT-113 14/1.50	14mm 1.50	30	300



Use Key Adapter k004/k005

Conical tuner nuts




KEY: TK-2191

Part No.	Thread	Thread lenght	Tall
BT-088	12mm × 1.25	23mm	52mm
BT-089	12mm × 1.50	23mm	52mm
BT-090	14mm × 1.50	23mm	52mm
BT-091	12mm × 1.25	28mm	57mm
BT-092	12mm × 1.50	28mm	57mm
BT-093	14mm × 1.50	28mm	57mm
BT-094	12mm × 1.25	35mm	64mm
BT-095	12mm × 1.50	35mm	64mm
BT-096	14mm × 1.50	35mm	64mm

Use Key Adapter k004/k005


Ball seat lug bolts



Plaed: zinc or chrome

Part No.	Thread	Thread lenght	Tall	Hex
BT-058	12mm × 1.25	23mm	52mm	19mm
BT-059	12mm × 1.50	23mm	52mm	19mm
BT-060	14mm × 1.50	23mm	52mm	19mm
BT-061	12mm × 1.25	28mm	57mm	19mm
BT-062	12mm × 1.50	28mm	57mm	19mm
BT-063	14mm × 1.50	28mm	57mm	19mm
BT-064	12mm × 1.25	35mm	64mm	19mm
BT-065	12mm × 1.50	35mm	64mm	19mm
BT-066	14mm × 1.50	35mm	64mm	19mm
BT-067	12mm × 1.25	41mm	67mm	19mm
BT-068	12mm × 1.50	41mm	67mm	19mm
BT-069	14mm × 1.50	41mm	67mm	19mm
BT-070	12mm × 1.25	50mm	76mm	19mm
BT-071	12mm × 1.50	50mm	76mm	19mm
BT-072	14mm × 1.50	50mm	76mm	19mm


Close end mag style nuts



Part No.	Thread	Thread lenght	Tall
BT-079	12mm × 1.25	23mm	52mm
BT-080	12mm × 1.50	23mm	52mm
BT-081	14mm × 1.50	23mm	52mm
BT-082	12mm × 1.25	28mm	54mm
BT-083	12mm × 1.50	28mm	54mm
BT-084	14mm × 1.50	28mm	54mm
BT-085	12mm × 1.25	35mm	61mm
BT-086	12mm × 1.50	35mm	61mm
BT-087	14mm × 1.50	35mm	61mm

Use Key Adapter k001


Conical seat lug bolts



Plaed: zinc or chrome

Part No.	Thread	Thread lenght	Tall	Hex
BT-043	12mm × 1.25	23mm	52mm	17mm
BT-044	12mm × 1.50	23mm	52mm	17mm
BT-045	14mm × 1.50	23mm	52mm	17mm
BT-046	12mm × 1.25	28mm	57mm	17mm
BT-047	12mm × 1.50	28mm	57mm	17mm
BT-048	14mm × 1.50	28mm	57mm	17mm
BT-049	12mm × 1.25	35mm	64mm	17mm
BT-050	12mm × 1.50	35mm	64mm	17mm
BT-051	14mm × 1.50	35mm	64mm	17mm
BT-052	12mm × 1.25	41mm	67mm	17mm
BT-053	12mm × 1.50	41mm	67mm	17mm
BT-054	14mm × 1.50	41mm	67mm	17mm
BT-055	12mm × 1.25	50mm	76mm	17mm
BT-056	12mm × 1.50	50mm	76mm	17mm
BT-057	14mm × 1.50	50mm	76mm	17mm

WHEEL LOCKS 车轮防盗螺丝



Closed end locking nuts



Plaed: zinc or chrome

Part No.	Thread	Tall
BT-139	7/16"	1.23"
BT-140	1/ 2"	1.23"
BT-141	12mm × 1.25	1.23"
BT-142	12mm × 1.50	1.23"
BT-143	14mm × 1.50	1.23"

Open locking nuts



Plaed: zinc or chrome

Part No.	Thread	Tall
BT-134	7/16"	0.85"
BT-135	1/ 2"	0.85"
BT-136	12mm × 1.25	0.85"
BT-137	12mm × 1.50	0.85"
BT-138	14mm × 1.50	0.85"

Cone seat locking bolts



Plaed: zinc or chrome

Part No.	Thread	Thread lenght
BT-073	12mm × 1.25	26mm,30mm,35mm,45mm
BT-074	12mm × 1.50	26mm,30mm,35mm,45mm
BT-075	14mm × 1.50	26mm,30mm,35mm,45mm

Ball seat locking bolts



Plaed: zinc or chrome

Part No.	Thread	Thread lenght
BT-076	12mm × 1.25	26mm,30mm,35mm,45mm
BT-077	12mm × 1.50	26mm,30mm,35mm,45mm
BT-078	14mm × 1.50	26mm,30mm,35mm,45mm



NEW

Thread gauge
Used on wheel bolt&nut
Thread range as follow:

7/16"-20
1/2"-20
12*1.25
12*1.5
12*1.75
14*1.5
14*1.25
14*2.0
9/16"-18



WORK SHOP EQUIPMENT
维修店设备系列

- Mount/Dismount Tool
- Bead Seater Tank
- Regrover/Brander
- Tire Spreader
- Tire Dolly/Carrier
- Labor Saving Wrench
- Vulcanizing Manchine
- Air Tools/Accessories
- Wheel Chocks
- Car Ramp
- Jacks/Jack Stand
- Tire Equipments

TIRE MOUNT/DEMOUNT TOOL

专业轮胎拆装胎工具

TIRE MOUNT/DEMOUNT TOOL

For tubeless tire 19.5" to 24.5".

Demount tire in 8 seconds, and remount in 20 seconds without strain.

Demounting truck tires with our tool so easily and won't damage beads.

Two simple tools can do it all. Work on standard and super luxury beads.



Loosen beads with bead-breaking foot and ram bar, but never cut the bead of the tire. The Wedge foot is forced between the bead and rim flange. No other bead breaking tools are necessary. Designed with an exclusive spring action to reduce user fatigue associated with slide hammer kickback.

The left of 55M is used for changing truck/passenger tubeless tires and the right of it is used for demounting truck/passenger tube type. Use in pairs when demounting tires. Made from special materials, with anti-fatigue and not easy to break.

Part NO.	Describe	Weight
PHG-048B	Bead breaker	14kgs

Part NO.	Length	Weight
PHG-200A	105cm	6kgs
PHG-200B	85cm	5kgs

AIR TANK

爆冲罐和储气罐

Bead Seater Tank

爆冲罐

ASME & CE certificated made of steel plate Q235B

full automatic welding follow ASME standard full automatic painting

Safety valve and air gauge CE approval ball valve made of complete brass
deflating pipe rubber coated at nozzle



Part NO.	Capacity	N.W.	G.W.	Certiflet
PHG-039A-5	5 Gallon	12kgs	13kgs	CE/ASME
PHG-039A-10	10 Gallon	17kgs	18kgs	CE/ASME



Part NO.	Capacity	N.W.	G.W.	Certiflet
PHG-039B	5 Gallon	15kgs	16kgs	CE/ASME

3 Gallon Bead Seater

304#stainless steel tank samll size and light tank make it easy to hold and more.

Automatic air release valve make the opevation easy.



Part NO.	Capacity	N.W.	G.W.	Certiflet
PHG-039D	3 Gallon	3.15kgs	3.5kgs	CE

PHG-039C



Part NO.	Capacity	N.W.	G.W.	Certiflet
PHG-039C-5	5 Gallon	7kgs	8kgs	CE/ASME
PHG-039C-7	7 Gallon	8.5kgs	9.5kgs	CE/ASME
PHG-039C-11	11 Gallon	11kgs	12kgs	CE/ASME

TIRE REGROOVER AND BRANDER

雕花机和烙印机

TIRE SPREADER 扩胎机

TRSM-003B

TIRE REGROOVER

Voltage: 110v 50/60HZ 220v 50/60hz
Out put: 4v
Max power: 350W
Regroover handle size: 20x3. 8cm
Optional parts

Model	Width	Depth	Quality
R-1	2-3mm	9mm	20pcs/box
R-2	2-5mm	10mm	20pcs/box
R-3	5-9mm	12mm	20pcs/box
R-4	7-11mm	13mm	20pcs/box
R-5	9-14mm	14mm	20pcs/box
W-1	2-3mm	9mm	20pcs/box
W-2	4-6mm	11mm	20pcs/box
W-3	6-9mm	13mm	20pcs/box
W-4	8-11mm	14mm	20pcs/box
W-5	10-14mm	14mm	20pcs/box



Blade Shape

PHG-075

TIRE BRANDER

Highest Temperature: 610°C
Power: 0. 45KW
Voltage: 220V/50Hz, 110V/50Hz

Item No.	Mould Size	Letter
PHG-075-A	1/4"	A-Z&0-9
PHG-075-B	3/8"	A-Z&0-9
PHG-075-C	1/2"	A-Z&0-9



PHG-075

PHG-076

TIRE BRANDER

Highest Temperature: 600°C
Power: 0. 50KW
Voltage: 220V/50Hz, 110V/50Hz

Item No.	Mould Size	Letter
PHG-076-A	1/4"	A-Z&0-9
PHG-076-B	3/8"	A-Z&0-9
PHG-076-C	1/2"	A-Z&0-9
PHG-076-D	1"	A-Z&0-9



PHG-076

Model	Voltage	Air pressure	Apply to tire	N. W(Kg)	G.W(Kg)	Packaging
TRSM-002	220/110V 50/60Hz	8-12Kg/cm²	Max. 18R/22.5"	127.00	160.00	820×1240×760mm



TRSM-004



Model	Voltage	Air pressure	Apply to tire	N. W(Kg)	G.W(Kg)	Packaging
TRSM-004	220/110V 50/60Hz	6-10Kg/cm²	145-275	59.00	72.50	575×575×990mm



BL-988



TRSM-002



TRSM-005



Model	Apply to tire	N. W(Kg)	G.W(Kg)	Packaging
TRSM-005	145-275	25.00	30.00	350×350×1040mm

TIRE SPREADER
工具

Part NO.	Description
BL-988	Manual tire spreader for motorbike tires
BL-989	Manual tire spreader for truck/passenger tires



BL-989-B

WORKSHOP EQUIPMENT

修理店设备

TIRE DOLLY AND DISPLAY

轮胎推车和展示架

TIRE TEST TANK



Model	Air pressure	Max. Wheel diameter	N. W(Kg)	G.W(Kg)	Packaging
TRSM-001	6-12Kg/cm ²	1350mm	245.00	280.00	760×1520×930mm

TIRE TEST TANK



Model	Air pressure	Max. Tire Dia.& Width	N. W(Kg)	G.W(Kg)	Packaging
TRSM-006A	6-8Kg/cm ²	680mm-260mm	72.00	100.00	920×920×580mm
TRSM-006B	6-8Kg/cm ²	820mm-340mm	90.00	127.00	1100×1120×670mm

TRSM-010

INFLATION CAGE

Handles Tires Up Thru 14.00-24. (50" diameter)
Inside dimensions
length: 27.75"
width: 21.75"
height: 50.00"



TRSM-012

INFLATION CAGE

Handles Heavy Duty Inflation Cage
Handles Tires Up Thru 14.00-24. (54" diameter)

Inside Dimensions
Length: 40.75"
Height: 54.00"



PHG-053A

TIRE DOLLY

Capacity: 100kgs
Package Size: 730×660×90mm
N.W.: 5.5kgs
G.W.: 6kgs
QTY/20' CY: 620 PCS



PHG-053C

TIRE DOLLY

Capacity: 300kgs
N.W.: 18kgs
G.W.: 18.5kgs
Package Size: 1600×700×450mm
QTY/20' CY: 620 PCS



PHG-053B

TIRE DOLLY

Capacity: 250kgs
Suitable tyre Size: 165-570mm
N.W.: 13.5kgs
G.W.: 15kgs
Package Size: 730×185×140mm
QTY/20' CY: 620 PCS



TRSM-019

TIRE CARRIER

N.W.: 15.3kgs
G.W.: 16.7kgs
Package Size: 712×724×76mm
QTY/20' CY: 750 PCS



TRSM-021

TIRE CARRIER

N.W.: 3.5kgs
G.W.: 4.5kgs
Package Size: 545×530×245mm
QTY/CTN: 4 PCS
QTY/20' CY: 1800 PCS




Stronger & Stable Base

TRSM-022

TIRE CARRIER

N.W.: 2.2kgs
G.W.: 2.8kgs
Package Size: 545×315×485mm
QTY/CTN: 10PCS
QTY/20' CY: 3500 PCS



TRSM-020

TIRE CARRIER



LABOR SAVING WRENCH 省力扳手

TIRE VULCANIZING MACHINE 硫化机系列

LABOR SAVING WRENCH

The product with its 16:1 revolution ratio laminates the hassle of tightening or loosening nuts of the cars.
This product is applicable for 17mm,19mm,21mm four kinds of ½ sleeves, and suitable for cars.



BL-999-A

Ratio:16:1
N.W.: 2.25kgs
G.W.: 3PCS
Package Size: 410×300×230mm
QTY/CTN: 4PCS
QTY/20'CY:3500PCS

Chrome Plated



BL-999-B

Ratio:1:68
Change Truck Tyre
N.W.: 8.7kgs
G.W.: 9.3PCS
Package Size: 410×380×260mm
QTY/CTN: 4PCS
QTY/20'CY:2100PCS



BL-999-C

Ratio:1:58
Change Truck Tyre
N.W.: 8kgs
G.W.: 8.6PCS
Package Size: 370×360×220mm
QTY/CTN: 4PCS
QTY/20'CY:2300PCS



BL-999-D

Two-speed
Change Truck Tyre
N.W.: 9kgs
G.W.: 9.6PCS
Package Size: 410×350×300mm
QTY/CTN: 3PCS
QTY/20'CY:1800PCS

SOCKET SIZE

Model:17,19,21,22,24,27,30,32,33,34,36,38,41mm



Ratio: 1:58
Big Power Loose



Ratio: 1:3
Quick Loose



Handle can remove



BR-120



BR-540A



BR-540B



BR-500



BR-600



BR-700

BR-1000

Tire VULCANIZING WORKING STATIONS
With Storage to stock repair materials and tools.
2 Vulcanizing Machine and 1 spreader make sure the job is done easy .



Technical Specification

Model	Input voltage (v)	Input Power (w)	Temperature Range (°C)	Repair Area (mm)	N.W./G.W. (kg)	Packing (mm)
BR-120	220	500	135-145	60	12/11	575x125x345
BR-500	220	500	135-145	60	41.5/39	1170x380x560
BR-540A	220	500	135-145	60	15/14	735x125x400
BR-540B	220	500	135-145	60	16/15	735x125x400
BR-600	220	500	135-145	60	8/7.2	710x405x360
BR-700	220	500	135-145	60	8.5/7.5	315x195x415
BR-1000	220	500	135-145	60	—	1050x520x1100

☆ Customized acceptable



BAT-002

1/4" Air Die Grinder

Capacity Bolt Size: 1/4" (6mm)
Free Speed: 2200 rpm
Air Inlet: 1/4" PT
Air Hose: 3/8" ID
AVG.AIR Consumption: 4cfm(115 l/Min)
Sug.Air Comp: 1.5HP



TP-403

1/2" Reversible Air Drill

Drilling Cap: 1/2"
Free Speed: 18,000 RMP
Air Inlet: 1/4" PT
Air Hose: 3/8" ID
AVG.AIR Consumption: 6cfm(170 l/Min)
Sug.Air Comp: 2HP



TP-410

Fibe vacuum grinder

Free speed: 10000RPM
Grinder diameter: 5mm
Air consumption: 5 L/Min
Max torque: 1/4 n/m
Air inlet: 3/8 inch
Rated air pressure: 6.3kg/cm2



NEW

BAT-003A

Powder Air Vacuum

Quick powder air vacuum
One-Piece Vacuum.
3"(76mm) dust Brush
9"(228mm) Crevice Tool
16" (406mm) Hose



TP-406

3/8" Air Straight Drill

Bolt Size: 3/8"
Free Speed: 18,000 RMP
Air Inlet: 1/4" PT
Air Hose: 3/8" ID
AVG.AIR Consumption: 4cfm(115 l/Min)
Sug.Air Comp: 2HP



TP-501

Tire repair kit

1PC Buffer grinder(low speed)
1PC Powder air vacuum
1PC Tire puncture rasp
1PC 5 size tire puncture probe
1PC Rebber cutter
1PC Tire patch stitcher
1PC Tire scraper
1PC Tire crayon
1PC Buffer wheel cap
1PC Buffer wheel brush
2PCS Carbide burrs
1Box Mushroom patch



NEW

1/4(6mm) AIR DIE GRINDER

- Lever lock throttle for safety. Built-in regulator.
- Lightweight aluminum housing adds durability.
- Used with all types of accessories for porting, weld breaking,smoothing sharp edges, deburring polishing and grinding.
- Rear exhaust.

Part NO.	Capacity bolt size (in. mm)		Free speed (rpm)	Weight (kg)	Air Inlet (PT)
TP-201	1/4"	6	22.000	0.55	1/4"

Air hose (ID)	AVG.Air consumption (cfm l/min)	SUG.Air comp (HP)	QTY.Per carton (PCS)	Cartion meas. (cm)
3/8"	4 115	1.5	20	38×19×21

1/4(6mm) AIR ANGIE DIE GRINDER

- Angle head provides easy access into tight space.
- Ideal for grinding,edge-breaking,deburring,porting and polishing.
- Rear exhaust.

Part NO.	Capacity (in. mm)		Free speed (rpm)	Weight (kg)	Air Inlet (PT)
TP-204	1/4"	6	20.000	0.49	1/4"

Air hose (ID)	AVG.Air consumption (cfm l/min)	SUG.Air comp (HP)	QTY.Per carton (PCS)	Cartion meas. (cm)
3/8"	4 115	1.5	20	34×20×22

½" AIR IMPACT WRENCH KIT

- Die cast aluminum body. Reversible. Adjustable torque.
- Built-in air regulator varies speed & power. Ideal for tire changing and general assembling work and other workshop applications.
- Side exhaust.

Part NO.	Square drive	Capacity bolt size in. mm		Free speed rpm	Max toruqe ft-lb n-m		Air Inlet (PT)
TP-005	1/2"	5/8"	16	7.000	250	340	1/4"

Air hose (ID)	AVG.Air consumption (cfm m3/min)	SUG.Air comp (HP)	QTY.Per carton (PCS)	Cartion meas. (cm)	Weight kg
3/8"	8 0.23	2	10	34×20×22	2.05



TP-004K

Part NO.	Detailed Product Description	Detailed Product Description
TP-004K	1pc-1/2"heavy duty air impact wrench	1pc-mini oiler
	10pc-1/2"dr sockets:9,10,11,13,14,17,19,22,24,27mm	1pc-4mm hex hey wrench
	1pc-1/2"100mm extension bar	1pc-blow mold case
	1pc-oil pot	Qty.Per carton:4 sets
	1pc-nipple	Gross weight:18kgs
		Meas:41.5*29*27.5cm



TP-201



TP-204



TP-205



TP-015K

Part NO.	Detailed Product Description
TP-015K	1pc 1"Extended anvil air impact wrench
	2pc sockets:38mm 41mm
	1pc hose nipple
	1pc hex wrench
	1pc blow mold case
	qty per carton:2kits carton meas.:56*29*33cm

BUFFING AND GRINDING WHEEL 打磨头系列

BW-102-18

BW-102-36

BW-101-18

BW-101-36

BW-201

BW-202

BW-702-18

BW-204-18

BW-204-36

BW-704-18

BW-701

BW-702-36

BW-901-36

BW-302

BW-301

BW-402

BW-404

BW-405

BW-112

BW-111

BW-114

Item No.	Size(mm)	Arbor Hole	Granularity
BW-101-18	76×32	3/8"	k18
BW-101-36	76×32	3/8"	k36
BW-102-18	102×38	3/8"	k18
BW-102-36	102×38	3/8"	k36
BW-201	50	3/8"	k18
BW-202	50	3/8"	k18
BW-204-18	63.5	3/8"	k18
BW-204-36	63.5	3/8"	k36
BW-301	51×19	3/8"	k18
BW-302	102×19	3/8"	k18
BW-402	50×3	-	k18/k36
BW-404	22.5	-	-
BW-405	30×20	-	-
BW-701	51×5	3/8"	k18
BW-702-18	51×6	3/8"	k18
BW-702-36	51×6	3/8"	k36
BW-704-18	51×13	3/8"	k18
BW-704-36	51×13	3/8"	k36
BW-901-18	22	-	k18
BW-901-36	22	-	k36
BW-111	Buffing Brush		
BW-112	Buffing Brush		
BW-113	Buffing Brush		
BW-114	Buffing Brush		

TIRE PUNCTURE BURRS AND RASPS 轮胎钻孔/打磨系列

Carbide burrs

BW-501

BW-502

BW-503

BW-504

BW-505

BW-506

BW-507

BW-508

BW-509

Part No.	Description
BW-501	13/32"(10.3mm)carbide cutter
BW-502	6*65mm carbide cutter
BW-503	4.75*77mm carbide cutter
BW-504	1/4"(6.3mm)barrel burr
BW-505	6*89mm Carbide Cutter
BW-506	6*90mm Carbide Cutter
BW-507	8*80mm Carbide Cutter
BW-508	8*100mm Carbide Cutter
BW-509	3*51mm Carbide Cutter

BW-601

BW-602

BW-603

BW-604

BW-605

BW-606

BW-607

BW-608

Part No.	Size(mm)	Granularity
BW-601	6×65	K23
BW-602	6×102	K23
BW-603	6×65	K18
BW-604	6×102	K18
BW-605	6×65	K36
BW-606	6×102	K36


Pencil Rasp pointed

Part No.	Size(mm)	Granularity
BW-607	8×170	K36
BW-608	8×170	K16

WHEEL CHOCKS 轮胎挡板

CAR RAMP 汽车踏板

SAFETY WHEEL CHOCKS



SWC-001

Product Size: 105×85×90mm
N.W./G.W.: 0.7kgs/pai/0.8kgs/pair
Package Size: 370×230×120mm
QTY/CTN: 10pairs
QTY/20' CY: 20000pairs

STEEL



SWC-005

Product Size: 200×150×100mm
N.W./G.W.: 202kgs/2.45kgs
Package Size: 330×275×220mm
QTY/CTN: 8PCS
QTY/20' CY: 9000PCS

Rubber



SWC-006

Product Size: 230×180×140mm
N.W./G.W.: 3.65kgs/4kgs
Package Size: 430×275×290mm
QTY/CTN: 6PCS
QTY/20' CY: 4500PCS

Rubber



SWC-007

Product Size: 240×190×165mm
N.W./G.W.: 6.1kgs/6.2kgs
Package Size: 1120×900×1050mm
QTY/CTN: 150PCS
QTY/20' CY: 3200PCS

Rubber



SWC-008

Product Size: 105×75×75mm
N.W./G.W.: 0.66kgs/pai/0.96kgs/pair
Package Size: 450×180×125mm
QTY/CTN: 10pairs
QTY/20' CY: 20000pairs

Rubber



SWC-009

Product Size: 480×230×200mm
N.W./G.W.: 1.75kgs/2kgs
Package Size: 570×455×420mm
QTY/CTN: 8PCS
QTY/20' CY: 2280PCS

Plastic



SWC-010

Product Size: 560×200×130mm
N.W./G.W.: 1.7kgs/2kgs
Package Size: 620×410×430mm
QTY/CTN: 12PCS
QTY/20' CY: 2800PCS

Plastic

Car Ramp

Features:

Stronger than steel ramps allow you to work confidently under cars, trucks and SUVs, including low-clearance vehicles. Constructed of super-strong structural form plastic. Improved tread pattern increases traction and reduces shifting. Core- Trac nonskid feet, space-saving stackable design.

BRCR-003

Capacity: 3 Ton/pair
N.W.: 12.5kgs
G.W.: 13PCS
Package Size: 1120×415×310mm
QTY/20' CY: 600PCS



BRCR-004

Capacity: 6 Ton/pair
Package Size: 900×295×220mm
N.W.: 8kgs
G.W.: 8.5PCS
QTY/CTN: 2PCS
QTY/20' CY: 800PCS



**Plastic, Nestable
Widest, Strongest**



BRCR-005

Capacity: 20 Ton/pair
Package Size: 1390×1020×372mm/pair
N.W.: 142kgs/pair
G.W.: 167kgs/pair
QTY/20' CY: 48pair



OSU-003

Plastic Sand Track
Size: 120cmx32cm
Weight: 7.5kgs/pair

Optional colour



Part No.	Wide(mm)	Length(mm)
OSU-001	22/28/30	40/60/80/100/120/150

HYDRAULIC BOTTLE JACKS 立式千斤顶

US STANDARD BOTTLE JACKS



MODEL	Capacity (Ton)	Min.Height (mm)	Lift Height (mm)	AdjustableHeight (mm)	Weight (kgs)	Certificate
BRJ-001-ASME	2	181	116	48	2.3	ANSI/ASME
BRJ-002-ASME	4	194	118	60	3.1	ANSI/ASME
BRJ-003-ASME	6	216	127	70	4.3	ANSI/ASME
BRJ-004-ASME	8	230	147	80	5.4	ANSI/ASME
BRJ-005-ASME	10	230	150	80	6.4	ANSI/ASME
BRJ-006-ASME	12	230	155	80	7.2	ANSI/ASME
BRJ-007-ASME	16	230	150	80	8.3	ANSI/ASME
BRJ-008-ASME	20	242	150	60	10.6	ANSI/ASME
BRJ-009-ASME	30	240	130	/	20.1	ANSI/ASME
BRJ-010-ASME	50	236	120	/	28.3	ANSI/ASME
BRJ-011-ASME	100	335	180	/	71	ANSI/ASME

EURO STANDARD BOTTLE JACKS



MODEL	Capacity (Ton)	Min.Height (mm)	Lift Height (mm)	AdjustableHeight (mm)	Weight (kgs)	Certificate
BRJ-001-CE	2	181	116	48	2.9	TUV-GS CE
BRJ-002-CE	3	194	118	60	3.6	TUV-GS CE
BRJ-003-CE	4	194	118	60	3.3	TUV-GS CE
BRJ-004-CE	5	216	127	70	4.8	TUV-GS CE
BRJ-005-CE	6	216	127	70	4.5	TUV-GS CE
BRJ-006-CE	8	230	147	80	5.7	TUV-GS CE
BRJ-007-CE	10	230	150	80	6.6	TUV-GS CE
BRJ-008-CE	12	230	155	80	7.3	TUV-GS CE
BRJ-009-CE	15	230	150	80	8.4	TUV-GS CE
BRJ-010-CE	20	242	150	60	10.8	TUV-GS CE
BRJ-011-CE	32	285	180	/	22.3	TUV-GS CE
BRJ-012-CE	50	300	180	/	32.2	TUV-GS CE

HYDRAULIC TROLLEY JACKS 卧式千斤顶

HYDRAULIC TROLLEY JACKS



MODEL	Capacity (Ton)	Min.Height (mm)	Max Height (mm)	AdjustableHeight (mm)	Weight (kgs)	Certificate
BRJ-001-PSJ	2	140	300	/	5.6	
BRJ-002-PSJ	2	125	300	/	6.3	
BRJ-003-PSJ	1.5/2	128	300	/	7	ANSI-ASME TUV-GS CE
BRJ-004-PSJ	2	135	330	/	7.5	ANSI/ASME
BRJ-005-PSJ	2	135	345	/	8.3	TUV-GS CE
BRJ-006-PSJ	2	135	330	/	8.5	TUV-GS CE
BRJ-007-PSJ	2	135	330	/	8.6	TUV-GS CE
BRJ-008-PSJ	2	140	340	/	8.7	TUV-GS CE
BRJ-009-PSJ	2	140	340	/	9	TUV-GS CE
BRJ-010-PSJ	2	130	345	/	9.1	TUV-GS CE
BRJ-011-PSJ	2	130	340	/	9.4	TUV-GS CE
BRJ-012-PSJ	2	130	350	/	10.5	TUV-GS CE
BRJ-013-PSJ	2	135	380	/	10	TUV-GS CE
BRJ-014-PSJ	2	130	380	/	10.7	TUV-GS CE
BRJ-015-PSJ	2	85	330	/	10	TUV-GS CE
BRJ-016-PSJ	2	130	350	/	10.5	TUV-GS CE
BRJ-017-PSJ	2	130	350	/	11	TUV-GS CE
BRJ-018-PSJ	2.25	130	375	/	13	ANSI/ASME
BRJ-019-PSJ	2.5	135	380	/	13.6	ANSI/ASME
BRJ-020-PSJ	2/2.5	89	359	/	14	ANSI/ASME TUV-GS CE
BRJ-021-PSJ	3	135	410	/	16	TUV-GS CE
BRJ-022-PSJ	3	130	410	/	19	ANSI/ASME
BRJ-023-PSJ	3	130	410	/	19	ANSI/ASME
BRJ-024-PSJ	2.5/3	150	530	/	20	ANSI/ASME TUV-GS CE
BRJ-025-PSJ	2.5/3	150	530	/	19.9	ANSI/ASME TUV-GS CE



HYDRAULIC GARAGE JACKS

MODEL	Capacity (Ton)	Min.Height (mm)	Max Height (mm)	AdjustableHeight (mm)	Weight (kgs)	Certificate
BRJ-001-HGJ	2.25	135	440	/	24.5	/
BRJ-002-HGJ	2.25	135	480	/	28.5	ANSI-ASME
BRJ-003-HGJ	2.25	140	476	/	30.8	TUV-GS CE
BRJ-004-HGJ	2.25	130	490	/	33.5	ANSI-ASME
BRJ-005-HGJ	2.25	145	520	/	36	TUV-GS CE
BRJ-006-HGJ	2.5	130	490	/	35	ANSI-ASME
BRJ-007-HGJ	2.75	145	520	/	36	TUV-GS CE
BRJ-008-HGJ	3	135	500	/	30	/
BRJ-009-HGJ	3	145	490	/	33.1	/
BRJ-010-HGJ	3	130	495	/	35.2	ANSI-ASME
BRJ-011-HGJ	3	145	520	/	37.4	ANSI-ASME
BRJ-012-HGJ	3	145	520	/	39.5	TUV-GS CE

JACK STAND 千斤顶支架



US Standard Jack Stand ANSI/ASME

MODEL	Capacity (Ton)	Min.Height (mm)	Max.Height (mm)	Weight (kgs)	Certificate
BRJ-001-SJS	2	275	420	5.2	ANSI/ASME
BRJ-002-SJS	2	250	380	4.7	ANSI/ASME
BRJ-003-SJS	3	285	425	6.3	ANSI/ASME
BRJ-004-SJS	3	270	410	6	ANSI/ASME
BRJ-005-SJS	3	355	520	9	ANSI/ASME
BRJ-006-SJS	6	390	605	12.4	ANSI/ASME
BRJ-007-SJS	12	465	715	27.3	ANSI/ASME

EURO Standard Jack Stand TUV-GS

BRJ-008-SJS	2	278	420	5.4	TUV-GS
BRJ-009-SJS	3	288	425	6.7	TUV-GS
BRJ-010-SJS	6	395	605	12.9	TUV-GS
BRJ-011-SJS	12	468	715	27.8	TUV-GS



US STANDARD DOUBLE LOCKING JACK STAND ANSI/ASME

MODEL	Capacity (Ton)	Min.Height (mm)	Max.Height (mm)	Weight (kgs)	Certificate
BRJ-001-DLJS	2	275	420	5.2	ANSI/ASME
BRJ-002-DLJS	3	285	425	6.4	ANSI/ASME
BRJ-003-DLJS	6	390	605	12.4	ANSI/ASME
BRJ-004-DLJS	12	465	715	27.3	ANSI/ASME

EURO STANDARD DOUBLE LOCKING JACK STAND TUV-GS

BRJ-005-DLJS	2	278	420	5.2	TUV-GS
BRJ-006-DLJS	3	288	425	7	TUV-GS
BRJ-007-DLJS	6	395	605	13.2	TUV-GS



Foldable Jack Stand TUV-GS

MODEL	Capacity (Ton)	Min.Height (mm)	Max.Height (mm)	Weight (kgs)	Certificate
BRJ-001-FJS	2	277	365	3	TUV-GS
BRJ-002-FJS	3	285	400	4	TUV-GS
BRJ-003-FJS	6	375	570	4.3	TUV-GS

PNEUMATIC HYDRAULIC JACK 气动液压千斤顶


PNEUMATIC AIR FLOOR JACKS

Model	BRHAFJ001	BRHAFJ002
Capacity	22Ton	35Ton
Min.Height (mm)	230	260
Max.Height (mm)	430	510
Ram Lift (mm)	105	115
Screw Extend (mm)	105	123
Air Pressure (Mpa)	0.75~0.85	0.75~0.85
N.W./G.W. (kg)	45/47	46/48
Package Size (mm)	660×380×240	660×360×280
QTY/20'CY (PCS)	340	340



PNEUMATIC HYDRAULIC JACKS

Model	BRPHJ001	BRPHJ002
Capacity	30Ton/15Ton	40Ton/20Ton
Air Pressure	0.8~1.0Mpa	0.8~1.0Mpa
Min.Height (mm)	150	150
Lifting Height (mm)	30Ton:74mm 15Ton:68mm	40Ton:74mm 20Ton:68mm
Extension Height (mm)	75+45	75+45
N.W./G.W. (kg)	33/35	36/38
Package Size (mm)	540×370×300	540×370×300
Handle Box (mm)	/	/
QTY/20'CY (PCS)	500	465



PNEUMATIC HYDRAULIC BOTTLE JACKS

MODEL	Capacity (Ton)	Min.Height (mm)	Lifting Height (mm)	Adjustable Height (mm)	Min.Height (mm)	N.W./G.W. (kg)	Package Size (mm)	QTY/20'CY (PCS)
BRJ-001-PHBJ	5	210	140	60	430	6/7	170×200×230	2300
BRJ-002-PHBJ	12	265	165	80	510	13.5/14.5	280×160×275	1345
BRJ-003-PHBJ	20	265	165	80	510	17.7/19	295×190×285	980
BRJ-004-PHBJ	12	265	165	80	510	13.5/15	400×320×200	1200
BRJ-005-PHBJ	20	265	165	80	510	17.7/19.5	400×320×200	900
BRJ-006-PHBJ	30	250	150	/	405	21/22	290×220×270	690
BRJ-007-PHBJ	35	250	150	/	405	21/22	290×220×270	690
BRJ-008-PHBJ	50	290	160	/	405	34/36	460×280×310	455



PNEUMATIC HYDRAULIC JACK 气动液压千斤顶



PNEUMATIC HYDRAULIC JACK

Model	BRPHJ003	BRPHJ004	BRPHJ005	BRPHJ006
Capacity	25Ton/10Ton	40Ton/20Ton	50Ton/25Ton	50Ton/25Ton/10Ton
Air Pressure	0.6~0.8Mpa	0.6~1.0Mpa	0.6~1.0Mpa	0.6~1.0Mpa
Min.Height (mm)	185	210	235	188
Lifting Height(mm)	25Ton:91mm 10Ton:96mm	40Ton:100mm 20Ton:90mm	50Ton:117mm 25Ton:105mm	50Ton:73mm 25Ton:70mm 10Ton:85mm
Extension Height (mm)	75+45	75+45	75+45	75+45
N.W./G.W.(kg)	49/52	61/64	69/72	57/60
Package Size(mm)	860×350×310	860×350×310	860×350×310	860×350×310
Handle Box(mm)	1480×350×120	1480×350×120	1480×350×120	1480×350×120
QTY/20'CY(PCS)	290	230	200	250



PROFESSIONAL





PNEUMATIC



Release Safety



Chrome plated finish




PNEUMATIC HYDRAULIC JACK

Model	BRPHJ007	BRPHJ008	BRPHJ009	BRPHJ010
Capacity	40Ton/20Ton/10Ton	60Ton/40Ton/20Ton	60Ton/40Ton/22Ton/15Ton	80Ton/50Ton
Air Pressure	0.8~1.2Mpa	0.8~1.2Mpa	0.8~1.2Mpa	0.6~1.0Mpa
Min.Height (mm)	130	150	150	255
Lifting Height(mm)	40Ton:62.5mm 20Ton:54.5mm 10Ton:58.5mm	60Ton:57mm 40Ton:49mm 20Ton:56mm	60Ton:55mm 40Ton:48mm 22Ton:53mm 11Ton:58mm	80Ton:111mm 50Ton:93mm
Extension Height (mm)	75+45	75+45	75+45	75+45
N.W./G.W.(kg)	40/43	64/67	62/65	105/115
Package Size(mm)	920×380×320	920×380×320	920×380×320	1000×390×410
Handle Box(mm)	1480×380×120	1480×350×120	1480×350×120	1480×350×120
QTY/20'CY(PCS)	400	230	235	540



PROFESSIONAL





PNEUMATIC




Release Safety



Chrome plated finish



PROFESSIONAL GARAGE JACK



Model	Capacity	Min. Height (mm)	Max. Height (mm)	Product Size (mm)	N.W./G.W. (kg)	Package Size (mm)	QTV/20GP (pcs)
BRPGJ001	2Ton	70	500	900×450×170	40/44	900×450×170	350
BRPGJ002	3Ton	80	500	845×420×232	50/54	1000×500×190	200
BRPGJ003	2Ton	76	510	1006×365×136	42/45	1050×440×195	286
BRPGJ004	3Ton	140	525	1150×350×180	50/55	1280×410×240	160

PROFESSIONAL GARAGE JACK

Features:

- Professional stronger construction
- Compact and space-saving
- Protector, top saddle protection for safer lifting
- Polyamide wheels-for quietly positioning
- Long life using more than 1000 times
- 3 years guarantee



Model	Capacity	Min. Height (mm)	Max. Height (mm)	Net Weight (kg)	Gross Weight (kg)	Package Size (mm)	QTV/20GP (pcs)
BRPGJ005	1.5Ton	130	535	32	35.5	730×480×200	308
BRPGJ006	2Ton	130	535	33.5	37	760×480×200	308
BRPGJ007	1.5Ton	135	855	50	54	1120×480×200	240
BRPGJ008	2Ton	127	914	73.5	80	1620×480×220	140

AIR JACK

气囊千斤顶

AIR JACK



MODEL	Capacity	Min.Height (mm)	Max.Height (mm)	Lifting Time	Working Temp	N.W./G.W. (kg)	Package Size (mm)	QTY/CTN (pcs)
BRAJ009	3 Ton	135	430	5 sec	-60℃~50℃	20/21	670×300×210	850

BRAJ001
2 Ton

BRAJ005
3 Ton



BRAJ002
2 Ton

BRAJ006
3 Ton




BRAJ003
2 Ton

BRAJ007
3 Ton



BRAJ004
2 Ton

BRAJ008
3 Ton



MODEL	BRAJ001	BRAJ002	BRAJ003	BRAJ004	BRAJ005	BRAJ006	BRAJ007	BRAJ008
Capacity	2 Ton	2 Ton	2 Ton	2 Ton	3 Ton	3 Ton	3 Ton	3 Ton
Min.Height(mm)	100	100	125	125	100	100	145	145
Max.Height(mm)	295	295	400	400	295	295	420	420
Lifting Time	3 sec	3 sec	4 sec	4 sec	4 sec	4 sec	5 sec	5 sec
Working Temp	-60℃~50℃	-60℃~50℃	-60℃~50℃	-60℃~50℃	-60℃~50℃	-60℃~50℃	-60℃~50℃	-60℃~50℃
N.W./G.W.(kg)	14/14.5	16/17	17/17.5	19/20	23/25	25/27	27/29	29/31
Package Size(mm)	485×330×195	485×330×285	485×330×195	485×330×285	535×380×195	535×380×285	535×380×210	535×380×305
QTY/20'CY(PCS)	800	500	800	500	600	600	600	600

SCISSOR JACK

剪式千斤顶

BRSJ001A
0.6 Ton


BRSJ002A
0.8 Ton

BRSJ003A
1 Ton

BRSJ004A
1.5 Ton



BRSJ005A
2 Ton



Model	Capacity	Min.Height (mm)	Max.Height (mm)	Total Length (mm)	N.W./G.W. (kg)	Package Size (mm)	QTY/CTN (pcs)	QTY/20'CY (pcs)
BRSJ001A	0.6Ton	85	330	375	2/2.3	415×440×260	10	8400
BRSJ002A	0.8Ton	85	330	375	2.1/2.4	415×440×260	10	8400
BRSJ003A	1Ton	88	380	426	2.5/2.8	500×455×255	10	4950
BRSJ004A	1.5Ton	95	390	450	3.3/3.5	660×470×230	10	3600
BRSJ005A	2Ton	120	395	450	3.5/4	660×470×260	10	4800

BRSJ001B
0.6 Ton

BRSJ002B
0.8 Ton

BRSJ004B
1.6 Ton



BRSJ005B
2 Ton

BRSJ003B
1.5 Ton



Model	Capacity	Min.Height (mm)	Max.Height (mm)	Total Length (mm)	Total Width (mm)	N.W./G.W. (kg)	Package Size (mm)	QTY/CTN (pcs)
BRSJ001B	0.6Ton	83	314	365	88	1.65/1.95	520×400×210	10
BRSJ002B	0.8Ton	75	360	425	110	1.95/2.25	440×370×175	6
BRSJ003B	1.5Ton	97	389	446	122	3.4/3.8	460×400×255	6
BRSJ004B	1.6Ton	92.5	400	465	96.2	3.1/3.4	640×520×115	5
BRSJ005B	2Ton	98	442	500.4	112	3/3.3	550×280×115	2

BR-502

BR-502 TECHNICAL FEATURES

Semi-automatic side swing arm;
Pneumatic bead breaker;
Optional motorcycle adaptor.

TECHNICAL DATA

Rim clamping from outside:10"-18"
Rim clamping from inside:12"-22"
Bead-breaker force:2500kg
Max.wheel diameter:38"(960mm)
Wheel width:3"-13"(330mm)
Operating pressure:8-10 bar
Motor power:1.1/0.75kw
Power supply:110/220/380V-3ph
Packing dimension:97×75×95CMS



BR-96A

BR-96A TECHNICAL FEATURES

For passenger car, motorcycle and light commercial vehicle wheels;
Hand-operated distance and wheel diameter input;
Various balancing modes; Self-calibration and diagnosis;
Plastic safe-guard;Optional universal wheel flank, motorcycle adaptor and large centring cone.

TECHNICAL DATA

Max.wheel weight: 65kg
Motor power: 0.2kw
Power supply: 110V/220V
Balancing accuracy: ±1g
Balancing speed:220r.p.m.
Rim diameter:10"~24"(265~615mm)
Rim width:1.5"~20"(40~510mm)
Measuring time:10 sec.
Noise level: <70dB
Packing dimension:108×80×115cm

BR668

PROFESSIONAL SUPER-AUTOMATIC TYRE CHANGER WITHOUT LEVER

FEATURES:

- For standard, low-profile and run-flat wheels of car and light commercial vehicles
- Main shaft move horizontally, adjust tire position to ensure demounting rim range from 10"-32"
- Main shaft with lighting height is adjustable for wheel with different width
- Laser light help to find proper position of main shaft
- Double Speed motor
- Mounting head auto-reseat
- No need of lever
- Hand holding quick inflation device
- Lifting tool lifts and turns wheel
- Hydraulic Pump Station provides more power

Motor power: 0.75kw/1.1kw
Power supply: 380V
Max.wheel diameter: 50"(1250mm)
Max.wheel width: 15"(400mm)

Rim diameter:10"-32"
Air supply:8bar-10bar
Noise level: <75dB



BR6210

SUPER ELECTRO-HYDRAULIC OPERATION SPECIAL FOR TRUCK, BUS AND PASSENGER CAR WHEELS

FEATURES

- Electro-hydraulic operation
- Clockwise and anticlockwise rotation of chuck
- Rim capacity 14"~56"
- Movable controlling unit
- Adjustable clamping force
- Bi-directional chuck with 2 rotational speeds

Motor power:0.75kw/1.1kw
Max.wheel weight:2000kg
Power supply: 380V
Clamping capacity:14"~56"with extensions
Max.wheel diameter:2500mm
Max.wheel width:1200mm
Max.wheel width:15"(400mm)



TROLLEY TOOL BOX AND CAR CREEPER 工具箱和维修躺椅

BRTB001
TROLLY TOOL BOX
Material: PP + Steel Sheet

Trolley tool box made up of 3 parts, 1st one is a regular box with a tray inside, the 2nd in a 2 layer drawer with ball bearing sliding rail, and the bottom is a big storage box, each part can be seperated or combined freely.
Max.Capacity: 75kgs
Product Size: 520×320×720mm
Inner size(A): 420×220×150mm
Inner size(A): 390×215×60mm
Inner size(A): 410×210×280mm
N.W.: 14.3kgs
G.W.: 15.7kgs
Packing: PE bag per unit+ Carton
Package Size: 535×320×740mm
QTY/CTN: 1PC
QTY/20'CY: 221 PCS



BRTB002

	W×D×H
Overall	520×320×720mm
Overall with Casters	420×220×150mm
2 Drawers	390×215×60mm
2 Drawers	410×210×280mm
2 Drawers	410×210×280mm
1 Drawers	410×210×280mm

CAR CREEPER



Model	BRCC001	BRCC002	BRCC003	BRCC004	BRCC005	BRCC006	BRCC007
N.W.:	6kgs	6kgs	7.4kgs	6.5kgs	6.5kgs	7.2kgs	8.4kgs
G.W.:	7kgs	7kgs	8.4kgs	7.5kgs	7.5kgs	8.2kgs	9.4kgs
Overall Size:	920×425×95mm	920×425×95mm	1025×420×115mm	1025×425×105mm	901×425×120mm	1020×425×110mm	1030×407×116mm
Package Size:	935×450×110mm	935×450×110mm	1040×435×83mm	1040×435×115mm	460×155×480mm	1040×440×125mm	530×440×150mm
QTY/20' CY:	640 PCS	640 PCS	780 PCS	490 PCS	780 PCS	465 PCS	780 PCS

PROVIDE MORE THAN YOU NEED

