



KEEP YOU ON THE ROAD



NINGBO YILUDA AUTO PRODUCTS CO.,LTD

宁波易璐达汽配有限公司

NINGBO HANKER IMP & EXP CO.,LTD

宁波汉嘉进出口有限公司

Factory Add: Xiaobai Village, Dongwu Town, Yinzhou District, Ningbo 315100

Office Add: Room 1504, Haoru Building, 468#, Taikang Road, Ningbo 315100

Tel: +86-574-83030786 Fax: +86-574-83030787

E-mail: sales@bellright.com

<http://www.bellright.com> www.tyredocter.net www.yiluda4x4.com

2017 CATALOGUE

ABOUT YILUDA

Our company is professional manufacturer and provider
The main product includes 4WD Recovery Tools ,
Recovery Jack, Tire Emergency Repair Kit, Winches, Air
Compressor and so on.

Our Ability includes Plastic and rubber injections , CNC
Productions, Casting and Die Casting , Hardware Tooling
and so on .

It is over 15 years experience since 1999 we focus on the
international aftermarket & refitting Market and 90% of
our products is for export business , our major customer
is from North America, European and Australia which is
high end market and our products is widely accept and
have a good reputation from them .

We take honesty, mutual benefit to establish a long
steady business relationship with all of our customer ,
and our aim is always provide the best service and high
standard products to them from our hard work .



OUTDOOR FOLDING TABLE CHAIR



4WD-PCT

Foldable Portable Outdoor Camping Picnic Table and Chair Set 5pcs
Table Size:50.5*50.5*50cm
Chair Size:38.5*38.5*33/57cm
Chair Material: 600 * 300 d/PVC Oxford cloth + white gauze high strength
Carry Bag:600 d polyester Oxford cloth
Steel Pipe: φ13*0.8mm, Aluminum Pipe: 11*55*0.7mm
Bearing: Chair 80KGS
Table :30KGS
Package:66*26*32cm,2Sets/Ctn
GW.23kgs .NT.21kgs

OUTDOOR FOLDING CHAIR



4WD-PC01

Foldable Chair
Size:58*58*98cm
Seat Material:500*300D PVC
Double add 1.5 cm thick sponge
Carry Bag:300D
φ16*0.9/0.8 Iron pipe coating can support more than 102KGS
Package:96*28*28cm/4pc



4WD-PC02

Foldable Chair with cotton
Seat Size:57*57*50cm
Height:98cm
Seat Material:5*300DPE
Carry Bag:190D
φ19*0.8/0.7 Iron pipe coating can support more than 102KGS
Package:96*30*30cm/4pc

Optional colour
■ ■ ■ ■ ■

Materials can be customized



4WD-P-001

Car Seat Organiser
Includes 1 Car Seat Organiser
Adjustable straps fit most car seats
Various sized pockets for a range of different sized items
Made of 100% polyester
Fits most cars



4WD-P-002

Car Seat Organiser
Includes 1 Car Seat Organiser
Adjustable straps fit most car seats
Various sized pockets for a range of different sized items
Made of 100% leather
Fits most cars

ROOF TOP TENT



4WD-K-011

Color: Khaki/ Gray/Army green/other color
Capacity: 2-3 Person, 300KG Max Load rating
Opening mechanism: gas strut assist lift for opening
Shell Material : Glass fiber (black/white)
Body Fabric: High strength oxford fabric, UV, PU waterproof
Support: Alloy/steel body construction
Ladder: 2.3M Aluminum Ladder
Accessories : LED lamp, crank, U type screws and optional accessories



4WD-K-007

Aluminum board Size: Unfolding:240(L)*140(W)cm, Packing:140(L)*140(W)*28(H)cm
Tent's Size: Unfolding:240(L)*143(W)*126(H)cm Packing:50(L)*125(W)*30(H)cm
Fabric:
(1)Tent fabric: 420D polyester PU 2000mm, 100% waterproof, UV protection, anti-tear, breathable and strong.
(2)Fly: 420D Polyester Oxford PU 2000mm,W / P,W / R ;
(3)Cover: PVC mesh folder cortex
Ladder: 35*118~210cm,2m long aluminum extension ladder standard ;
Mattress: 240*140*6cm,Density 30;
Bedspread: Durable cotton;
Products bearing: 300KG-350KG;
G/W: 52KG;



4WD-K-012

Body Fabric: 280G rip-stop Polyester Canvas PU 2000mm, well breathable , retardant ,W/P, W/R ,UV 50+
Cover: fireglasss
Mattress: 50mm high-density foam mattress,Density 38
Ladder: Telescoping aluminum ladder with MAX. length: 2.1m
OEM: Available
Open Size: 200(L)x125(W)x150(H)cm (79"x48"x59")
Packing Size: 215(L)x130(W)x30(H) cm (81"x49"x23")
G.W.: 60KG
Delivery Time: 20-30 working days
Payment: TT, LC
MOQ: 1PCS and Sample Order is Available
Quality Warranty: 12 months



4WD-K-008

Aluminum board Size: Unfolding:240(L)*140(W)cm;
 Packing:140(L)*140(W)*28(H)cm;
 Tent Unfolding Size: 310(L)*143(W)*126(H)cm;
 Tent Packing Size: 150(L)*125(W)*30(H)cm;
 Fabric:
 (1)Tent Fabric: 280G Polyester-Cotton Canvas PU 2000mm,
 100% waterproof,UV protection, anti-tear,
 breathable and strong;
 (2)Fly:420D Polyester Oxford PU 2000mm,W / P,W / R;
 (3)Cover:PVC mesh folder cortex
 Ladder: 35*118~210cm,2m long aluminum extension
 ladder standard ;
 Mattress: 240*140*6cm,Density 30;
 Bedspread: Durable cotton;
 Products bearing:300KG-350KG
 G/W: 56KG;



4WD-K-005
 Side Awning Room



4WD-K-004
 Rear Awning Room

SWAG TENT



4WD-K-009
 Single Type

Tent fabric:280G Polyester-Cotton Canvas PU 2000mm,
 100% waterproof,UV protection, anti-tear,
 breathable and strong.
 Floor:600D PVC
 With aluminum poles



4WD-K-010
 Double Type

Tent fabric:280G Polyester-Cotton Canvas PU 2000mm,
 100% waterproof,UV protection, anti-tear,
 breathable and strong.
 Floor:600D PVC
 With aluminum poles



4WD-K-002
 Side Awning Mosquito Net



4WD-K-006
 Rear Awning Mosquito Net



4WD-L-001
 LED Light Strap



4WD-L-002
 Camping Light

AWNING AND ACCESSORIES



4WD-K-001
 Side Awning



4WD-K-003
 Rear Awning




4WD-L-003

Package Contains:
 4x50cm LED Light Bar
 3xON/OFF Dimmer switch
 1xBattery Terminal Clamps to 12V socket
 1x3M Quick Connect Cable with 12V DC Plug
 2x5M Extension cable
 2x2.5M Extension cable
 2x3.5M Extension cable
 1x2 way splitter Cable
 1x3 way splitter Cable
 8x Loop Fastener
 8x Velcro straps
 1xCarry bag



- Working voltage: 10 to 30 v DC
- IP. Waterproof rating: 68
- Optional colors: Black, White
- Color temperature: 6000 k
- Material: die-casting aluminum shell
- Mounting bracket: stainless steel
- Optional wide spot beam
- More than 50000 hours of battery life
- related certification: CE, RoHs, IP68

Part No.	Power	Lumin	Size
YLD-N-001	20W (4 * 5 W high luminance Cree LED lamp bead)	430	92mm*82mm*80mm
YLD-N-002	12W (4 * 3 W high luminance Cree LED lamp bead)	220	92mm*82mm*80mm
YLD-N-003	12W (4 * 3 W high luminance Cree LED lamp bead)	220	92mm*82mm*80mm
YLD-N-004	12W (4 * 3 W high luminance Cree LED lamp bead)	220	92mm*82mm*80mm
YLD-N-005	18W (6 * 3 W high luminance Cree LED lamp bead)	220	92mm*82mm*80mm



- Working voltage: 10 to 30 v DC
- IP. Waterproof rating: 68
- Optional colors: Black, White
- Color temperature: 6000 k
- Material: die-casting aluminum shell
- Mounting bracket: stainless steel
- More than 50000 hours of battery life
- related certification: CE, RoHs, IP68

Part No.	Power	Lumin	Size
YLD-N-006	16W (4 * 4 W high luminance Cree LED lamp bead)	220	122 mm * 92 mm * 92 mm
YLD-N-007	18W (6 * 3 W high luminance Cree LED lamp bead)	220	122 mm * 92 mm * 92 mm



YLD-N-008

- The LED power: 60 W
- Working voltage: 10 to 30 v DC
- IP. Waterproof rating: 68
- 12 * 5 W high luminance CREE light bead
- Optional colors: Black, White
- Color temperature: 6500 k
- Material: die-casting aluminum shell
- Mounting bracket: stainless steel
- Strength: 430 lm (lumens)
- Optional 60/10 of a degree wide
- More than 50000 hours of battery life
- Size: 48 mm * 145 mm * 145 mm
- The relevant certification: CE, RoHs, IP68



YLD-N-009



- Working voltage: 10 to 30 v DC
- IP. Waterproof rating: 68
- Optional colors: Black, White
- Color temperature: 6500 k
- Material: die-casting aluminum shell
- Mounting bracket: stainless steel
- Optional 60/10 of a degree wide
- More than 30000 hours of battery life
- The relevant certification: CE, RoHs, IP68

Part No.	Power	Lumin	Size
YLD-N-010	40W (8 * 5 W high luminance CREE light bead)	430	48 mm * 145 mm * 145 mm
YLD-N-011	30W (6 * 5 W high luminance CREE light bead)	430	48 mm * 145 mm * 145 mm
YLD-N-012	18W (6 * 3 W high brightness LED lamp bead light)	220	48 mm * 145 mm * 145 mm



- IP. Waterproof rating: 68
- Optional colors: black, white
- Color temperature: 6000 k
- Material: die-casting aluminum shell
- The lens material: PC
- Mounting bracket: aluminum alloy
- Beam: 8 degrees: concentrated / 60 degrees: floodlight/poly (floodlight)
- More than 50000 hours of battery life.

Part No.	Power	Voltage	Size
YLD-N-013	20W (2 * 10 W high brightness Cree LED lamp bead)	9-30 V DC	4.6 inches
YLD-N-014	40W (4 * 10 W high brightness Cree LED lamp bead)	9-30 V DC	7.8 inches



- Working voltage: 10 to 30 v DC
- IP. Waterproof rating: 68
- Optional colors: Black, White
- Color temperature: 6000 k
- Material: die-casting aluminum shell
- Through light material: tempered glass
- Mounting bracket: stainless steel
- Optional 60/20 of a degree wide
- More than 50000 hours of battery life
- Relevant certification: CE, RoHs, IP68

Part No.	Power	Lumin	Size
YLD-N-015	25W (1 * 25 W high brightness Cree LED lamp bead)	2500	66 mm * 66 mm * 66 mm
YLD-N-016	25W (1 * 25 W high brightness Cree LED lamp bead)	2500	66 mm * 66 mm * 66 mm
YLD-N-017	10W (1 * 10 W high brightness Cree LED lamp bead)	220	66 mm * 66 mm * 66 mm



YLD-N-018

- The LED power: 10 W
- Working voltage: 10 to 30 v DC
- IP. Waterproof rating: 68
- 1 * 10 w high brightness the Cree LED lamp bead
- Optional colors: Black, White
- Color temperature: 6000 k
- Material: die-casting aluminum shell
- Through light material: tempered glass
- Mounting bracket: stainless steel
- Strength: 1000 lm (lumens)
- Optional 60/20 of a degree wide
- More than 50000 hours of battery life
- Size: 56 mm * 86 mm * 86 mm.
- Relevant certification: CE, RoHs, IP68



LED LIGHT BAR

DESCRIBE

- Voltage: 10-30V DC
- Waterproof rate: IP 67
- Color temperature: 6000K
- Available color: Black&White
- Material: Die-cast aluminum housing
- Glass material: PC
- Beam : Spot /Flood
- Using time : 30000 hours



Part No.	Power	Lumin	Size
YLEDBAR36	36W(12PCS*3W High intensity LEDs)	3000	252.2*86.5*138
YLEDBAR72	72W(24PCS*3W High intensity LEDs)	5000	405.2*86.5*138
YLEDBAR120	120W(40PCS*3W High intensity LEDs)	10000	609.2*86.5*138
YLEDBAR180	180W(60PCS*3W High intensity LEDs)	15000	864.2*86.5*138
YLEDBAR240	240W(80PCS*3W High intensity LEDs)	20000	1119.2*86.5*138
YLEDBAR300	300W(100PCS*3W High intensity LEDs)	25000	1300*86*138.2



- Operating Voltage: 10-30V DC
- Waterproof rate: IP 67
- Optional Color: Black,White, Red,Blue,Yellow
- Color Temperature: 6500K
- Material:Diecast aluminum housing
- Pmma lens
- Opitonal Beam: Flood beam pattern (60 degree) or Spot beam(30/15 degree)
- 30000 hours above life time

Part No.	Power	Lumin	Current draw	Size
YLEDWORK18R	18W(6pcs*3w High Intensity LEDs)	1500	1A@12V,0.55A@24V	A130*B115*C30
YLEDWORK24R	24W(8pcs*3w High Intensity LEDs)	2000	1.8A@12V,0.9A@24V	A128*B110*C45
YLEDWORK27R	27W(9pcs*3w High Intensity LEDs)	2300	1.7A@13V,0.9A@24V	A128*B110*C55



- Operating Voltage: 10-30V DC
- Waterproof rate: IP 67
- Optional Color: Black,White, Red,Blue,Yellow
- Color Temperature: 6500K
- Material:Diecast aluminum housing
- Pmma lens
- Opitonal Beam: Flood beam pattern (60 degree) or Spot beam(30/15 degree)
- 30000 hours above life time

Part No.	Power	Lumin	Current draw	Size
YLEDWORK18S	18W(6pcs*3w High Intensity LEDs)	1500	1A@12V,0.55A@24V	A130*B115*C30
YLEDWORK24S	24W(8pcs*3w High Intensity LEDs)	2000	1.8A@12V,0.9A@24V	A128*B110*C45
YLEDWORK27S	27W(9pcs*3w High Intensity LEDs)	2300	1.7A@13V,0.9A@24V	A128*B110*C55



YLEDWORK45R

Power : 48W (16pcs*3W High intensity LEDs)
Voltage : 10-30V DC
Waterproof rate : IP67
Lumin : 3360lum
Color temperature : 6000K
Available color: Black&White
Material: Diecast aluminum housing
Glass material:PMMA
Beam : Spot /Flood
Work temperature : -40~+120℃
Using time : 30000 hours
Size : A110*B110*C72mm




YLEDWORK42S

LED Power: 42W(14pcs*3w high intensity Epsitar LEDs)
Operating Voltage: 10-30V DC
Waterproof rate: IP 67
Lumin : 2800lum
Optional Color: Black, White
Color Temperature:6000K
Materials: Diecast aluminum housing
Lens material: PC
Mounting Bracket: Stainless Steel
Opitonal Beam: 60 / 30 degree
30000 hours above life time
Size: A116*B116*C76mm

FOLDING SOLAR PANEL

Folding panels are lightweight and compact and they come in a power range that should meet any of your portable solar needs. When you get to your destination just unfold the panel on the ground or any other surface and you have an instant mini power plant fueled by the sun's glorious rays. Foldable panels are great for camping, boating, and RVing and they are perfect for keeping your gadgets charged while you're hiking or just relaxing at the beach



Specifications	FSP80	FSP120
Type	Monocrystalline	Monocrystalline
Rated power	80W	120W
Open Circuit	21V	21V
Short circuit current	5.00A	7.52A
Peak Power	17.5V(4.56A)	17.5V(6.86A)
Application	Ideal for powering a compressor fridge	Suitable for powering multiple appliances e.g. compressor fridge campling light, radios & TVs
Battery Charge Times		
Automotive	250-9000CCA	250-1200CCA
Marine	300-1000MCA	350-1500MCA
Deep Cycle	30-140Ah	40-200Ah
Charging time	7-35 hours	7-35 hours



4WD-O-001

300W/420W/600W Power Converter



4WD-O-002

150W/200W/300W Power Converter



4WD-O-003

80W/150W/200W Power Converter



4WD-O-004


12V 12000mAh

FUEL TANK AND WATER TANK



PORTABLE FRIDGE

Whether it's a weekend trip with friends or a long distance trek, a portable fridge offers the convenience of having cold food and drinks on matter where your 4 wheeling adventures take you. Fridge Freezers are the result of careful research into what 4WDers most want in a portable fridge. Specifically designed for off road use, each Fridges Freezer model incorporates a host of features are not only easy to use but will deliver outstanding performance in the toughest off road conditions.



SPARE WHEEL BAG AND COVER & FOOT MATS



4WD RECOVERY KITS & ACCESSORIES

Vehicle recovery is a major part of 4WDing and so an assortment of high quality recovery accessories, appropriately selected to suit your vehicle and the environment, is essential when venturing off the beaten track.



4WD-E-014

FEATURES

- 1x9mx60mm Straps 8000 kgs
- 1x20mx55mm Straps 4500 kgs
- 1x3mx75mm Straps 8000 kgs
- 1xSnatch Block 10000 kgs
- 2xShackles 4750 kgs
- 1xPair of Gloves
- 1xWinch cable dampener
- 1xShovel
- 1xStrong Carry bag



4WD-F-001

- Winch cable damper
- Open size: 100x50cm
 - Weight: 1.1kgs
 - With Pocket inside



4WD-E-013

FEATURES

- 1x9mx75mm Straps 11000 kgs
- 2x4.75 ton shackles
- 1xpair of Gloves
- 1xStrong Carry Bag



4WD-F-010
Drag chain 5M



4WD-F-005
Snatch Block 4000 kgs



4WD-F-004
Snatch Block 8000 kgs



4WD-F-003
Snatch Block 10000 kgs



4WD-X-003B
Recovery Hitch



4WD-F-006A
Bow Shackles 2000 kgs



4WD-F-006B
Bow Shackles 3250 kgs



4WD-F-006C
Bow Shackles 4750 kgs



4WD-X-003
Recovery Hitch



4WD-F-008A
Clevis Slip Hooks 3000lbs



4WD-F-008B
Clevis Slip Hooks 6000lbs



4WD-F-008C
Clevis Slip Hooks 8000lbs



4WD-F-008D
Clevis Slip Hooks 15000lbs



4WD-F-007A
Tow Hook Kit(Chrome)



4WD-F-007B
Tow Hook Kit(Black)




TREE TRUNK PROTECTORS

When using a tree as an anchor point in a recovery situation, wrapping cable, rope or chain around a tree causes damage to both your equipment and the tree , Bellright protector straps is design for eliminate the risk of ring barking and helps to ensure

Model	Length	Width	Capacity	Materials
4WD-E-001	3m	50mm	11000kgs	100% Polyester
4WD-E-002	3m	75mm	12000kgs	100% Polyester
4WD-E-003	5m	75mm	12000kgs	100% Polyester

SNATCH STRAPS

Bellright Snatch strap are elastic, the benefits of which are twofold, Firstly, the kinetic energy generated by the elasticity actually aids the recovery itself, and secondly, the elasticity greatly reduces the likelihood of vehicle damage during recovery .



Model	Length	Width	Capacity	Materials
4WD-E-004	7m	60mm	8000kgs	100% Nylon
4WD-E-005	7m	75mm	11000kgs	100% Nylon
4WD-E-006	7m	100mm	12000kgs	100% Nylon
4WD-E-007	9m	60mm	8000kgs	100% Nylon
4WD-E-008	9m	75mm	11000kgs	100% Nylon
4WD-E-009	9m	100mm	12000kgs	100% Nylon



WINCH EXTENSION STRAPS

Bellright Winch Extension Strap is the ideal way to extend the length of your winch's cable when a suitable anchor point is out of reach. Manufactured from 100% nylon materials , the strap is lighter and easier to store than additional lengths of wire rope.

Model	Length	Width	Capacity	Materials
4WD-E-010	20m	50mm	4500kgs	100% Polyester
4WD-E-011	20m	80mm	8000kgs	100% Polyester

Features: Each Straps are with Dual neoprene protective sleeves and Reinforced eyelets on both ends.

NYLON SNATCH STRAPS ROPES

Model	Size	Capacity
4WD-E-030	1/2"x20'	7400 lbs
4WD-E-031	1/2"x25'	7400 lbs
4WD-E-032	3/4"x20'	19000 lbs
4WD-E-033	7/8"x20'	28600 lbs
4WD-E-034	1-1/2"x30'	66138 lbs
4WD-E-035	7/8"x30'	28600 lbs
4WD-E-036	2"x30'	131500 lbs
4WD-E-037	1-1/4"x30'	52300 lbs





4WD-F-011
Ground anchors

The Portable Rescue Tree is designed for use in softer ground such as soil,sand and mud. Weighing just 14kg,it can be easily carried over distances and folds away neatly for storage.

PROFESSIONAL USE SHOVEL



4WD-F-002S
Foldable Shovel

4WD-F-002M
Foldable Shovel

4WD-F-002L
Foldable Shovel

4WD-F-002SL
Foldable Shovel



4WD-F-013
Stainless Steel Shovel

4WD-F-012
Stainless Steel Shovel With Mount



4WD-F-008A
Heavy Duty Leather Gloves

4WD-F-008B
Top Leather Gloves



4WD-F-008C
Heavy Duty Recovery Gloves

4WD-F-008D
Heavy Duty Recovery Gloves

SILICONE RADIATOR HOSE PIPING



4WD-CH-01

4WD-CH-02

4WD-CH-03

4WD-CH-04

RUBBER RECOVERY TRACKS



Part No.	Wide(mm)	Length(mm)
OSU-001	22/28/30	40/60/80/100/120/150

Select different wide and length you need.

DEEP RECOVERY



- 1.Jack up vehicle so bogged wheel is raised.
- 2.Pack as much earth as possible under wheel,lay down OUS-001 and place tyre on top of end furthest away from direction of travel.Repeat for each bogged wheel.
- 3.Using Low Range,slowly drive off in the direction that you have prepared and laid the OUS-001.At all times,avoid wheel spin on OUS-001.



OSU-003

Plastic Sand Track
Size: 120cmx32cm
Weight: 8kgs/pair

SMALL STEP/RIVER BED RECOVERY



- 1.Move vehicle far enough back from oversize rock to allow safe work environment.
- 2.Unroll OUS-001 down the rock surface, some smaller rocks may be required for larger steps for ease of climbing.
- 3.Using Low Range, slowly drive off in the direction that you have prepared and laid the OUS-001.At all time,avoid wheel spin on OUS-001.

BASIC RECOVERY



- 1.Use a shovel to clear enough area under wheel in the direction of recovery.
Caution: Ensure vehicle is stable.
- 2.Place OUS-001 as far under that side of the wheel,against the tyre.
push the earth back under OUS-001 to ensure it is touching the tyre.
Repeat for each bogged wheel.
- 3.Using Low Range,slowly drive off in the direction that you have prepared and laid the OUS-001.At all times, avoid wheel spin on OUS-001.



Plastic Recovery Track
Size:120x32mm
Weight:8kg/pair
Tie down points
UV Stabilize
Made of reiforcce nylon
Suitable For Sand, Snow ,Mud.

NEW



Optional colour
[Color swatches: black, orange, red, grey, green]



OSU-004
enghth is 87cm

FARM JACK & ACCESSORISE

The 4WD Farm jack can be used for lift clamp pull and push.

Features:

- Automatic easily operation for raising and dropping down load.
- Cast steel large and small runners.
- Reversible upright steel bar for long life use.
- Bar holes will accommodate chains, cables, etc.
- Quick disengage with no load.
- Large cast iron base for stability.

Part No.	Spec.	Min. Height (mm)	Max. Height (mm)
4WD-A-001	20"	130	680
4WD-A-002	33"	130	700
4WD-A-003	48"	130	1070
4WD-A-004	60"	155	1350



4WD-A-007A
Lift Mate



4WD-A-007B
Lift Mate



4WD-A-006
Recovery Jack Mount



4WD-A-008
Jack Accessriese



4WD-A-009
Recovery Jack Mate



4WD-A-010
Jack/Shovel Holder



4WD-A-011
Handle Keeper



4WD-A-012
Jack Carry Bag



4WD-A-005
Recovery jack base

AIR EXHAUST JACK

- Exhaust Air Jack will safety lift your vehicle up out of a rut or bog in a short time.
- Simple to use and high efficient.
- No return valve in the middle of the hose , easy for safety operating.
- 5 Heavy-duty anti slip spikes.
- Comes as a complete kit.
- Simple to use without the risk of damage to your vehicle.
- Packs away in its own carry bag and ready to use.

Note: Some jack is triple protection layer for both top and bottom. Double protection design around the body of jack. Air compressor inflate is available .



Item	Capacity	Dia.(cm)	Height(cm)	Weight(kgs)	Inflate way	Materials	Layer
4WD-B-001	4.2tons	64	75	8.2	1.Tailpipe exhaust 2.Air compressor	Imported 2000D Denier 1.0mm PVC	Triple
4WD-B-002	4.2tons	64	72	5.9	1.Tailpipe exhaust	1000D Denier 1.0mm PVC	Standard
4WD-B-003	4tons	64	75	6.8	1.Tailpipe exhaust 2.Air compressor	1000D Denier 1.0mm PVC	Triple
4WD-B-004	4tons	64	72	5.6	1.Tailpipe exhaust	1000D Denier 1.0mm PVC	Standard
4WD-B-005	3.2tons	52.5	65	5.6	1.Tailpipe exhaust	Imported 2000D Denier 1.0mm PVC	Standard
4WD-B-006	3tons	52.5	65	5.4	1.Tailpipe exhaust	1000D Denier 1.0mm PVC	Standard
4WD-B-007	2tons	50	50	5.2	1.Tailpipe exhaust	1000D Denier 1.0mm PVC	Standard

Each Kit Content: 1xAir Jack, 2xFiller Tbes, 1xPairs of Gloves, 4xProtective Mat, 1xRepair Patch, 1xHeavy duty carry bag

TYRE PRESSUR PRODUCT



160L AIR COMPRESSOR

Technical data:			
Item number	4WD-D-004	Air hose	1m rubber hose or 5m PUhose
Power supply	DC 12V	Cord	3m
Rate current	25A	NetWeight	3.5kg/pc
Cylinder diameter	60mm	Product size	31.5x24x23.5cm
Max pressure	150PSI	Packing size	43.5x28x43.5cm 4pcs/cth
Max duty cycle	40minutes	Container	2200pcs/20ft 5136pcs/40'HQ

75L AIR COMPRESSOR

Technical data:			
Item number	4WD-D-003	Air hose	5m PU hose
Power supply	DC 12V	Cord	2.4m
Cylinder diameter	40mm	NetWeight	6.2kg/pc
Max pressure	150PSI	Product size	28.5x20.1x23.5cm
Max current	30A	Packing size	42x29.5x48.5cm 4pcs/cth
Air flow	72L/min	Container	1900pcs/20ft 4528pcs/40'HQ



72L AIR COMPRESSOR

Technical data:			
Item number	4WD-D-001	Air hose	0.25m air hose 5m PU hose
Power supply	DC 12V/24V	Cord	2.4m
Rate current	30A	NetWeight	4.5kg/pc
Cylinder diameter	40mm	Packing size	59.5X34X50.5cm 4pcs/cth
Max pressure	150PSI	Container	1180pcs/20ft 2664pcs/40'HQ
Max duty cycle	40minutes		



150L AIR COMPRESSOR

Technical data:			
Item number	4WD-D-002	Air hose	0.25m air hose 7.5m PA hose
Power supply	DC 12V/24V	Cord	1.8m
Rate current	50A	NetWeight	5.9kg/pc
Cylinder diameter	40mm	Product size	34.5X29.5X26cm
Max pressure	150PSI	Packing size	36X30.5X53.5cm 2pcs/cth
Max duty cycle	40minutes	Container	1000pcs/20ft 2400pcs/40'HQ



TIT-004

Portable multi-use car washer&compressor
0-300psi .CE Approved
Hot sale Products
Easy Handle



TIT-004



4WD-X-001
Shower Kit



4WD-X-004
Spray Gun Kit

EMERGENCY TYRE REPAIR KIT

Bellright Tire Repair kit is Great for 4x4's ,
Truck's Cars, Vans, ATVs, UTVs.
Mowers, Hot Rods , Trators, Bobcats,
Trailers, Rvs and Sport Cars .
With all high quality Hardware tools inside the box.
OEM LOGO is available.



TEK-057

TEK-041



TEK-042



TEK-052



TEK-004A


ALUM. ROOF RACK (Pls contact for more spec)



STEEL ROOF RACK (Pls contact for more spec)



REAR RACK (Pls contact for more spec)



CROSS BAR (Pls contact for more spec)



CARRIER (Pls contact for more spec)



PORTABLE ROOF BAG

Part. No	Size	Weight	Material	Waterproof
4WD-N-001	110x80x40cm	25KG	Canvas+PVC	Yes
4WD-N-002	105x80x45cm	20KG	Nylon+PVC	Yes
4WD-N-003	110x(75-100)x45cm	23KG	Nylon+PVC	Yes
4WD-N-004	91.5x91.5x46cm	21KG	Nylon+PVC	Yes



ROOF BOXES



4WD-M-007
Soft Rack



4WD-M-008
Tie Down Strap

ELECTRIC WINCHES

Winches are designed to perform in the most strenuous conditions imaginable. When your vehicle's stuck on a steep mountain track, caught in a torrential downpour, or bogged in an isolated desert in sweltering temperatures, the reliability, performance and durability of your electric winch is paramount.



4WD Winches

Part NO.	Rated Line Pull	Motor	Recommended Battery	Gear Ratio	Clutch	Steel Cable
YW6000	6000LBS	1.6hp/12V Permanent Magnetic Motor	650CCA min. for winching	307:1	Sliding Ring Gear	7.2mmx24m
YW8000	8000LBS	4.0hp/12V Permanent Magnetic Motor	650CCA min. for winching	235:1	Sliding Ring Gear	7.9mmx24m
YW8500	8500LBS	5.5hp/12V Permanent Magnetic Motor	650CCA min. for winching	235:1	Sliding Ring Gear	8.1mmx24m
YW9500	9500LBS	5.5hp/12V Permanent Magnetic Motor	650CCA min. for winching	265.2:1	Sliding Ring Gear	8.3mmx28m
YW10000	10000LBS	5.6hp/12V Permanent Magnetic Motor	650CCA min. for winching	265.2:1	Sliding Ring Gear	9.1mmx26m
YW12000	12000LBS	6.0hp/12V Permanent Magnetic Motor	650CCA min. for winching	265.2:1	Sliding Ring Gear	9.5mmx26m
YW13000	13000LBS	5.6hp/12V Permanent Magnetic Motor	650CCA min. for winching	265.2:1	Sliding Ring Gear	9.5mmx26m

Synthetic Rope 4WD Winches

Part NO.	Rated Line Pull	Motor	Recommended Battery	Gear Ratio	Clutch	Steel Cable
YW9500S	9500LBS	5.5hp/12V Permanent Magnetic Motor	650CCA min. for winching	265.2:1	Sliding Ring Gear	8.3mmx28m
YW12000S	12000LBS	6.0hp/12V Permanent Magnetic Motor	650CCA min. for winching	265.2:1	Sliding Ring Gear	7.9mmx24m

ATV Winches

Part NO.	Rated Line Pull	Motor	Recommended Battery	Gear Ratio	Clutch	Steel Cable
YW2000	2000LBS	1.0hp/12V Permanent Magnetic Motor	175CCA min. for winching	153:1	Sliding Ring Gear	4mmx15.2m
YW2500	2500LBS	1.2hp/12V Permanent Magnetic Motor	175CCA min. for winching	153:1	Pull and turn	4.8mmx12.2m
YW3000	3000LBS	1.2hp/12V Permanent Magnetic Motor	175CCA min. for winching	153:1	Pull and turn	5.5mmx9.2m
YW3500	3500LBS	1.3hp/12V Permanent Magnetic Motor	175CCA min. for winching	153:1	Sliding Ring Gear	5.5mmx15.2m
YW4000	4000LBS	1.3hp/12V Permanent Magnetic Motor	175CCA min. for winching	153:1	Sliding Ring Gear	5.5mmx15.2m

Boat Trailer Winches

Part NO.	Rated Line Pull	Motor	Recommended Battery	Gear Ratio	Clutch	Steel Cable
YW2000B	2000LBS	280W/12V Permanent Magnetic Motor"	175CCA min. for winching	464:1	Sliding Ring Gear	4.8mmx9.2m
YW3500B	3500LBS	280W/12V Permanent Magnetic Motor"	175CCA min. for winching	464:1	Sliding Ring Gear	6.4mmx11.2m

SYNTHETIC ROPE



Part No.	Size	Winch application	Max breaking load	Hy max breaking strength
YWAS15000A	12mmx28m	15000LBS	24700LBS	30864LBS
YWAS15000B	11mmx30m	15000LBS	24700LBS	27116LBS
YWAS15000C	11mmx27m	15000LBS	24700LBS	27116LBS
YWAS10000A	10mmx28m	10000LBS	19310LBS	22707LBS
YWAS10000B	10mmx24m	10000LBS	19310LBS	22707LBS
YWAS10000C	10mmx15m	10000LBS	19310LBS	22707LBS
YWAS9500A	9.4mmx28m	9500LBS	17600LBS	20723LBS
YWAS9500B	9.4mmx24m	9500LBS	17600LBS	20723LBS
YWAS9500C	9.4mmx15m	9500LBS	17600LBS	20723LBS
YWAS9000A	9.1mmx28m	9000LBS	16550LBS	18739LBS
YWAS9000B	9.1mmx24m	9000LBS	16550LBS	18739LBS
YWAS9000C	9.1mmx15m	9000LBS	16550LBS	18739LBS
YWAS8000A	8.6mmx30m	8000LBS	15000LBS	14991LBS
YWAS8000B	8.6mmx24m	8000LBS	15000LBS	14991LBS
YWAS8000C	8.6mmx15m	8000LBS	15000LBS	14991LBS
YWAS6000A	7.5mmx15m	6000LBS	12000LBS	12125LBS
YWAS4500A	6.3mmx15m	4500LBS	8400LBS	8818LBS
YWAS3500A	5.5mmx15m	3500LBS	5600LBS	6393LBS
YWAS2500A	4.7mmx15m	2500LBS	4600LBS	5511LBS

ACCESSORIES

YWA-001
Hand Winch

YWA-002
Mounting Plate

YWA-004
Steel Rope Fairlead

YWA-006
Factor 55 Prolink Shackle Mount

YWA-003
Winch Carrier

YWA-005
Synthetic Rope Fairlead

When heavy duty recovery work is required, a mechanical hand winch is a cost effective alternative to a vehicle mounted winch.

The hand winch uses a system whereby wire rope is pulled through the unit propelled by tow interlocking jaws. The jaws pull the cable when in the forward winching mode and also act as an automatic brake. The jaws are self locking with grip increasing with the load.

A hand winch is ideal for the budget conscious 4 wheeler. It provides exceptional performance at the right price. An optional carry bag is also available for the hand winch , as shown.

4WD SNAKEL KIT



TOYOTA SERIES

Part No	Used Car	Engine Capacity	Fuel	Materials
YSNLT001	TOYOTA 40,42,45&47 Series Landcruiser	2F 4.2Liter - L6 3B 3.4Liter - L4 2H 4.0 Liter - L6	Petrol Diesel Diesel	LLDPE
YSNLT002	TOYOTA 71,73,75,78,79 Series Narrow Front Landcruiser	3F 4.0Liter - L6 1FZ - FE4.5Liter - L6 3B 3.4Liter -L4 2H 4.0Liter - L6 EHZ 4.2 Liter - L6	Petrol Petrol Diesel Diesel Diese	LLDPE
YSNLT003	TOYOTA 75 Series Narrow Front Landcruiser	2H 4.0 Liter - L6	Petrol Diesel	LLDPE
YSNLT004	TOYOTA 71,73,75,78,79 Series Wide Front Landcruiser	1H 4.2 Liter - L6 1DV-FTV 4.5 Liter - V8 Intercooled Turbo	Diesel Diesel	LLDPE
YSNLT005	TOYOTA 100 Series Land Cruiser/ Lexus LX470	1FZ-FE 4.5 Liter -L6 2UZFE V8 4.7 Liter -V8 1HZ 4.2 Liter -L6 1HD -FTE 4.2 Liter -L6	Petrol Petrol Petrol Petrol	LLDPE
YSNLT006	TOYOTA 78 Series Narrow Front Landcruiser	1HZ 4.2 Liter - L6	Diesel	LLDPE
YSNLT007	TOYOTA 90 Series Land Cruiser Prado	5VZ - FE 3.4 Liter- V6 IKZ-TE 3.0 Liter - 14	Petrol Diesel	LLDPE
YSNLT008	TOYOTA 100 Series Land Cruiser/ Lexus LX470	1FZ-FE 4.5 Liter -L6 2UZFE V8 4.7 Liter -V8 1HZ 4.2 Liter -L6 1HD -FTE 4.2 Liter -L6	Petrol Petrol Diesel Diesel	LLDPE
YSNLT009	TOYOTA Prado 120 Series	1GR-FE 4.0 Liter-V6	Petrol	LLDPE
YSNLT010	TOYOTA FJ Cruiser	1GR-FE 4.0 Liter-V6	Petrol	LLDPE
YSNLT011	TOYOTA 80 Series Landcruiser/ Lexus Lx450	3F-E 4.0 Liter -L6 1FZ -FE 4.5 Liter - L6 IHZ 4.2 Liter - L6 IHD-T 4.2 Liter - L6 IHD-FT 4.2 Liter - L6	Petrol Petrol Diesel Diesel Diesel	LLDPE
YSNLT012	TOYOTA-Land Cruiser 60,61&62 Series	2F 4.2Liter - L6 3F 4.0Liter - L6 2H 4.0 Liter - L6 12H-T 4.0Liter-L6	Petrol Petrol Diesel Diesel	LLDPE

YSNLT014	TOYOTA-Land Cruiser 40 Series	2H 4.0 Liter - L6 2F 4.2Liter-L6 3B 3.4Liter-L4	Diesel Petrol Diesel	LLDPE
YSNLT015	TOYOTA Landcruiser HJ/FJ	2H 4.0Liter 3F 3.4Liter	Diesel Petrol	LLDPE
YSNLT016	TOYOTA Prado 150 Series	1GR-FE 4.0Liter-V6 1KD-FTV 3.0Liter-L4	Petrol Diesel	LLDPE
YSNLT017	TOYOTA Hilux 65 Series	4Y 2.2Litre-I4 3Y 2.0Litre-I4 2L 2.4Litre-I4	Petrol Petrol Diesel	LLDPE
YSNLT018	TOYOTA Hilux 106 Series	22R 2.4 Liter- L4 3L 2.8 Liter- L4	Petrol Diesel	LLDPE
YSNLT019	TOYOTA 167 Series Hilux & SR5	5VZ-FE 3.4 Liter-V6 3VZ-FE 3.0 Liter -V6 3RZ-FE 2.7 Liter-L4 3L 2.8 Liter-L4	Petrol Petrol Petrol Petrol	LLDPE
YSNLT020	TOYOTA 167 Series Hilux	1KZ-TE 3.0 Liter- L4 5L-E 3.0 Liter -L4 5L 3.0 Liter-L4	Diesel Diesel Diesel	LLDPE
YSNLT021	TOYOTA Hilux 167 Series	5VE-FE 3.4Liter-V6 3VZ-E 3.0Liter-V6 3RZ-FE 2.7Liter-L4 3L 2.8Liter-L4	Petrol Petrol Petrol Diesel	LLDPE
YSNLT022	TOYOTA Hilux 25 Series	1GR-FE 4.0 Liter-V6 1KD-FTV 3.0 Liter-L4	Petrol Diesel	LLDPE

ISUZUI SERIES

Part No	Used Car	Engine Capacity	Fuel	Materials
YSNLI001	GM/Holden/Isuzu Rodeo/Campo	4JB1T 2.8Liter-L4	Diesel	LLDPE
YSNLI002	ISUZU JACKAROO/ TROOPER/MONTEREY SS225HF/SS200HF/SS250HF	4JG2-T 3.1 Liter-L4	Diesel	LLDPE
YSNLI003	ISUZU D-MAX	06/2012 Onwards	Diesel	LLDPE
YSNLI004	ISUZU D-MAX	4JJ1-HI-Power(3.0Liter-L4)	Diesel	LLDPE
YSNLI005	ISUZU SUZUKI JIMNY	1.3Liter	Petrol	LLDPE
YSNLI006	ISUZU SUZUKI SIERRA/SAMURAI/GYPSY	G13A 1.3Liter-L4	Petrol	LLDPE
YSNLI007	ISUZU SUZUKI VITARA	G16B 1.6Liter-L5	Petrol	LLDPE

JEEP SERIES

Part No	Used Car	Engine Capacity	Fuel	Materials
YSNLJ001	Jeep JK Wrangler	EGHV6 3.8 Liter-V6- Right Hand Drive Vehicle Fitment Only	Petrol	LLDPE
YSNLJ002	Jeep Cherokee XJ	01/1985 - 01/1995 AMC16 4.0Liter-I6	Petrol	LLDPE
YSNLJ003	Jeep Grand Cherokee ZJ	MagnumV8 5.9Liter-V8 MagnumV8 5.2Liter-V8 AMC16 4.0Liter-I6	Petrol Petrol Petrol	LLDPE
YSNLJ004	Jeep Wrangler TJ	10/1992 to 10/1999 AMC16 4.0Liter/I6	Petrol	LLDPE
YSNLJ005	Jeep Wrangler TJ	10/1999 to 10/2006 AMC16 4.0Liter/I6	Petrol	LLDPE

NISSAN SERIES

Part No	Used Car	Engine Capacity	Fuel	Materials
YSNLN001	Nissan MQ/MK Patrol	Sd33 3.3 Liter-L6 SD33-T 3.3Liter-L6	Diesel Diesel	LLDPE
YSNLN002	Nissan Patrol GQ	Tb42 4.2 Liter-L6 TB42E 4.2Liter- L6 RB30 3.0Liter TD12 4.2Liter-L6	Petrol Petrol Petrol Diesel	LLDPE
YSNLN003	Nissan GU Patrol	RD28-TE 2.8Liter-L6 TD42-TI 4.2 Liter-L6 ZD 30DDTi 3.0 Liter-L4 TB48E 4.8Liter-L6 TB45 4.5Liter-L6 Y61D TB48E	Diesel Diesel Petrol Petrol Diesel	LLDPE
YSNLN004	Nissan Pathfinder R51 Navara D40	YD 25DDTi 2.5 Liter-L4	Diesel	LLDPE
YSNLN005	Nissan Navara D21	Td27 2.7Liter-L4	Diesel	LLDPE
YSNLN006	Nissan Navara D22	1/97 to 10/01 QD32 3.2Liter-L4	Diesel	LLDPE
YSNLN007	Nissan Navara D22/Terrano 2	YD25DDTi 2.5Liter-L4 ZD30DDT 3.0Liter-L4	Diesel Diesel	LLDPE

RUSSIA CAR SERIES

Part No	Used Car	Engine Capacity	Fuel	Materials
YSNKR001	Russia Car Yaz-0469 UAS Hunter	2.7Liter	/	LLDPE
YSNKR002	Russia Car UAZ Patriot	2.7Liter	/	LLDPE
YSNKR003	Russia Car Lada Niva	1.6-1.7Liter	/	LLDPE

FORD SERIES

Part No	Used Car	Engine Capacity	Fuel	Materials
YSNLF001	Ford Ranger3.0L-L4	3.0L-L4	Diesel	LLDPE

MITSUBISHI SERIES

Part No	Used Car	Engine Capacity	Fuel	Materials
YSNLM00	Mitsubishi Psjero NM Series	6G74 3.5Liter-V6 4M41-T 3.2Liter- L4	Petrol Diesel	LLDPE
YSNLM00	Misubishi Pajero NA Series(L047)	4D56-T 2.5Liter-I4 4D56 2.5Liter-I4	Diesel Diesel	LLDPE
YSNLM00	Mitsubishi Psjero Shogun	1991-1999 V33/V6	Diesel	LLDPE
YSNLM00	Mitsubishi Triton ML Series	4M41-T 3.2Liter-L4	/	LLDPE
YSNLM00	Mitsubishi Psjero V31 NH-NJ 1/90 to 7/97	4D56 2.5Liter 4D56 Turbo 2.5Liter 4G54 2.6Liter 6G72 3.0Liter	Diesel Diesel Petrol Petrol	LLDPE
YSNLM00	Mitsubishi Triton MK Series	10/96 to 10/06 4M40-T 2.8Liter-L4 4M40 2.8Liter-L4	Diesel Diesel	LLDPE
YSNLM00	Mitsubishi Delica L400	1994-2006	Petrol Diesel	LLDPE

LAND ROVER SERIES

Part No	Used Car	Engine Capacity	Fuel	Materials
YSNKLR001	Land Rover Discovery 2	Td5 Turbo Intercooled 5 Cyl 2.5 Liter V8 3.9/4.0 Liter	Petrol	LLDPE
YSNKLR002	Land Rover Discovery 3	TDV6 SE 2.7 Liter	Diesel	LLDPE
YSNKLR003	Land Rover Discovery 4	TDV6 SE 2.7 Liter 3.0 TDV6 Twin Turbo 3.0Liter	Diesel	LLDPE
YSNKLR004	Land Rover Ddfender Td5	Td5 Turbo Intercooled 5 Cyl 2.5 Liter	Diesel	LLDPE



SNKLA-001
Pre-Cleaner



SNKLA-002
Mushroom Head




SNKLA-003
Snorkel Head

JEEP WRANGLER ACCESSORIES



J4WD-001
2007-2014 (JEEP WRANGLERJK)
Aev Front Bumper With Hoop



J4WD-002
2007-2014 (JEEP WRANGLER JK)
Aev Front Bumper Without Hoop



JY-JK-012
Front Wheel Brow



JY-JK-041
Front Wheel Brow



JY-JK-035
Hood Cover



J4WD-048
Jeep wrangler Climbing side steps



J4WD-004
2007-2014 (JEEP WRANGLER JK)
Light Brackets



J4WD-005
2007-2014 (JEEP WRANGLER JK)
Aev Rear Tire Carrier



J4WD-006
Aev Rear Tire Carrier

GRAND CHEROKEE ACCESSORIES 2011-2013



J4WD-016
Front Grill(Chrome)
2011-2013



J4WD-017
Front Grill(Black)
2011-2013



J4WD-010
Electric Side Step
2011-2013



J4WD-008
Side Step(Chrome)
2011-2013



J4WD-009
Side Step(Black)
2011-2013



J4WD-018
Cross Bar
2011-2013



J4WD-026
Under Vehicle Protection
2014



J4WD-020
Rear Protector Pedal
2011-2013



J4WD-014
Welcome Pedal Cover
2011-2013



J4WD-015
Front Protector Pedal
2011-2013



J4WD-024
Exhaust Pipe
2011-2013



J4WD-019
Fender
2011-2013



J4WD-013
Foglight Cover
2011-2013



J4WD-011
Rearview Mirror Cover
2011-2013



J4WD-012
Door Handle Cover
2011-2013



J4WD-021
Accelerator Pedal
2011-2013



J4WD-022
License Plate Base
2011-2013

GRAND CHEROKEE ACCESSORIES 2014



J4WD-031
Front Grill(Chrome)
2014




J4WD-027
2014



J4WD-030
Front Bumper Cover
2014



J4WD-032
Ss Welcome Pedal
2014



J4WD-028
Side Step
2014



J4WD-029
Side Step
2014



J4WD-040
Mopar Oem Side Step
2014



J4WD-035
Body Decorate
2014



J4WD-034
Srt8 Wheel Brow
2014



J4WD-033
Srt8 Hood Cover
2014



J4WD-038
Fuel Tank Cap
2014



J4WD-025
Spray Nozzle Cover
2014



J4WD-039
Door Lock Protector
2014



J4WD-023
Front Foglight Cover
2014



J4WD-036
Taillight Cover
2014



J4WD-042
Taillight Cover
2014



J4WD-044
Rear Foglight Cover
2014



J4WD-043
Headlight Cover
2014



J4WD-045
Front Foglight Cover
2014



J4WD-046
Rear Foglight Cover
2014



J4WD-047
Srt 8 Full Body Kit
2014

Hitch Mount



YHM-001
190mm 2"Drop or 3/4 Rise



YHM-002
254mm 2"Drop or 3/4 Rise



YHM-005
2"and 2 5/16" Reversible
ball mount



YHM-003
292mm 6"Drop or 4 3/4 Rise



YHM-004
273mm 3 1/4"Drop or 2 Rise



YHM-006
Tri-ball ball mount



YHM-007



YHM-008
Deluxe Towing Kit




YHM-009
Towing Starter Kit



YHM-010
Heavy Duty Mount Hitch 5
Ton Receiver Mount Pintle Hook



YHM-011
Heavy Duty Mount Hitch 5
Ton Receiver Mount Pintle Hook



YSFL-001
LED Sand Flag


HITCH BALL

Item No.	Size / GTW lbs	Item No.	Size / GTW lbs
HB-001	1-7/8**3/4**1-1/2" 2,000lbs	HB-010	2**1**2" 6,000lbs
HB-002	1-7/8**3/4**1-3/4" 2,000lbs	HB-011	2**1**2-1/2" 6,000lbs
HB-003	1-7/8**3/4**2" 2,000lbs	HB-012	2**1**3" 6,000lbs
HB-004	1-7/8**3/4**2-1/2" 2,000lbs	HB-013	2**1**3-1/2" 6,000lbs
HB-005	1-7/8**1**2" 3,500lbs	HB-014	2-5/16**1**2" 6,000lbs
HB-006	1-7/8**1**2-1/2" 3,500lbs	HB-015	2-5/16**1**2-1/8" 6,000lbs
HB-007	2**3/4**1-1/2" 3,500lbs	HB-016	2-5/16**1**2-1/2" 6,000lbs
HB-008	2**3/4**2" 3,500lbs	HB-017	2-5/16**1-1/4**2-1/2" 10,000lbs
HB-009	2**3/4**2-1/2" 3,500lbs		

ALUMINUM FORGING TECHNICS


One or two pieces types available. Manufactured to all your specifications from the highest quality 6061-T6 biller aluminum by.

Optional colour
■ ■ ■ ■ ■



COIL SPRING BOOSTER SYSTEM

Raise rear of vehicle so that colt spring spread apart.
Insert first booster between coils on side closest to wheel.
Make sure there is no contact between booster and vehicle parts.
Twist the booster, using socket wrench, until is completely tight and the coils have spread apart and their compressor pressure will keep it in place.
Lower the vehicle and check shock absorber extension.
The shock absorbers should not be fully extended.



4WD TYRE & WHEEL

- Immitation beadlock wheel
- Genuine beadlock wheel
- Tow side beadlock wheel
- Non-beadlock wheel

Model	Part#	Specifications	Thread	Index	Dot	Ean	Emark
MUD TRAC	MH 3020	LT305/70R16 8PR 118/115Q	13.3	118/115	KBHL	695958581383	E4 0022966
MUD TRAC	MH 490	LT265/70R17 10PR 121/118Q	12.5	121/118	KBHM	695958581384	E4 0022956
MUD TRAC	MH 491	LT285/70R17 8PR 121/118Q	12.5	121/118	KBHN	695958581385	E4 0022965
MUD TRAC	MH 288	30x9.50R15LT 6PR 104S	13.5	104	KBHP	695958581386	E4 0024613
MUD TRAC	MH 279	31x10.50R15LT 6PR 109Q	13.5	109	KBHF	695958581387	E4 0024614
MUD TRAC	MH 280	33x12.50R16LT 6PR 108Q	14.0	108	KBHH	695958581388	E4 0022962
MUD TRAC	MH 281	35x12.50R15LT 6PR 113Q	14.0	113	KBHJ	695958581389	E4 0022963
MUD TRAC	MH 3019	LT245/75R16 10PR 120/116Q	12.5	120/116	KBHK	695958581390	E4 0022964
MUD TRAC	MH 3021	LT265/75R16 10PR 123/120Q	12.5	123/120	KBHD	695958581391	E4 0022954
MUD TRAC	MH 332	LT285/75R16 8PR 122/119Q	12.5	122/119	KBH1	695958581392	E4 0022790
MUD TRAC	MH 3015	LT315/75R16 8PR 121Q	14.0	121	KBHE	695958581393	E4 0022967
HILL TRACKER	MH 3067	LT285/75R16 8PR 122/119Q	12.5	122/119	KBH1	695958581643	E4 0022790



Model	SIZE	STUD	PCD	CB	ET
SWB-001	15X7	4/5/6/8	100~165.1	66.3~130.8	-25~+8
SWB-002	15X8	4/5/6/8	100~165.1	66.3~130.8	-42~+10
SWB-003	15X9	4/5/6/8	100~165.1	66.3~130.8	-54~+15
SWB-004	15X10	4/5/6/8	100~165.1	66.3~130.8	-64~+20
SWB-005	15X12	5/6/8	114.3~165.1	73.1~130.8	-90~+40
SWB-006	15X14	5/6/8	114.3~165.1	73.1~130.8	-114~+60
SWB-007	16X7	5/6/8	114.3~170	73.1~130.8	-40~+10
SWB-008	16X8	5/6/8	114.3~170	73.1~130.8	-58~+10
SWB-009	16X10	5/6/8	114.3~170	73.1~130.8	-83~+15
SWB-010	16X12	5/6/8	114.3~170	73.1~130.8	-105~+35
SWB-011	16X14	5/6/8	114.3~170	73.1~130.8	-130~+60
SWB-012	17X7	5/6/8	114.3~170	73.1~130.8	-25~+10
SWB-013	17X8	5/6/8	114.3~170	73.1~130.8	-48~+25
SWB-014	17X9	5/6/8	114.3~170	73.1~130.8	-60~+25
SWB-015	17X9.5	5/6/8	114.3~170	73.1~130.8	-65~+30
SWB-016	17X10	5/6/8	114.3~170	73.1~130.8	-70~+30
SWB-017	17X12	5/6/8	114.3~170	73.1~130.8	-95~+50
SWB-018	17X14	5/6/8	114.3~170	73.1~130.8	-120~+70